

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 05/25/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34777	4. Time: 0149 hrs.
----------------------------	--	--------------------------------	------------------------------

5. Turn the RADAR on.	<input checked="" type="checkbox"/>
6. Push self test button, unit should read 888/888/188 Pass <input checked="" type="checkbox"/> Fail _____.	<input checked="" type="checkbox"/>
7. With Unit in stationary mode struck 25mph fork # 177049 IFO antenna. (You should receive a reading of 25 in the target window.)	<input checked="" type="checkbox"/>
8. Struck 40mph fork # 277769 IFO antenna. (You should receive a reading of 40 in the target window.)	<input checked="" type="checkbox"/>

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	WB / East	4046	405	MG75760	2007	Tahoe
30 MPH	30 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME

(+ Speedometer reads faster than actual vehicle speed.	(-) Speedometer reads slower than actual vehicle speed.
18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Nathan Tompkins <i>Nathan Tompkins</i>

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 05/25/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0137 Hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # **177050** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **277765** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	West / East	4046	408	MG70848	2006	C / V
30 MPH	30 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	East / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Benjamin Palombi III**

19. Vehicle Operator: **Ptl. Nathan Tompkins**

Sgt Ben Palombi III

Nathan Tompkins

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 06/13/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0228 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail _____
- 7. With Unit in stationary mode struck 25mph fork # **177050** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **277765** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	EB / East	4043	410	MG85189	2009	Tahoe
30 MPH	30MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Nicole Bonilla <i>N Bonilla</i>
--	--

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 06/14/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0103 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	East / West	4038	416	MG70851	2006	C / V
30 MPH	31 MPH	+1	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	49 MPH	-1	Same / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	East / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Benjamin Palombi III**

19. Vehicle Operator: **Ptl. Michelle Hollins**

Sgt Ben Palombi III

Ptl. Michelle Hollins 4038

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 06/14/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0042 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	EB / West	4038	409	MG77831	2007	Tahoe
30 MPH	30 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Ben Palombi III</i>	19. Vehicle Operator: Pt. Michelle Hollins <i>Michelle Hollins 4038</i>
--	---

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 06/14/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0053 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	East / West	4038	417	MG75085	2007	C / V
30 MPH	30 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	West / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Michelle Hollins <i>Ptl Michelle Hollins 4038</i>
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 06/14/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0110 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # **177050** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **277765** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	WB / East	4033	407	MG86294	2010	Tahoe
30 MPH	30 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Benjamin Palombi III**

19. Vehicle Operator: **Ptl. Dave Filippine**

Sgt Ben Palombi III

Ptl. Dave Filippine 4033

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 06/14/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0100 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # **177050** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **277765** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	17 MPH	-3	East / West	4032	411	MG64946	2005	C / V
30 MPH	29 MPH	-1	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	39 MPH	-1	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	48 MPH	-1	West / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	58 MPH	-1	West / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Brian Panaro <i>Ptl. Brian Panaro</i>
--	--

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 06/14/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0048 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # **177050** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **277765** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	21MPH	+1	EB / West	4032	418	MG75086	2007	C / V
30 MPH	30MPH		EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH		EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH		WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH		WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Brian Panaro <i>Ptl. Brian Panaro</i>
--	--

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 06/14/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0028 hrs.
----------------------------	--	--------------------------------	------------------------------

5. Turn the RADAR on.	<input checked="" type="checkbox"/>
6. Push self test button, unit should read 888/888/188 Pass <input checked="" type="checkbox"/> Fail _____.	<input checked="" type="checkbox"/>
7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna. (You should receive a reading of 25 in the target window.)	<input checked="" type="checkbox"/>
8. Struck 40mph fork # 277765 IFO antenna. (You should receive a reading of 40 in the target window.)	<input checked="" type="checkbox"/>

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	EB / West	4032	412	MG80776	2008	C / V
30 MPH	30 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Brian Panaro <i>Ptl. Brian Panaro</i>
--	--

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 06/14/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0111 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail _____
- 7. With Unit in stationary mode struck 25mph fork # **177050** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **277765** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20MPH	0	East / West	4032	414	MG77832	2007	Tahoe
30 MPH	31 MPH	+1	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	51 MPH	+1	Same / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt. Ben Palombi III</i>	19. Vehicle Operator: Ptl. Brian Panaro <i>Ptl. Brian Panaro</i>
---	--

COPY