

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 03/10/2013	2. Officer: Ptl. Nick Czepiel	3. Radar Unit: 34806	4. Time: 0403 Hrs
----------------------------	---	--------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	400	MG85206	2009	C / V
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	41 MPH	+1	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed.

(-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Ptl. Nick Czepiel**
Nick Czepiel

19. Vehicle Operator: **Ptl. Anthony Cardone**
Anthony Cardone

Florence Township Police Department Speed Calibration Sheet

Date: 03/10/2013 2. Officer: Ptl. Nick Czepiel 3. Radar Unit: 34806 4. Time: 0451 Hrs

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork #177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork #277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

11. Vehicle Speed	12. RADAR Speed	13. Difference	14. Direction Vehicle/RADAR	15. Vehicle Driver	16. Vehicle Number	17. Vehicle Registration	18. Vehicle Year	19. Vehicle Type
20 MPH	21 MPH	+1	South / South	4047	403	MG87632	2010	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	52 MPH	+2	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

20. RADAR Operator Ptl. Nick Czepiel 21. Vehicle Operator Ptl. Anthony Cardone

(Handwritten signatures)

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: **03/10/2013** 2. Officer: **Ptl. Nick Czepiel** 3. Radar Unit: **34806** 4. Time: **0201 HRS.**

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	404	MG93730	2012	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Ptl. Nick Czepiel**


19. Vehicle Operator: **Ptl. Anthony Cardone**


Florence Township Police Department Speed Calibration Sheet

Date: 03/10/2013	2. Officer: Ptl. Nick Czepiel	3. Radar Unit: 34806	4. Time: 0408 Hrs.
---------------------	----------------------------------	-------------------------	-----------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail_____
- 7. With Unit in stationary mode struck 25mph fork #177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork #277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

11. Vehicle Speed	12. RADAR Speed	13. Difference	14. Direction Vehicle/RADAR	15. Vehicle Driver	16. Vehicle Number	17. Vehicle Registration	18. Vehicle Year	19. Vehicle Type
20 MPH	21 MPH	+1	South / South	4047	405	MG75760	2007	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	52 MPH	+2	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	North / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

20. RADAR Operator Ptl. Nick Czepiel 	21. Vehicle Operator Ptl. Anthony Cardone
--	---

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: 03/10/2013	2. Officer: Ptl. Nick Czepiel	3. Radar Unit: 34806	4. Time: 0459 Hrs
----------------------------	---	--------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # 177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	407	MG86294	2010	Tahoe
30 MPH	32 MPH	+2	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Ptl. Nick Czepiel <i>Nick Czepiel</i>	19. Vehicle Operator: Ptl. Anthony Cardone <i>Ptl. Anthony Cardone</i>
---	--

Florence Township Police Department



Stalker Speed Calibration Sheet

Date: 03/10/2013	2. Officer: Ptl. Nick Czepiel	3. Radar Unit: 34806	4. Time: 0414 Hrs
----------------------------	---	--------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail _____
- 7. With Unit in stationary mode struck 25mph fork # 177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	409	MG77831	2007	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	53 MPH	+3	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Ptl. Nick Czepiel 	19. Vehicle Operator: Ptl. Anthony Cardone 
---	--

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: 03/10/2013	2. Officer: Ptl. Anthony Cardone	3. Radar Unit: 34775	4. Time: 0437 Hrs
----------------------------	--	--------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail
- 7. With Unit in stationary mode struck 25mph fork # 177048 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277761 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4041	410	MG85189	2009	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	42 MPH	+2	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Ptl. Anthony Cardone <i>[Signature]</i>	19. Vehicle Operator: Ptl. Nick Czepiel <i>[Signature]</i>
---	--

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: **03/10/2013** 2. Officer: **Ptl. Nick Czepiel** 3. Radar Unit: **34806** 4. Time: **0422 Hrs**

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	411	MG88866	2011	Tahoe
30 MPH	30 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Ptl. Nick Czepiel** 19. Vehicle Operator: **Ptl. Anthony Cardone**

Florence Township Police Department



Stalker Speed Calibration Sheet

Date: 3/10/2013	2. Officer: Ptl. N. Czepiel	3. Radar Unit: 34806	4. Time: 0521 Hrs.
---------------------------	---------------------------------------	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail _____
- 7. With Unit in stationary mode struck 25mph fork #177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork #277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	21MPH	+1	South / South	4047	412	MG80776	2008	Crown Vic
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	42 MPH	+2	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Ptl. Nick Czepiel 	19. Vehicle Operator: Ptl. Anthony Cardone 
---	---



Florence Township Police Department

Stalker Speed Calibration Sheet

Date: 03/10/2013	2. Officer: Ptl. Nick Czepiel	3. Radar Unit: 34806	4. Time: 0429 HRS.
----------------------------	---	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	413	MG91736	2012	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	41 MPH	+1	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed.	(-) Speedometer reads slower than actual vehicle speed.
18. RADAR Operator: Ptl. Nick Czepiel 	19. Vehicle Operator: Ptl. Anthony Cardone 

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: 03/10/2013	2. Officer: Ptl. Nick Czepiel	3. Radar Unit: 34806	4. Time: 0515 Hrs
----------------------------	---	--------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork #177805 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork #277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	21MPH	+1	South / South	4047	417	MG75085	2007	Crown Vic
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	59 MPH	-1	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: PTL Nick Czepiel 	19. Vehicle Operator: Ptl Anthony Cardone
--	---

Florence Township Police Department

Stalker Speed Calibration Sheet



Date: 03/10/2013	2. Officer: Ptl. Nick Czepiel	3. Radar Unit: 34806	4. Time: 0508 Hrs.
----------------------------	---	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork #177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork #277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	22 MPH	+2	South / South	4047	418	MG75086	2007	Crown Vic
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	41 MPH	+1	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed.

(-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Ptl. Nick Czepiel 	19. Vehicle Operator: Ptl. Anthony Cardone 
---	---