

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 3/21/2020	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0702 HRS.
---------------------------	---	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4054	404	26162MG	2017	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl. Korey Linico
--	--

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: 3/21/2020	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0709 HRS.
---------------------------	---	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4054	414	35759MG	2020	Explorer
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl. Korey Linico
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 3/21/2020	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0721 HRS
---------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	SOUTH/SOUTH	4054	421	16941MG	2015	TAHOE
30 MPH	30 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl. Korey Linico
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 3/21/2020	2. Officer: Ptl. Jason Silk	3. Radar Unit: DS33106	4. Time: 0800 HRS.
---------------------------	---------------------------------------	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA167058 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB266751 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4041	419	16943MG	2015	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Ptl. Jason Silk 	19. Vehicle Operator: Sgt. Nick Czepiel
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 3/21/2020	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0659 Hrs
---------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4049	410	26227MG	2018	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl. Jason Silk
--	--



Florence Township Police Department Speed Calibration Sheet

Date: 3/21/2020	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0720 Hrs
---------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

11. Vehicle Speed	12. RADAR Speed	13. Difference	14. Direction Vehicle/RADAR	15. Vehicle Driver	16. Vehicle Number	17. Vehicle Registration	18. Vehicle Year	19. Vehicle Type
20 MPH	20 MPH	0	South / South	4049	403	17790MG	2016	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

20. RADAR Operator Sgt. Nick Czepiel 	21. Vehicle Operator Ptl. Jason Silk 
---	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 3/21/2020	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0720 Hrs					
<p>5. Turn the RADAR on. <input checked="" type="checkbox"/></p> <p>6. Push self test button, unit should read 888/888/188 Pass <u> X </u> Fail <u> </u>. <input checked="" type="checkbox"/></p> <p>7. With Unit in stationary mode struck 25mph fork # <u>FA177085</u> IFO antenna. (You should receive a reading of 25 in the target window.) <input checked="" type="checkbox"/></p> <p>8. Struck 40mph fork # <u>FB277677</u> IFO antenna. (You should receive a reading of 40 in the target window.) <input checked="" type="checkbox"/></p>								
09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4049	400	26226MG	2018	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
(+) Speedometer reads faster than actual vehicle speed.				(-) Speedometer reads slower than actual vehicle speed.				
18. RADAR Operator: Sgt. Nick Czepiel					19. Vehicle Operator: Ptl. Jason Silk			

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 3/21/2020	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0641 Hrs
---------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4033	411	17791MG	2016	Tahoe
30 MPH	30 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel	19. Vehicle Operator: Ptl Dave Philippine
--	--

Florence Township Police Department Stalker Speed Calibration Sheet


Date: 3/21/2020	2. Officer: Sgt. N. Czepiel	3. Radar Unit: DS34806	4. Time: 0731 Hrs
---------------------------	---------------------------------------	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)


09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4033	415	30712MG	2019	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Nick Czepiel**



19. Vehicle Operator: **Ptl Dave Filippine**



Florence Township Police Department Stalker Speed Calibration Sheet

Date: 3/21/2020	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0741 HRS
---------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # **FA177085** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **FB277677** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	SOUTH/SOUTH	4033	420	16942MG	2015	TAHOE
30 MPH	30 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl Dave Philippine
--	--