

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0032HRS.
----------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4049	416	MG99896	2014	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Nick Czepiel**

19. Vehicle Operator: **Ptl. Jason Silk**

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0048 Hrs
----------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4049	407	MG86294	2010	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel <i>[Signature]</i>	19. Vehicle Operator: Ptl. Jason Silk <i>[Signature]</i>
--	--

Florence Township Police Department



Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0052 HRS.
----------------------------	---	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	413	MG91736	2012	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl. Anthony Cardone 
--	--

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0105 Hrs
----------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4049	400	MG85206	2009	C / V
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Nick Czepiel**

19. Vehicle Operator: **Ptl. Jason Silk**

Florence Township Police Department Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0109
----------------------------	---	----------------------------------	-------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail_____
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

11. Vehicle Speed	12. RADAR Speed	13. Difference	14. Direction Vehicle/RADAR	15. Vehicle Driver	16. Vehicle Number	17. Vehicle Registration	18. Vehicle Year	19. Vehicle Type
20 MPH	20 MPH	0	South / South	4049	403	17790MG	2016	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

20. RADAR Operator Sgt. Nick Czepiel 	21. Vehicle Operator Ptl. Jason Silk
--	--

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0116
----------------------------	---	----------------------------------	-------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	411	17791MG	2016	Tahoe
30 MPH	30 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Nick Czepiel**

19. Vehicle Operator: **Ptl Anthony Cardone**

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0123 hrs
----------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177049 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277769 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	SOUTH/SOUTH	4047	401	W63EDM	2014	TAHOE
30 MPH	30 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl. Anthony Cardone
--	---



Florence Township Police Department Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0141 HRS.
----------------------------	---	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	404	MG93730	2012	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl. Anthony Cardone 
--	--

Florence Township Police Department Stalker Speed Calibration Sheet


Date: 05/31/2017	2. Officer: Sgt. N. Czepiel	3. Radar Unit: DS34806	4. Time: 0146 Hrs
----------------------------	---------------------------------------	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	415	MG93742	2012	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Nick Czepiel** 19. Vehicle Operator: **Ptl. Anthony Cardone**





Florence Township Police Department Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0155 HRS
----------------------------	---	----------------------------------	-----------------------------

- | | |
|--|-------------------------------------|
| 5. Turn the RADAR on. | <input checked="" type="checkbox"/> |
| 6. Push self test button, unit should read 888/888/188 Pass <u> X </u> Fail <u> </u> . | <input checked="" type="checkbox"/> |
| 7. With Unit in stationary mode struck 25mph fork # <u>FA177085</u> IFO antenna.
(You should receive a reading of 25 in the target window.) | <input checked="" type="checkbox"/> |
| 8. Struck 40mph fork # <u>FB277677</u> IFO antenna.
(You should receive a reading of 40 in the target window.) | <input checked="" type="checkbox"/> |

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	SOUTH/SOUTH	4047	420	16942MG	2015	TAHOE
30 MPH	30 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. 18. RADAR Operator: Sgt. Nick Czepiel 	(-) Speedometer reads slower than actual vehicle speed. 19. Vehicle Operator: Ptl. Anthony Cardone 
---	---

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: **05/31/2017** 2. Officer: **Sgt. Nick Czepiel** 3. Radar Unit: **DS34806** 4. Time: **0211 HRS.**

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4047	417	MG99895	2014	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Nick Czepiel**

[Signature]

19. Vehicle Operator: **Pt. Anthony Cardone**

[Signature]

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0215 HRS
----------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	SOUTH/SOUTH	4049	421	16941MG	2015	TAHOE
30 MPH	30 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Nick Czepiel**

19. Vehicle Operator: **Ptl. Jason Silk**



Florence Township Police Department Stalker Speed Calibration Sheet

Date: 05/31/2017	2. Officer: Ptl. Jason Silk	3. Radar Unit: DS33106	4. Time: 0226HRS.
----------------------------	---------------------------------------	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA167058 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB266751 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4041	419	16943MG	2015	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Ptl. Jason Silk**

19. Vehicle Operator: **Sgt. Nick Czepiel**