

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 01/06/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0027 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	19 MPH	-1	WB / East	4047	410	MG85189	2009	Tahoe
30 MPH	29MPH	-1	WB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME

(+ Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Benjamin Palombi III**

19. Vehicle Operator: **Ptl. Anthony Cardone**

Sgt Ben Palombi III

PA. Anthony Cardone 47

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 01/06/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: DS33133	4. Time: 0046 hrs.
----------------------------	--	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # **167059** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **266759** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	EB / East	4035	405	MG75760	2007	Tahoe
30 MPH	30 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	39 MPH	-1	EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	59 MPH	-1	EB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Timothy Sadar <i>Timothy Sadar</i>
--	---

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 01/06/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0040 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	E / East	4035	409	MG77831	2007	Tahoe
30 MPH	30 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	49 MPH	-1	Same / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III 	19. Vehicle Operator: Ptl. Timothy Sadar
--	---

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 01/06/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0035 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail _____
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	EB / East	4029	416	MG70851	2006	C / V
30 MPH	30 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	39MPH	-1	EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	49 MPH	-1	EB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: **Sgt. Benjamin Palombi III**

Sgt Ben Palombi III

19. Vehicle Operator: **Ptl. Charles Levach**

Ptl Charles Levach

COPY

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 01/06/2010	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0014 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH		WB / East	4030	418	MG75086	2007	C / V
30 MPH	30MPH		WB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH		WB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH		WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH		WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Darrell Fisher <i>Ptl. Darrell Fisher</i>
--	--

COPY

Florence Township Police Department

Stalker Speed Calibration Sheet

Date: 11/22/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 1700 hrs.
--------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	WB / EB	4032	400	MG85206	2009	C / V
30 MPH	30 MPH	0	SAME / EB	SAME	SAME	SAME	SAME	SAME
40 MPH	41MPH	+1	SAME / EB	SAME	SAME	SAME	SAME	SAME
50 MPH	51 MPH	+1	SAME / EB	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	SAME / WB	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III 	19. Vehicle Operator: Ptl. Brian Panaro
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/26/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0035 hrs.
--------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # 167058 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 26675 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	21 MPH	+1	WB / East	4030	408	MG70848	2006	C / V
30 MPH	32 MPH	+2	WB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	41 MPH	+1	WB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	61 MPH	+1	WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III 	19. Vehicle Operator: Ptl. Darrell Fisher
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/26/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0025 hrs.
--------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # 167058 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 26675 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	22 MPH	+2	WB / East	4030	418	MG75086	2007	C / V
30 MPH	33MPH	+3	WB /Same	SAME	SAME	SAME	SAME	SAME
40 MPH	42 MPH	+2	WB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	53 MPH	+ 3	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	61 MPH	+1	WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Darrell Fisher <i>Ptl. Darrell Fisher</i>
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/26/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0010 hrs.
--------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail _____
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	EB / East	4035	416	MG70851	2006	C / V
30 MPH	30 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III 	19. Vehicle Operator: Ptl. Timothy J. Sadar
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/20/2009	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 0225 hrs.
----------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	WB / East	4047	409	MG77831	2007	Tahoe
30 MPH	30 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III 	19. Vehicle Operator: Ptl. Anthony Cardone
--	---



Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/2009	2. Officer: Sgt. Brian Boldizar	3. Radar Unit: DS33106	4. Time: 0130 hrs.
----------------------------	---	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass _____ Fail _____ .
- 7. With Unit in stationary mode struck 25mph fork # 167058 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 26675 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	19 MPH	- 1	SB / SB	4046	404	MG51522	2002	C / V
30 MPH	29 MPH	- 1	SB / SB	SAME	SAME	SAME	SAME	SAME
40 MPH	39 MPH	- 1	SB / SB	SAME	SAME	SAME	SAME	SAME
50 MPH	49 MPH	- 1	SB / SB	SAME	SAME	SAME	SAME	SAME
60 MPH	61 MPH	+ 1	NB / SB	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Brian Boldizar 	19. Vehicle Operator: Ptl. Nathan Tompkins 
---	---

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/18/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 1559 hrs.					
<p>5. Turn the RADAR on. <input checked="" type="checkbox"/></p> <p>6. Push self test button, unit should read 888/888/188 Pass <input checked="" type="checkbox"/> Fail _____ <input checked="" type="checkbox"/></p> <p>7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna. (You should receive a reading of 25 in the target window.) <input checked="" type="checkbox"/></p> <p>8. Struck 40mph fork # 277765 IFO antenna. (You should receive a reading of 40 in the target window.) <input checked="" type="checkbox"/></p>								
09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	EB / East	4038	411	MG64946	2005	C / V
30 MPH	28 MPH	- 2	EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	38 MPH	- 2	EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	49 MPH	- 1	EB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
(+) Speedometer reads faster than actual vehicle speed.				(-) Speedometer reads slower than actual vehicle speed.				
18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>					19. Vehicle Operator: Ptl. Michelle Hollins <i>Michelle Hollins 4038</i>			

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/18/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34774	4. Time: 1605 hrs.
--------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # **177047** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **277762** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	EB / East	4038	405	MG75760	2007	Tahoe
30 MPH	30 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Michelle Hollins <i>Ptl Michelle Hollins 4038</i>
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/18/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 1345 hrs.
--------------------------	--	--------------------------------	------------------------------

5. Turn the RADAR on.	<input checked="" type="checkbox"/>
6. Push self test button, unit should read 888/888/188 Pass <input checked="" type="checkbox"/> Fail _____.	<input checked="" type="checkbox"/>
7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna. (You should receive a reading of 25 in the target window.)	<input checked="" type="checkbox"/>
8. Struck 40mph fork # 277765 IFO antenna. (You should receive a reading of 40 in the target window.)	<input checked="" type="checkbox"/>

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	EB / East	4018	412	MG80776	2008	C / V
30 MPH	30 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	EB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Darryl Scott <i>Ptl Darryl Scott</i>
--	---

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/18/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 1412 hrs.
--------------------------	--	--------------------------------	------------------------------

5. Turn the RADAR on.	<input checked="" type="checkbox"/>
6. Push self test button, unit should read 888/888/188 Pass <input checked="" type="checkbox"/> Fail _____.	<input checked="" type="checkbox"/>
7. With Unit in stationary mode struck 25mph fork # <u>177050</u> IFO antenna. (You should receive a reading of 25 in the target window.)	<input checked="" type="checkbox"/>
8. Struck 40mph fork # <u>277765</u> IFO antenna. (You should receive a reading of 40 in the target window.)	<input checked="" type="checkbox"/>

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	21 MPH	+1	EB / East	4018	414	MG77832	2007	Tahoe
30 MPH	29 MPH	-1	EB / SAME	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	EB / SAME	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	EB / SAME	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	WB / SAME	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III <i>Sgt Ben Palombi III</i>	19. Vehicle Operator: Ptl. Darryl Scott <i>Ptl Darryl Scott</i>
--	---



Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/18/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 1430 hrs.
--------------------------	--	--------------------------------	------------------------------

- | | |
|---|-------------------------------------|
| 5. Turn the RADAR on. | <input checked="" type="checkbox"/> |
| 6. Push self test button, unit should read 888/888/188 Pass <input checked="" type="checkbox"/> Fail _____. | <input checked="" type="checkbox"/> |
| 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
<small>(You should receive a reading of 25 in the target window.)</small> | <input checked="" type="checkbox"/> |
| 8. Struck 40mph fork # 277765 IFO antenna.
<small>(You should receive a reading of 40 in the target window.)</small> | <input checked="" type="checkbox"/> |

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	WB / East	4034	410	MG85189	2009	Tahoe
30 MPH	29MPH	-1	WB / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	WB / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III 	19. Vehicle Operator: Ptl. Brian Young 
--	---



Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/18/09	2. Officer: Sgt. Ben Palombi III	3. Radar Unit: 34766	4. Time: 1352 hrs.
--------------------------	--	--------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass Fail .
- 7. With Unit in stationary mode struck 25mph fork # 177050 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # 277765 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	WB / EB	4034	417	MG75085	2007	C / V
30 MPH	30 MPH	0	WB / EB	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	WB / EB	SAME	SAME	SAME	SAME	SAME
50 MPH	51 MPH	+ 1	WB / EB	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	WB / EB	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Benjamin Palombi III 	19. Vehicle Operator: Ptl. Brian Young 
--	---