

FRANKLIN TWP RADAR UNITS

Veh#	Readout	F-Antenna	R-Antenna	Tuning 25	Tuning 40	Radar
1102	048834	025786	025935	210990	315780	stalker✓
1104	DS045102	KC080674	KC080688	214627	319356	stalker✓
1105	DS044342	KC075937	KC074800	214478	319357	stalker✓
1108	DS045104	KC080687	KC080689	220610	500560	stalker✓
1109	DS045061	KC080675	KC080615	214625	320052	stalker✓
1110	DS045060	KC080623	KC080613	242243	349755	stalker✓
1111	DS045062	KC080629	KC080630	214479	319355	stalker✓
1112	DS044289	KC075759	KC075750	210988	315778	stalker✓
1113	DS045103	KC080628	KC080622	210989	315779	stalker✓
1114	DS32342	010945	KC013210	210986	315776	stalker✓
1116	DS045069	KC080685	KC080683	214481	319354	stalker✓
1117	DS044263	KC075494	KC074836	214626	319358	stalker✓
1118	DE004870	KC110681	KC110865	232619	339415	stalker✓
1120	DS045112	KC080458	KC080610	215386	319401	stalker✓
1121	DS044339	KC074804	KC075940	210991	315781	stalker✓
1124	DS044285	KC075483	KC074834	232077	339864	stalker✓
1128	DS32445	KC023868	KC023862	185032	287353	stalker✓
1134	DE014264	KC158193	KC158167	264340	371352	stalker✓
1137	DS044396	KC075949	KC074828	210987	315777	stalker✓
1138	DS044288	KC075758	KC075757	210992	315782	stalker✓
1139	040272	040741	040760	220611	500536	stalker✓

Veh#	Comp. Serial#	Antenna	Antenna	Tuning 20	Tuning 50	Radar
1119	109004582	653027268	653027269	287000	286834	BeeIII✓
1131	109002664	653023057	653023056	445592	445578	BeeIII✓
1133	109004293	653027903	653027904	286796	286839	BeeIII✓

Spare Tuning Forks

Tuning 20	Tuning 50
396645✓	396630✓
467262✓	467209✓

Last Revised: 05/03/23

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315780 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Starn
Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210990 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Starn
Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045104 Frequency GHz Power Density mw/cm²
Antenna #1: S.N. KC080687 Frequency 34.72 GHz Power Density 2 mw/cm²
Antenna #2: S.N. KC080689 Frequency 34.73 GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *Chris Trujillo*

Technician (name) CHRIS TRUJILLO

Applied Concepts, Inc. | Plano, Texas 75074

005-0147-00 Rev M

Unit #1102

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319356 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214627 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045107 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080688 Frequency 34.73 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080674 Frequency 34.72 GHz Power Density 2 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.


This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) 

Technician (name) CHRISTOPHER TRUJILLO

Applied Concepts, Inc. | Plano, Texas 75074

005-0147-00 Rev M

Unit 1104

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319357 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

David Standa
Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214478 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

David Standa
Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045060 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. 5C080023 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. 5C080013 Frequency 34.71 GHz Power Density 1 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *Chris Takkilo*

Technician (name) CHRIS TAKKILLO

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1105

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA220610
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA- Band will result in the stated m.p.h. value.


Agency certified for FRANKLIN TWP. POLICE DEPT.

David Staal
Acting State Superintendent

Gloucester County

Date 2/23/2023

LS



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB500560
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA- Band will result in the stated m.p.h. value.


Agency certified for FRANKLIN TWP. POLICE DEPT.

David Staal
Acting State Superintendent

Gloucester County

Date 2/23/2023

LS



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044263 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K075494 Frequency 34.72 GHz Power Density 1.0 mw/cm²
Antenna #2: S.N. K074836 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode,
and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the
prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI
Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) *[Signature]*

Technician (name) DAUNG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1108/Stalker

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214625 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA-Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stank
Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB320052 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA-Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stank
Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045061 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080675 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080615 Frequency 34.72 GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *Chris Trujillo*

Technician (name) CHRIS TRUJILLO

Applied Concepts, Inc. | Plano, Texas 75074

005-0147-03 Rev M

Unit #1109

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB349755 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA242243 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS064312 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC075937 Frequency 34.72 GHz Power Density 0.8 mw/cm²
Antenna #2: S.N. KC074800 Frequency 34.72 GHz Power Density 0.8 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.


This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) 

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1110

STATE OF NEW JERSEY
 OFFICE OF THE
 STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319355
 has been compared with standards of the State of New Jersey in posses-
 sion of the State Superintendent of Weights and Measures. The above
 tuning fork when used with Radar traffic units operating at 34.7 GHz
 KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Stuard
 Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214479
 has been compared with standards of the State of New Jersey in posses-
 sion of the State Superintendent of Weights and Measures. The above
 tuning fork when used with Radar traffic units operating at 34.7 GHz
 KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Stuard
 Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045062 Frequency — GHz Power Density — mw/cm²
 Antenna #1: S.N. KC080629 Frequency 34.72 GHz Power Density 1.5 mw/cm²
 Antenna #2: S.N. KC080630 Frequency 34.72 GHz Power Density 2 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode,
 and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the
 prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI
 Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014 Technician (signature) *[Signature]*
 Technician (name) CHARIS TRAVILLO

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210988 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315778 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044285 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K074834 Frequency 34.72 GHz Power Density 0.7 mw/cm²
Antenna #2: S.N. K075483 Frequency 34.73 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) 

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074


006-0147-00 Rev M

Unit #1112

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315779 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA-Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210989 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA-Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044289 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K075759 Frequency 34.72 GHz Power Density 0.18 mw/cm²
Antenna #2: S.N. K075750 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.


This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) 

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074


006-0147-00 Rev M

Unit #1113

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315776 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210986 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/23/2023



TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $4,166 \pm 5$ Hertz at 70° F resulting in a calibration signal of 40 mph (64 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) 

Technician (name) Todd L. Gardner

Serial # 315776

Applied Concepts, Inc.

Plano, Texas 75074

006-0411-00 Rev C



Unit 1114

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214481 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Stuard
Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319354 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Stuard
Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045069 Frequency — GHz Power Density — mw/cm²

Antenna #1: S.N. KC080685 Frequency 34.72 GHz Power Density 1.5 mw/cm²

Antenna #2: S.N. KC080683 Frequency 34.73 GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *Chris Trujillo*

Technician (name) CHRIS TRUJILLO

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1116

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319358 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214626 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045103 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080622 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080628 Frequency 34.72 GHz Power Density 1 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *Chris Trujillo*

Technician (name) CHRIS TRUJILLO

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1117

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA232619 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB339415 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



LS

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DE4870

Antenna #1: S.N. KC110681

Frequency 34.72 GHz

Power Density 0.6 mw/cm²

Antenna #2: S.N. KC110865

Frequency 34.72 GHz

Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.


This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 km/h) in stationary mode, and/or ± 2 mph (± 3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date: 02/29/2016

Technician (signature) 

Technician: Hani Almikhlafi

Technician overseen by: Roland Rickerd

Applied Concepts, Inc. | Plano, Texas 75074

Unit #1118

006-0147-00 Rev N
18043

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA215386 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Steward
Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319401 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Steward
Acting State Superintendent

Gloucester County

Date 2/23/2023



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS04512 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080616 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080458 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 8 2014

Technician (signature) *[Signature]*

Technician (name) TRONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074


006-0147-00 Rev M

Unit #1120

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315781 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210991 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



Certificate of Calibration

This is to certify that all applicable tests and measurements have been made on Model BEE III

a Doppler Traffic Radar, Computer Serial Number 109002663

Readout Serial Number _____

Antenna Serial Number 653023054

Antenna Serial Number 653023055

Operating Frequency _____ KA- Band

The aforesaid radar meets or exceeds all manufacturer's specifications.

Date 04/19/2013

Signed Quincy R. Lambrough

MPH

316 East Ninth Street
Owensboro, KY 42303

NPD-401-AUS

UNIT 1121

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB339864 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.




Acting State Superintendent

Gloucester County

Date 2/23/2023


LS

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA232077 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.




Acting State Superintendent

Gloucester County


Date 2/23/2023

1129

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA185032 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB287353 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/23/2023



UNIT 1128

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB371352 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.



Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA264340 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.



Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit S.N. DE014264

Antenna #1: S.N. KC158193

Frequency 34.72 GHz

Power Density 0.4 mw/cm²

Antenna #2: S.N. KC158167

Frequency 34.72 GHz

Power Density 0.3 mw/cm²


Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 km/h) in stationary mode, and/or ± 2 mph (± 3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Technician (signature) 

Date: 01/03/2019

Technician: Han Almkhlaft

Technician overseen by: Roland Rickerd

Applied Concepts, Inc. | Richardson, Texas 75081

006-0147-00 Rev P
67631

UNIT 1134

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315777
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210987
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210992
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315782
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA220611
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB500536
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 287000 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 286834 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X- BAND MFR MPH.IND
SERIAL NUMBER 266003844 ANT. #1 097005188 ANT. #2 097005187

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS
R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004
DATE October 25, 2012
SIGNED 

Unit 1119

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 20 m.p.h. Tuning Fork Serial Number 445592
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 50 m.p.h. Tuning Fork Serial Number 445578
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



Certificate of Calibration

This is to certify that all applicable tests and measurements have been made on Model BEE III,
a Doppler Traffic Radar, Computer Serial Number 109002664

Readout Serial Number _____

Antenna Serial Number 653023056

Antenna Serial Number 653023057

Operating Frequency KA- Band

The aforesaid radar meets or exceeds all manufacturer's specifications.

Date 04/19/2013

Signed Dusty R. Frankrough



316 East Ninth Street
Owensboro, KY 42303

MPD-401-AUS

UNIT 1131

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 50 m.p.h. Tuning Fork Serial Number 286839
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 20 m.p.h. Tuning Fork Serial Number 286796
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



UNIT 1133

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 50 m.p.h. Tuning Fork Serial Number 396628
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 20 m.p.h. Tuning Fork Serial Number 396652
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



Spare

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 50 m.p.h. Tuning Fork Serial Number 467209
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 20 m.p.h. Tuning Fork Serial Number 467262
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



SPARE

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 50 m.p.h. Tuning Fork Serial Number 396630
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/23/2023



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 20 m.p.h. Tuning Fork Serial Number 396645
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/23/2023



Spare