

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315781
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staal
Acting State Superintendent

Gloucester County

Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210991
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz


Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staal
Acting State Superintendent

Gloucester County

Date 2/24/2022

Unit Copy



LS

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044339 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC075940 Frequency 34.72 GHz Power Density 1.2 mw/cm²
Antenna #2: S.N. KC074804 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) [Signature]

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit 1101


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319353
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

David Staal
Acting State Superintendent

Gloucester County
Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214480
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

David Staal
Acting State Superintendent

Gloucester County
Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. D3045104 Frequency GHz Power Density mw/cm²
Antenna #1: S.N. KC080687 Frequency 34.72 GHz Power Density 2 mw/cm²
Antenna #2: S.N. KC080689 Frequency 34.73 GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *Chris Trujillo*

Technician (name) CHRIS TRUJILLO

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214627
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County

Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319356
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County

Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045107 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080688 Frequency 34.73 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080674 Frequency 34.72 GHz Power Density 2 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *KTA*

Technician (name) CHRISTOPHER


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214478
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stival
Acting State Superintendent

Gloucester County
Date 2/24/2022




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319357
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stival
Acting State Superintendent

Gloucester County
Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045060 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080623 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080623 Frequency 34.71 GHz Power Density 1 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014


Technician (signature) *Chris Trujillo*

Technician (name) CHRIS TRUJILLO

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA185032 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA-Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 2/24/2022




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB287353 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA-Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 2/24/2022



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON
MODEL STALKER DSR BAND KA-BAND MFTR APPLIED CONCEPTS, INC.
SERIAL NUMBER 32445 ANT #1 023862 ANT #2 023868

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS
R & R RADAR, INC. DATE October 25, 2012
762 WHITE HORSE PIKE SIGNED 
ATCO, N.J. 08004

Unit #1106/Stalker


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210990
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County
Date 2/24/2022




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315780
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County
Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS 044396 Frequency GHz Power Density mw/cm²
Antenna #1: S.N. KC074828 Frequency 34.71 GHz Power Density 1.0 mw/cm²
Antenna #2: S.N. KC1275949 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210992
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
will result in the stated m.p.h. value. 34.7 GHz


KA - Band

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County
Date

2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315782
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
will result in the stated m.p.h. value. 34.7 GHz

KA - Band

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County
Date

2/24/2022

Unit Copy



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044263 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC075494 Frequency 34.72 GHz Power Density 1.0 mw/cm²
Antenna #2: S.N. KC074836 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode,
and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the
prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI
Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) [Signature]

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1108/Stalker

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB320052
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County

Date 2/24/2022



OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214625
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County

Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045061 Frequency — GHz Power Density — mw/cm²

Antenna #1: S.N. KC080675 Frequency 34.72 GHz Power Density 1.5 mw/cm²

Antenna #2: S.N. KC080615 Frequency 34.72 GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode,
and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the
prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI
Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) [Signature]

Technician (name) CHRIS TRUJILLO

Applied Concepts, Inc. | Plano, Texas 75074

005-0147-00 Rev M

Unit #1109

**STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES**

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB349755 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Staal
Acting State Superintendent

Gloucester County
Date 2/24/2022



**STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES**

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA242243 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Staal
Acting State Superintendent

Gloucester County
Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044342 Frequency — GHz Power Density — mw/cm²
 Antenna #1: S.N. KC075937 Frequency 34.72 GHz Power Density 0.8 mw/cm²
 Antenna #2: S.N. KC074800 Frequency 34.72 GHz Power Density 0.8 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013 Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319355
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214479
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045062 Frequency GHz Power Density mw/cm²
Antenna #1: S.N. KC080629 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. SC080630 Frequency 34.72 GHz Power Density 2 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *[Signature]*

Technician (name) CARIS TRAWILLO

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1111

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB339864
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staal
Acting State Superintendent

Gloucester County

Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA232077
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staal
Acting State Superintendent

Gloucester County

Date 2/24/2022



Computing Unit: S.N. DSC011285 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC074831 Frequency 34.72 GHz Power Density 0.7 mw/cm²
Antenna #2: S.N. KC075483 Frequency 34.73 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) _____

Technician (name) _____

DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1112

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315779
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
will result in the stated m.p.h. value. 34.7 GHz


KA- Band

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staud
Acting State Superintendent

Gloucester County
Date

2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210989
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
will result in the stated m.p.h. value. 34.7 GHz


KA- Band

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staud
Acting State Superintendent

Gloucester County
Date

2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044289 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K6075759 Frequency 34.22 GHz Power Density 0.8 mw/cm²
Antenna #2: S.N. K6075750 Frequency 34.22 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode,
and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the
prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI
Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013


Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315776 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 2/24/2022




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210986 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 2/24/2022



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON
MODEL STALKER DUAL DSR BAND KA - BAND MFR APPLIED CONCEPTS, INC.
SERIAL NUMBER 32342 ANT. #1 010945 ANT. #2 013210

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS
R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004
DATE August 3, 2015
SIGNED 

Unit 1114

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315777
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
will result in the stated m.p.h. value. 34.7 GHz


KA - Band

Agency certified for FRANKLIN TWP. POLICE DEPT.

Donald Stead
Acting State Superintendent

Gloucester County

Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210987
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
will result in the stated m.p.h. value. 34.7 GHz

KA - Band

Agency certified for FRANKLIN TWP. POLICE DEPT.

Donald Stead
Acting State Superintendent

Gloucester County

Date 2/24/2022



Unit Copy

LS

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044288 Frequency — GHz Power Density — mw/cm²

Antenna #1: S.N. K6075257 Frequency 34.72 GHz Power Density 1.5 mw/cm²

Antenna #2: S.N. K6075758 Frequency 34.72 GHz Power Density 0.9 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

008-0147-00 Rev M

Unit 1115

**STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES**


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319354 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

David Stead
Acting State Superintendent

Gloucester County

Date 2/24/2022



**STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES**

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214481 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

David Stead
Acting State Superintendent

Gloucester County

Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. D5045069 Frequency — GHz Power Density — mw/cm²
 Antenna #1: S.N. KC080685 Frequency 34.72 GHz Power Density 1.5 mw/cm²
 Antenna #2: S.N. KC080683 Frequency 34.73 GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *Chris Trujillo*

Technician (name) CHRIS TRUJILLO


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319358
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County
Date 2/24/2022




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214626
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County
Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. D5045103 Frequency GHz Power Density mw/cm²
Antenna #1: S.N. KC080622 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080628 Frequency 34.72 GHz Power Density 1 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) Chris Trujillo

Technician (name) CHRIS TRUJILLO

Applied Concepts, Inc. | Plano, Texas 75074


006-0147-00 Rev M

Unit #1117

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB339415
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA232619
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/24/2022



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X- BAND MFT# MPH IND
SERIAL NUMBER 266003847 ANT. #1 097005191 ANT. #2 097005192

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 26, 2012

SIGNED 

Unit #1118

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 287000
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 33.8GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County

Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 286834
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 33.8GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County

Date 2/24/2022



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON
MODEL K-55 BAND X-BAND MFTR MPH/IND

SERIAL NUMBER 266003844 ANT.#1 097005188 ANT.#2 097005187

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS
DATE October 25, 2017
SIGNED *[Signature]*
R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

Unit #1119

LITHO IN U.S.A.


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319401
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County
Date 2/24/2022




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA215386
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stuard
Acting State Superintendent

Gloucester County
Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045112 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080616 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080458 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 8 2014

Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1120


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 396652
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 33.8 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County
Date 2/24/2022




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 396628
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 33.8 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County
Date 2/24/2022



Certificate of Calibration

This is to certify that all applicable tests and measurements have been made on Model BEE III,
a Doppler Traffic Radar, Computer Serial Number 109002663

Readout Serial Number _____

Antenna Serial Number 653023054

Antenna Serial Number 653023055

Operating Frequency _____ KA - Band

The aforesaid radar meets or exceeds all manufacturer's specifications.

Date 04/19/2013

Signed *Misty R. Lambrough*

MPH

316 East Ninth Street
Owensboro, KY 42303

MFD-401-AUS

UNIT 1121

2706856288

P.6


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA220610
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB500560
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 2/24/2022



UNIT 1129

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 445592
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County

Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 445578
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County

Date 2/24/2022



Certificate of Calibration

This is to certify that all applicable tests and measurements have been made on Model BEE III,
a Doppler Traffic Radar, Computer Serial Number 109002664

Readout Serial Number _____

Antenna Serial Number 653023056

Antenna Serial Number 653023057

Operating Frequency _____ KA- Band

The aforesaid radar meets or exceeds all manufacturer's specifications.

Date 04/19/2013

Signed *Dusty R. Lombrough*

MPH

316 East Ninth Street
Owensboro, KY 42303

MPD-101-AUS

2706856288

p.2

UNIT 1131

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB500536
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA220611
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/24/2022



UNIT 1132

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 50 m.p.h. Tuning Fork Serial Number 286839 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 33.8 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/24/2022



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 20 m.p.h. Tuning Fork Serial Number 286796 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 33.8 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/24/2022



UNIT 1133

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA264340 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Stuard
Acting State Superintendent

Gloucester County
Date 2/24/2022



STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB371352 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Stuard
Acting State Superintendent

Gloucester County
Date 2/24/2022



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit S.N. DE014264

Antenna #1: S.N. KC158193

Frequency 34.72 GHz

Power Density 0.4 mw/cm²

Antenna #2: S.N. KC158167

Frequency 34.72 GHz

Power Density 0.3 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 km/h) in stationary mode, and/or ± 2 mph (± 3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Technician (signature)

Hani Almikhlafi

Date: 01/03/2019

Technician: Hani Almikhlafi

Technician overseen by: Roland Rickerd

Applied Concepts, Inc. | Richardson, Texas 75081

006-0147-00 Rev P
67631

UNIT 1134