

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 286697 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert f. Campanelli
State Superintendent

Gloucester County
Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 287056 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert f. Campanelli
State Superintendent

Gloucester County
Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND MPH/IND
SERIAL NUMBER 266003682 ANT #1 097004829 ANT #2 097004830

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012

SIGNED

Unit #1102

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 287019 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 287075 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND METR MPH IND
SERIAL NUMBER 266003680 ANT #1 097004825 ANT #2 097004826

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012

SIGNED

Unit #1104

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 292994 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camporelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 297412 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camporelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND MFTR MPH.IND

SERIAL NUMBER 266003848 ANT #1 097005193 ANT #2 097005194

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2013

SIGNED

[Signature]

Unit #1105

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA185032 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB287353 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL STALKER DSR BAND KA - BAND MFR APPLIED CONCEPTS, INC
SERIAL NUMBER 32445 ANT. #1 023862 ANT. #2 023868

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012

SIGNED

[Signature]

Unit #1106/Stalker

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 285371 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 287310 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL	K-55	BAND	X-BAND	MFTR	MPH.IND
SERIAL NUMBER	266003677	ANT. #1	097004819	ANT. #2	097004820

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012

SIGNED

[Signature]

Unit #1107

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA159971 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camparelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB261551 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camparelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON
MODEL STALKER DSR BAND KA - BAND MFTR APPLIED CONCEPTS, INC.
SERIAL NUMBER 32342 ANT #1 010945 ANT #2 013210

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.
R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004
DATE October 25, 2012
SIGNED *[Signature]*

Unit #1108/Stalker

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 287441 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County
Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 287268 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County
Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND MFTR MPH. IND
SERIAL NUMBER 266003681 ANT #1 097004827 ANT #2 097004828

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012

SIGNED

[Signature]

Unit #1109

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 31449 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camparelli
State Superintendent

Gloucester County
Date 2/20/2013




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 31904 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camparelli
State Superintendent

Gloucester County
Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND MFTF MPH.IND

SERIAL NUMBER 266003846 ANT #1 097005189 ANT #2 097005190

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012

SIGNED

A handwritten signature in black ink, likely of the person who signed the certificate.

Unit #1110

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 631058 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert f. Campanelli
State Superintendent

Gloucester County
Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 742557 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert f. Campanelli
State Superintendent

Gloucester County
Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL	K-55	BAND	X-BAND	MFR	MPH.IND
SERIAL NUMBER	266004001	ANT. #1	097005518	ANT. #2	097005519

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 15 2012

SIGNED

[Signature]

Unit #1111

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 286710 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 10,525 MHz X - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camporelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 287271 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 10,525 MHz X - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camporelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND MFTB MPH.IND
SERIAL NUMBER 266003683 ANT #1 097004831 ANT #2 097004832

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.
R & R RADAR, INC. DATE October 25, 2012
762 WHITE HORSE PIKE
ATCO, N.J. 08004 SIGNED *[Signature]*

Unit #1112

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 284242 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz



Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County
Date 2/20/2013

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 287305 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz



Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County
Date 2/20/2013

Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND METR MPH/IND
SERIAL NUMBER 266003684 ANT #1 097004833 ANT #2 097004834

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012

SIGNED

A handwritten signature in black ink, likely of the person who signed the certificate.

Unit #1113

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 283020 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camporelli
State Superintendent

Gloucester County
Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 286939 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camporelli
State Superintendent

Gloucester County
Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND METER MPH/IND
SERIAL NUMBER 266003678 ANT. #1 097004821 ANT. #2 097004822

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012
SIGNED *[Signature]*

Unit #1116

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 287439 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 287057 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND METR MPH.IND
SERIAL NUMBER 266003679 ANT. #1 097004823 ANT. #2 097004824

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012

SIGNED *[Signature]*

Unit #1117

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 292935 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 297275 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Campanelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND MFT# MPH/IND
SERIAL NUMBER 266003847 ANT.#1 097005191 ANT.#2 097005192

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 26, 2012

SIGNED *[Signature]*

Unit #1118

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 292912 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert J. Camporelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 297414 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert J. Camporelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL	K-55	BAND	X-BAND	MFTR	MPH.IND
SERIAL NUMBER	266003844	ANT #1	097005188	ANT #2	097005187

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2013

SIGNED *[Signature]*

Unit #1119

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 631065 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camparelli
State Superintendent

Gloucester County

Date 2/20/2013



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 520605 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Robert F. Camparelli
State Superintendent

Gloucester County

Date 2/20/2013



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X - BAND MFR MPH.IND
SERIAL NUMBER 266004000 ANT. #1 097005516 ANT. #2 097005517

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 25, 2012

SIGNED *[Signature]*

Unit #1120

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $2,614 \pm 5$ Hertz at 70° F resulting in a calibration signal of 25 mph (40 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 210991

Applied Concepts, Inc.



Plano, Texas 75074

006-0410-00 Rev C

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $4,166 \pm 5$ Hertz at 70° F resulting in a calibration signal of 40 mph (64 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 315781

Applied Concepts, Inc.



Plano, Texas 75074

006-0411-00 Rev C

Unit 1101

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044339 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K6075940 Frequency 34.72 GHz Power Density 1.2 mw/cm²
Antenna #2: S.N. K6074804 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) _____

Technician (name) _____

DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

008-0147-00 Rev M

Unit 1101

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $2,614 \pm 5$ Hertz at 70° F resulting in a calibration signal of 25 mph (40 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 210990

Applied Concepts, Inc.



Plano, Texas 75074

006-0410-00 Rev C

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $4,166 \pm 5$ Hertz at 70° F resulting in a calibration signal of 40 mph (64 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 315780

Applied Concepts, Inc.



Plano, Texas 75074

006-0411-00 Rev C

Unit 1107

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS 044396 Frequency GHz Power Density mw/cm²

Antenna #1: S.N. K074828 Frequency 34.71 GHz Power Density 1.0 mw/cm²

Antenna #2: S.N. K075949 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) _____

Technician (name) _____

DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit 1107

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $2,614 \pm 5$ Hertz at 70° F resulting in a calibration signal of 25 mph (40 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 210992

Applied Concepts, Inc.



Plano, Texas 75074

006-0410-00 Rev C

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $4,166 \pm 5$ Hertz at 70° F resulting in a calibration signal of 40 mph (64 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 315782

Applied Concepts, Inc.



Plano, Texas 75074

006-0411-00 Rev C

Unit 1110

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044342 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K075937 Frequency 34.72 GHz Power Density 0.8 mw/cm²
Antenna #2: S.N. K074800 Frequency 34.72 GHz Power Density 0.8 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) _____

Technician (name) _____

DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit 1110

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $2,614 \pm 5$ Hertz at 70° F resulting in a calibration signal of 25 mph (40 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 210988

Applied Concepts, Inc.



Plano, Texas 75074

006-0410-00 Rev C

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $4,166 \pm 5$ Hertz at 70° F resulting in a calibration signal of 40 mph (64 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 315778

Applied Concepts, Inc.



Plano, Texas 75074

006-0411-00 Rev C

Unit 1112

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DSC044285 Frequency — GHz Power Density — mw/cm²

Antenna #1: S.N. KC074834 Frequency 34.72 GHz Power Density 0.7 mw/cm²

Antenna #2: S.N. KC075483 Frequency 34.73 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) _____

Technician (name) _____

DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit 1112

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $2,614 \pm 5$ Hertz at 70° F resulting in a calibration signal of 25 mph (40 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 210989

Applied Concepts, Inc.



Plano, Texas 75074

006-0410-00 Rev.C

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $4,166 \pm 5$ Hertz at 70° F resulting in a calibration signal of 40 mph (64 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 315779

Applied Concepts, Inc.



Plano, Texas 75074

006-0411-00 Rev C

Unit 1113

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044289 Frequency — GHz Power Density — mw/cm²

Antenna #1: S.N. K075759 Frequency 34.72 GHz Power Density 0.8 mw/cm²

Antenna #2: S.N. K075750 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) _____

Technician (name) _____

DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit 1113

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $2,614 \pm 5$ Hertz at 70° F resulting in a calibration signal of 25 mph (40 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 210986

Applied Concepts, Inc.



Plano, Texas 75074

006-0410-00 Rev C

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $4,166 \pm 5$ Hertz at 70° F resulting in a calibration signal of 40 mph (64 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 315776

Applied Concepts, Inc.



Plano, Texas 75074

006-0411-00 Rev C

Unit 1114

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044263 Frequency — GHz Power Density — mw/cm²

Antenna #1: S.N. K6075494 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Antenna #2: S.N. K6074B36 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) 

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit 1114

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $2,614 \pm 5$ Hertz at 70° F resulting in a calibration signal of 25 mph (40 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 210987

Applied Concepts, Inc.



Plano, Texas 75074

006-0410-00 Rev C

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at $4,166 \pm 5$ Hertz at 70° F resulting in a calibration signal of 40 mph (64 kph) when used with a Ka Band Radar operating at 34.7 GHz. The instrument used to calibrate the tuning fork is traceable to NIST.

Operation from -22° F to $+140^\circ$ F will result in an error of less than .5 mph (.8 kph).

Date AUG - 2 2013 Technician (signature) Todd L. Gardner

Technician (name) Todd L. Gardner

Serial # 315777

Applied Concepts, Inc.



Plano, Texas 75074

006-0411-00 Rev C

Unit 1115

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044288 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K2075757 Frequency 34.22 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. K2075758 Frequency 34.22 GHz Power Density 0.9 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) _____

Technician (name) _____

DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit 1115