

CAR 33

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138093 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

Louis E. Grunberg
State Superintendent

Atlantic County

Date

2/28/2008



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239446 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

Louis E. Grunberg
State Superintendent

Atlantic County

Date

2/28/2008



CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. DSC07484

Antenna #1: S.N. KC011797 Frequency 34.78 GHz Power Density 3 mw/cm²

Antenna #2: S.N. KC011801 Frequency 34.73 GHz Power Density 3 mw/cm²

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within ± 1 mph (± 1 kph) in stationary mode, and/or ± 2 mph (± 2 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.


Date 11-25-03

Applied Concepts, Inc.

Technical *Henry Elder*

Plano, Texas 75074

006-0147-00 REV D



TUNING FORK CERTIFICATE


This Tuning Fork has been tested and found to oscillate at $2,613 \pm 5$ Hertz at 70°F resulting in a calibration signal of 25 mph (40 kph) when used with a Ka Band Radar operating at 34.7 GHz.

Operation from -22°F to $+140^{\circ}\text{F}$ will result in an error of less than .35 mph (.6 kph).

Technician *[Signature]* Date 11-25-03 Serial # 138093

Applied Concepts, Inc.

Plano, Texas 75074



TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at 4165.5 ± 5 Hertz at 70°F resulting in a calibration signal of 40 mph (64 kph) when used with a Ka Band Radar operating at 34.7 GHz.

Operation from -22°F to $+140^{\circ}\text{F}$ will result in an error of less than .5 mph (.8 kph)

Technician *[Signature]* Date 11-25-03 Serial # 239446

Applied Concepts, Inc.



200020200

Plano, Texas 75074