



MARY EVA COLALILLO  
Camden County Prosecutor

## Office of the County Prosecutor

County of Camden  
25 North Fifth Street  
Camden, New Jersey 08102-1231  
Tel: (856) 225-8400 Fax: (856) 963-0080

MARK K. CHASE  
First Assistant Prosecutor  
GRACE C. MACAULAY  
Deputy First Assistant Prosecutor  
RON MOTEN  
Chief of Detectives

### MEMORANDUM

**TO:** Camden County Chiefs of Police

**FROM:** Prosecutor Mary Eva Colalillo *me*

**DATE:** February 25, 2016

**RE:** Temporary Procedure for Evidential Breath Test  
Utilizing Alcotest Instrument  
For Standard Time Period March 13 – April 3, 2016

Memo # 16-03

---

Enclosed please find a copy of a memorandum from the Office of the Attorney General detailing the temporary procedure for utilizing the Alcotest Instrument for the standard time period of March 13 through April 3, 2016.

Thank you for your attention in this matter.

/jb  
Enc.

C: First Assistant Prosecutor Mark K. Chase, w/enc.  
Deputy First Assistant Prosecutor Grace C. MacAulay, w/enc.  
Chief Ron Moten, w/enc.  
Deputy Chief Frank Falco, w/enc.



JOHN J. HOFFMAN  
*Acting Attorney General*

CHRIS CHRISTIE  
*Governor*

ELIE HONIG  
*Director*

KIM GUADAGNO  
*Lieutenant Governor*

*State of New Jersey*  
OFFICE OF THE ATTORNEY GENERAL  
DEPARTMENT OF LAW AND PUBLIC SAFETY  
DIVISION OF CRIMINAL JUSTICE  
PO Box 085  
TRENTON, NJ 08625-0085  
TELEPHONE: (609) 984-6500

February 25, 2016

**TO:** All County Prosecutors  
Colonel Joseph Fuentes, Superintendent, New Jersey Division of State Police  
All Municipal Prosecutors  
All Law Enforcement Executives

**Re:** **Temporary Procedure for Evidential Breath Test Utilizing  
Alcotest Instrument for Daylight Savings Time Period March 13-April 3, 2016**

In 2007, the federal Energy Policy Act, 42 U.S.C. §15801, changed the dates of Daylight Savings Time to begin on the second Sunday in March (March 13, 2016) instead of the first Sunday in April (April 3, 2016).

The Alcotest 7110 MKIII-C New Jersey firmware version 3.11 is configured to automatically convert to Daylight Savings Time based on the pre-2007 timetable. Instead of changing to Daylight Savings Time on March 13, 2016, the Alcotest 7110 MK III-C will change on April 3, 2016. Prior to April 3, 2016, the instrument will continue to record all times, both printed and electronic, with an "S" suffix, indicating Standard Time. At 02:00 hours (2:00 a.m.) on April 3, 2016, the instrument's time recording will automatically change to a "D" suffix, indicating Daylight Savings Time.

The instrument's recordation of Standard Time rather than Daylight Savings Time does not affect the method of analysis or the accuracy of the readings. All current procedures for the processing of arrested intoxicated drivers are to continue, including the 20 minute observation period currently part of the regular protocol. However, because the Alcotest is set to read in Standard Time during the period of time between March 13 and April 3, Breath Test Operators should enter the time of arrest in the Alcotest instrument in Standard Time (one hour earlier than Daylight Savings Time). Entries on all other documents related to the arrest (e.g., police reports) should reflect Daylight Savings Time effective March 13, 2016.

Any questions regarding this procedure can be directed to your New Jersey State Police Breath Test Coordinator or the Municipal Prosecutor Supervisor within the County Prosecutor's Office.

Very truly yours,

Assistant Attorney General Philip S. Aronow  
Chief, Prosecutors Supervision & Training Bureau

**c:** Assistant Attorney General Elie Honig, Director, Division of Criminal Justice  
Lieutenant Roberto Tormo, NJSP Alcohol & Drug Testing Unit  
Traffic Records Unit, Criminal Justice Records Bureau, NJSP  
Dr. Howard Baum, Director, NJSP Office of Forensic Science

