

COTEST CHECKLIST Alcotest Ser.#: HRNK-0039 Date of Calibration: 05-03-2022County: Certificate of Accuracy Alcotest 7110 MKIII-C from Draeger Safety for instrument used in the A.I.R. Certificate of Accuracy CU34 Unit on Alcotest Instrument used. 2. 3. Certificate of Accuracy Alcotest 7110 Temperature Probe from Draeger NIST - Traceable Digital Thermometer Readings. Alcotest 7110 Calibration Record Alcotest 7110 Calibration Certificate Part I - Control Tests. Alcotest 7110 Calibration Certificate Part II - Linearity Tests. Alcotest Card of operator/coordinator who performed tests. Certificate of Accuracy Alcotest 7110 Temperature Probe from Draeger Safety used in the Calibration Tests ["Black Key" probe of Breath Test Coordinator]. Ser. #: ______DDMB P1-0119 Certificates of Analysis for each Simulator Solution used in Calibration/Linearity Tests: 0.04% Solution. 0.08% Solution. 0.10% Solution. 0.16% Solution. Certificate of Accuracy Alcotest CU34 Simulators from Draeger Safety (when conducting the Calibration/Linearity Tests) for: 0.04% used in Calibration/Linearity Testing DDKD 53-0/8.
0.08% used in Calibration/Linearity Testing DDRK 53 - 00/3 0.10% used in Calibration/Linearity Testing. [Same as CU34 unit on instrument.] 0.16% used in Calibration/Linearity Testing. DDRK 53-0006 New Standard Solution Report following Calibration. Calibrating CU34 Unit for same [same as CU34 unit on instrument].

05-03-2022

Alcotest card of operator/coordinator who completed change.







Calibration complies with ISO/IEC 17025, ANSI/NCSL Z540-1, and 9001



Cert. No.: 4000-12064529

Traceable® Certificate of Calibration for Digital Thermometer

Manufactured for and distributed by: VWR International LLC Radnor Corporate Center, Bldg 1,Ste 200, 100 Matsonford Road,Radnor,PA,19087

Instrument Identification:

Model: 61220-601,

S/N: 210216813

Manufacturer: Control Company

Standards/Equipment:

Description	Serial Number	Due Date	NIST Traceable Reference
Thermistor Module	A27129	01 Mar 2022	1000464865
Temperature Calibration Bath	A45240		N N N N N N N N N N N N N N N N N N N
Temperature Calibration Bath	A73332		
Temperature Calibration Bath	B01375	to the product of the Beauty o	9 KM N3 9 N
Temperature Probe	5394	08 Mar 2022	C1228019
Temperature Calibration Bath	B3A444	The part of the second of the	CHANGE ON PART OF STREET
Temperature Probe	5357	09 Jun 2021	C0428083
Thermistor Module	B5C344	06 Jun 2021	1000452872
Thermistor Module	B96381	21 Aug 2021	1000457544
Temperature Probe	5392	04 Aug 2021	C0804052
Temperature Probe	5398	04 Aug 2021	C0804051

Certificate Information:

Technician: 420

Procedure: CAL-06

Cal Date: 17 Mar 2021

Cal Due Date: 17 Mar 2023

Test Conditions: 62.18%RH 22.28°C 1006mBar

Calibration Data: (New Instrument)

Unit(s)	Nominal	As Found	In Tol	Nominal	As Left	In Tol	Min	Max	±U	TUR
°C	N.A.	N.A.		0.000	0.001	Υ	-0.05	0.05	0.0087	>4:1
°C	N.A.	N.A.		24.999	25.002	Υ	24.949	25.049	0.0087	>4:1
°C	N.A.	N.A.		50.001	50.002	Y	49.951	50.051	0.0087	>4:1
°C	N.A.	N.A.		99.998	100.003	Y	99.948	100.048	0.0087	>4:1

This certificate indicates Traceability to standards provided by (NIST) National Institute of Standards and Technology and/or a National Standards Laboratory.

A Test Uncertainty Ratio of at least 4:1 is maintained unless otherwise stated and is calculated using the expanded measurement uncertainty. Uncertainty evaluation includes the instrument under test and is calculated in accordance with the ISO 'Guide to the Expression of Uncertainty in Measurement: (GUM). The uncertainty represents an expanded uncertainty using a coverage factor k=2 to approximate a 95% confidence level. In tolerance conditions are based on test results falling within specified limits with no reduction by the uncertainty of the measurement. The results contained herein relate only to the item calibrated. This certificate shall not be reproduced except in full, without written approval of Control Company.

Nominal=Standard's Reading; As Left=Instrument's Reading; In Tol=In Tolerance; MiniMax=Acceptance Range; ± U=Expanded Measurement Uncertainty; TUR=Test Uncertainty Ratio; Accuracy=±(Max-Min)/2; Min=As Left Nominal(Rounded) – Tolerance; Max= As Left Nominal(Rounded) + Tolerance;

Rich Rodriguez

Nicol Rodriguez, Quality Manager

Marisa Uma Marisa Elms, Technical Manager

Note:

Maintaining Accuracy:

In our opinion once calibrated your Digital Thermometer should maintain its accuracy. There is no exact way to determine how long calibration will be maintained. Digital Thermometer change little, if any at all, but can be affected by aging, temperature, shock, and contamination.

CONTROL COMPANY 12554 Galveston RD Suite B230 Webster TX USA 77598
Phone 281 482-1714 Fax 281 482-9448 sales@control3.com www.traceable.com

Control Company is an ISO/IEC 17025:2017 Calibration Laboratory Accredited by (A2LA) American Association for Laboratory Accreditation, Certificate No. 1750.01.

Control Company is ISO 9001:2015 Quality Certified by DNV GL, Certificate No. CERT-01805-2006-AQ-HOU-ANAB.

International Laboratory Accreditation Cooperation - Multilateral Recognition Arrangement (ILAC-MRA).



Calibration complies with ISO/IEC 17025, ANSI/NCSL Z540-1, and 9001



Cert. No.: 4000-12064529

Traceable® Certificate of Calibration for Digital Thermometer

Recalibration:

For factory calibration and re-certification traceable to National Institute of Standards and Technology contact Control Company.

Issue Date: 17 Mar 2021

CONTROL COMPANY 12554 Galveston RD Suite B230 Webster TX USA 77598
Phone 281 482-1714 Fax 281 482-9448 sales@control3.com www.traceable.com

Alcotest 7110 MKIII-C Calibration NIST-Traceable Digital Thermometer Readings

Coordina	tor:			
Sgt.	Matt	hew	P.	Watson
	100			

7078 Badge No.

240 ta tata a					
Loca	4 .	~	-		
1 /01/2		ı	11	-	
	70.00	<u>**:</u>	22	8	

_ 1	0 1	0.1		\sim 1	
Strat	tord	Polic	e	UCDI	,
Agency	14,47		z dunin		

ARNK - 0039 Alcotest Serial No.

Equipment:

210216813

Digital NIST Temperature Measuring System Serial No.

Simulator Solution Concentration	CU-34 Simulator Serial No.	Time Simulators Started to Heat	Time Temp. Reading Obtained	Temp. Reading on NIST Traceable Thermometer
0.04%	DDXD 53-0187	07:540	09:000	33.90
0.08%	DDRK 53-0015	07:540	09:010	34,0°c
0.10%	DDUK 53-0133	07:540	09:030	34.0°C
0.16%	ODRK 53-6066	07:540	09:06p	33.9°C

Pursuant to law and the "Chemical Breath Testing Regulations" established at $\underline{\text{N.J.A.C.}}$ 13:51, I am a duly appointed Breath Test Coordinator/Instructor. In my official capacity and consistent with the "Calibration Check Procedure for Alcotest 7110" as established by the Chief Forensic Scientist of the Division of State Police, I perform calibration checks on Alcotest 7110 MKIII-C instruments. Pursuant to and consistent with the current "Calibration Check Procedure for Alcotest 7110", I performed a Calibration Check Procedure on the Alcotest 7110 MKIII-C instrument identified on this certificate. Pursuant to the current "Calibration Check Procedure for Alcotest 7110", I used the Digital NIST-traceable Temperature Measuring System identified on this certificate to confirm that the temperatures of the 0.10%, 0.04%, 0.08%, and 0.16% Simulator Solutions used in the respective CU-34 Simulators identified on this certificate, were 34.0 degrees Celsius \pm 0.2 degrees Celsius. I hereby certify that I truthfully recorded on this certificate the temperatures of each of the simulator solutions as shown on the Digital NIST-traceable Temperature Measuring System thermometer. I am aware that if any of the foregoing statements made by me are willfully false, I am subject to punishment.

Coordinator's Signature

05/03/2021

Alcotest 7110 Calibration Record

Equipment Alcotest 7110 MKIII-C

Location: STRATFORD POLICE DEPT. Serial No.: ARNK-0039

Calibration File No.: 03031 Certification File No.: 02990

Calib. Date: 05/03/2022 Cert. Date: 12/09/2021

Calib. No.: 00048 Cert. No.: 00037 Lin. No.: 00036

Linearity File No.: Solution File No.:

Calibrating Unit:

Control Solution %:

Solution Control Lot:

02991 03028 03031

Lin. Date: 12/09/2021 Soln. Date: 04/20/2022 File Date: 05/03/2022

Soln. No.: 00356

Sequential File No.:

WET 0.100%

21210

Model No.: CU-34

Serial No.: DDUK S3-0133 06/16/2023 Expires:

Bottle No.: 1497

Coordinator

Last Name: WATSON

First Name: MATTHEW

MI: R

Badge No.: 7078

05/03/2022 Date:

*Black Key Temperature Probe Serial.....# DDMBP \ - 0 \ | 9

*Digital NIST Temperature Measuring System Serial.....# 210216813

Pursuant to law, and the "Chemical Breath Testing Regulations" N.J.A.C. 13:51, I am a duly appointed Breath Test Coordinator/Instructor. In my official capacity, and consistent with "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist of the Division of State Police, I perform calibration checks on approved instruments employing infrared analysis and electrochemical analysis, when utilized in a single approved instrument as a dual system of chemical breath testing. Pursuant to, and consistent with, the current "Calibration Check Procedure for Alcotest 7110, as established by the Chief Forensic Scientist, I performed a Calibration Check on the approved instrument identified on this certificate. The results of my Calibration Check are recorded on this certificate, which consists of two parts on two pages: Part I - Control Tests; and Part II - Linearity Tests. I certify that the foregoing statements made by me are true. I am aware that if any of the foregoing statements made by me are wilfully false, I am subject to punishment.

Alcotest 7110 Calibration Certificate

Part I - Control Tests

	=440				Carlal No.	ADNIE 0020
Equipment	Alcotest 7110				Serial No.:	ARINK-0039
Location:	STRATFORD	POLICE DE				
Calibration File No.:	03031		Calib. Date:	05/03/2022	Calib. No.:	
Certification File No.:	03032		Cert. Date:	05/03/2022	Cert. No.:	00038
Linearity File No.:	02991		Lin. Date:	12/09/2021	Lin. No.:	00036
Solution File No.:	03028		Soln. Date:	04/20/2022	Soln. No.:	00356
Sequential File No.:	03032		File Date:	05/03/2022		
Calibrating Unit:	WET		Model No.:	CU-34	Serial No.:	DDUK S3-0133
Control Solution %:	0.100%				Expires:	06/16/2023
Solution Control Lot:	21210				Bottle No.:	1497
Function		Result	Time	Temperature	Comn	nent(s)
		%BAC	HH:MM	Simulator (°C)	or En	ror(s)
Ambient Air Blank		0.000%	09:26D			
Control 1 EC		0.100%	09:27D	34.0°C	*** TEST P	ASSED ***
Control 1 IR		0.100%	09:27D	34.0°C	*** TEST P	ASSED ***
Ambient Air Blank		0.000%	09:28D			
Control 2 EC		0.099%	09:28D	34.0°C	*** TEST P	ASSED ***
Control 2 IR		0.101%	09:28D	34.0°C	*** TEST P	ASSED ***
Ambient Air Blank		0.000%	09:29D			
Control 3 EC		0.099%	09:30D	34.0°C	*** TEST P	ASSED ***
Control 3 IR		0.101%	09:30D	34.0°C	*** TEST P	ASSED ***
Ambient Air Blank		0.000%	09:31D			

All tests within acceptable tolerance.

Coordinator

Last Name: WATSON

First Name: MATTHEW

MI: R

Signature:

1400

Badge No.: 7078

Date:

05/03/2022

Pursuant to law, and the "Chemical Breath Testing Regulations" N.J.A.C. 13:51, I am a duly appointed Breath Test Coordinator/Instructor. In my official capacity, and consistent with "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist of the Division of State Police, I perform calibration checks on approved instruments employing infrared analysis and electrochemical analysis, when utilized in a single approved instrument as a dual system of chemical breath testing. Pursuant to, and consistent with, the current "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist, I performed a Calibration Check on the approved instrument identified on this certificate. The results of my Calibration Check are recorded on this certificate, which consists of two parts on two pages: Part I - Control Tests; and Part II - Linearity Tests. I certify that the foregoing statements made by me are true. I am aware that if any of the foregoing statements made by me are wilfully false, I am subject to punishment.

Alcotest 7110 Calibration Certificate Part II - Linearity Tests

Equipment Location:	Alcotest 7110 STRATFORD		DE	трт		Serial No.: ARNK-003	39
Calibration File No.:	03031	OLICE .	יוט		05/03/2022	Calib. No.: 00048	
Certification File No.:				Cert. Date:		Cert. No.: 00038	
Linearity File No.:	03033			Lin. Date:	05/03/2022	Lin. No.: 00037	
Solution File No.:	03033			Soln. Date:	04/20/2022	Soln. No.: 00356	
Sequential File No.:	03033			File Date:	05/03/2022	50III. 140 00330	
Sequential File 140	03033			The Date.	03/03/2022		
Calibrating Unit:	WET			Model No.:	CU-34	Serial No.: DDXD S3-	
Control Solution %:	0.040%					Expires: 07/06/2023	3
Solution Control Lot:	21250					Bottle No.: 1053	
Calibrating Unit:	WET			Model No.:	CII-34	Serial No.: DDRK S3-	.0015
Control Solution %:	0.080%			Wiodel 140	CO-34	Expires: 07/19/2023	
Solution Control Lot:	21260					Bottle No.: 0037	<i>'</i>
Solution Control Lot.	21200					Bottle No.: 0037	
Calibrating Unit:	WET			Model No.:	CU-34	Serial No.: DDRK S3-	0006
Control Solution %:	0.160%					Expires: 07/29/2023	3
Solution Control Lot:	21290					Bottle No.: 1386	
Function		Result		Time	Temperature	Comment(s)	
1 unction		%BAC		HH:MM	Simulator (°C)	or Error(s)	
Ambient Air Blank		0.000%		09:53D	Simulator (C)	Of Effor(s)	
Control 1 EC		0.000%		09:54D	33.9°C	*** TEST PASSED **	*
Control 1 IR		0.040%		09:54D	33.9°C	*** TEST PASSED **	
Ambient Air Blank		0.000%		09:56D			
Control 2 EC		0.041%		09:56D	34.0°C	*** TEST PASSED **	*
Control 2 IR		0.040%		09:56D	34.0°C	*** TEST PASSED **	
Ambient Air Blank		0.000%		09:58D			
Control 3 EC		0.082%	1	09:59D	34.0°C	*** TEST PASSED **	*
Control 3 IR		0.081%		09:59D	34.0°C	*** TEST PASSED **	
Ambient Air Blank		0.000%		10:00D			
Control 4 EC		0.081%		10:01D	34.0°C	*** TEST PASSED **	*
Control 4 IR		0.081%		10:01D	34.0°C	*** TEST PASSED ***	*
Ambient Air Blank		0.000%		10:02D			
Control 5 EC		0.160%			33.9°C	*** TEST PASSED **	*
Control 5 IR		0.162%		10:03D	33.9°C	*** TEST PASSED **	*
Ambient Air Blank		0.000%		10:05D			
Control 6 EC		0.160%		10:05D	33.9°C	*** TEST PASSED ***	*
Control 6 IR		0.162%		10:05D	33.9°C	*** TEST PASSED ***	*
Ambient Air Blank		0.000%		10:07D			

All tests within acceptable tolerance.

Coordinator

Last Name: WATSON

First Name: MATTHEW

MI: R

Signature

#2028

Badge No.: 7078

Date: 05/03/2022

	ORIGINAL COURSE DATES
Defartment of and Hublic Safe, Matthew & Passon New Jersey State Folice	DATE PLACE INSTRUCTOR 1. 11-8-12 6 CPA Lym From 2. 7/14/5 CMPA Odom Samo 3. 3/13/17 Likehort Michill Sneaky 4. 9-20-19 GCFR Lym Lan 5. 11/09/21 GCFR PA
THE LAWS OF HOSE OF THE CHELATENE	6. 7. 8. 9. 5.P. 2838 (Rev. 00/10) ORIGINAL COURSE DATES
DEPARTMENT OF HIT HAT SUFER BOYANGE BOYANG BOYANGE BOYANG BOYANGE BOYANG BOYANG BOYANG BOYANG BOYANG BOYANG BOYANG BOYANG BOYA	DATE PLACE INSTRUCTOR
Breath Tele Coulcing to Instructor B QUALIFIED AND COMPRISH TO COMING CHESTING AND THE RESIDENT TO COMPRISH IN COMPRISH AND CHEST AND THE CHE	6. 7
NEW PROPERTY POLICE STATE OF THE PROPERTY ST	-



DEPARTMENT OF LAW AND PUBLIC SAFETY DIVISION OF STATE POLICE POST OFFICE BOX 7068 WEST TRENTON, NJ 08628-0068

(609) 882-2000

GURBIR S. GREWAL Attorney General

PATRICK J. CALLAHAN Colonel

Governor SHEILA Y. OLIVER Lt. Governor

PHILIP D. MURPHY

CERTIFICATION OF ANALYSIS 0.040 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.0469 to 0.0499 grams per 100 milliliters of solution.

MANUFACTURER: Draeger, Inc.

ANALYSIS DATE: 07/27/2021

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 21250

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.0485 to 0.0489 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is July 06, 2023.

As Assistant Chief Forensic Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

> erace / Cennedy Michael Kennedy

Assistant Chief Forensic Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 3 day of

KAREN E. STAHL NOTARY PUBLIC OF NEW JERSEY Commission # 50110522 My Commission Expires 8/13/202

"An Internationally Accredited Agency"

New Jersey Is An Equal Opportunity Employer Printed on Recycled Paper and Recycles





PHILIP D. MURPHY Governor

SHEILA Y. OLIVER Lt. Governor OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7068
WEST TRENTON, NJ 08628-0068
(609) 882-2000

GURBIR S. GREWAL Attorney General

PATRICK J. CALLAHAN

Colonel

CERTIFICATION OF ANALYSIS 0.080 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.0939 to 0.0997 grams per 100 milliliters of solution.

MANUFACTURER: Draeger, Inc.

ANALYSIS DATE: 07/27/2021

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 21260

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.0970 to 0.0977 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is July 19, 2023.

As Assistant Chief Forensic Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Michael Kennedy

Assistant Chief Forensic Scientist NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 28 day of <

5

July, 20

KAREN E. STAHL NOTARY PUBLIC OF NEW JERSEY Commission # 601 10522 My Commission Expires 8/13/2024



"An Internationally Accredited Agency"

New Jersey is An Equal Opportunity Employer Printed on Recycled Paper and Recyclable





PHILIP D. MURPHY Governor

SHEILA Y. OLIVER Lt. Governor

DEPARTMENT OF LAW AND PUBLIC SAFETY DIVISION OF STATE POLICE POST OFFICE BOX 7068 WEST TRENTON, NJ 08628-0068 (609) 882-2000

GURBIR S. GREWAL Attorney General

PATRICK J. CALLAHAN Colonel

CERTIFICATION OF ANALYSIS 0.100 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1174 to 0.1246 grams per 100 milliliters of solution.

MANUFACTURER: Draeger, Inc.

ANALYSIS DATE: 07/07/2021

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 21210

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.1199 to 0.1215 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is June 16, 2023.

As Assistant Chief Forensic Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

> about Hermody Michael Kennedy

Assistant Chief Forensic Scientist

NJSP Office of Forensic Sciences

worn to and subscribed before me this do day of

KAREN E. STAHL NOTARY PUBLIC OF NEW JERSEY Commission # 50110522 My Commission Expires 8/13/2024



"An Internationally Accredited Agency"

New Jersey Is An Equal Opportunity Employer Printed on Recycled Paper and Recyclable





OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7068
WEST TRENTON, NJ 08628-0068
(609) 882-2000

ANDREW J. BRUCK Acting Attorney General

PATRICK J. CALLAHAN Colonel

SHEILA Y. OLIVER
Lt. Governor

PHILIP D. MURPHY

Governor

CERTIFICATION OF ANALYSIS 0.160 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1878 to 0.1994 grams per 100 milliliters of solution.

MANUFACTURER: Draeger, Inc.

ANALYSIS DATE: 08/11/2021

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 21290

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of <u>0.1945</u> to <u>0.1977</u> grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is July 29, 2023.

As Assistant Chief Forensic Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Michael Kennedy

Assistant Chief Forensic Scientist NJSP Office of Forensic Sciences

hack Hennedy

Sworn to and subscribed before me this and day of August, 2021


KAREN E. STAHL NOTARY PUBLIC OF NEW JERSEY Commission # 50110522 My Commission Expires 8/13/2024




"An Internationally Accredited Agency"

New Jersey Ix An Equal Opportunity Employer Primed on Recycled Poper and Recycloble







Calibrating Unit New Standard Solution Report

Equipment	Alcotest 7110	MKIII-C			Serial No.: ARNK-0039	
Location:	STRATFORD	POLICE DE	PT.			
Calibration File No.:	03031		Calib. Date:	05/03/2022	Calib. No.: 00048	
Certification File No.:	03032	£	Cert. Date:	05/03/2022	Cert. No.: 00038	
Linearity File No.:	03033		Lin. Date:	05/03/2022	Lin. No.: 00037	
Solution File No.:	03034		Soln. Date:	05/03/2022	Soln. No.: 00357	
Sequential File No.:	03034		File Date:	05/03/2022		
Calibrating Unit:	WET		Model No .:	CU-34	Serial No.: DDUK S3-0133	
Control Solution %:	0.100%				Expires: 09/02/2022	
Solution Control Lot:	20390				Bottle No.: 1092	
Function		Result		Temperature	Comment(s)	
		%BAC		Simulator (°C)	or Error(s)	
Ambient Air Blank		0.000%	11:11D			
Control 1 EC		0.101%	11:12D	34.0°C	*** TEST PASSED ***	
Control 1 IR		0.102%	11:12D	34.0°C	*** TEST PASSED ***	
Ambient Air Blank		0.000%	11:13D			
Control 2 EC		0.100%	11:14D	34.0°C	*** TEST PASSED ***	
Control 2 IR		0.100%	11:14D	34.0°C	*** TEST PASSED ***	
Ambient Air Blank		0.000%	11:15D			
Control 3 EC		0.100%	11:15D	34.0°C	*** TEST PASSED ***	
Control 3 IR		0.100%	11:15D	34.0°C	*** TEST PASSED ***	
Ambient Air Blank		0.000%	11:16D			

All tests within acceptable tolerance.

On this date, I installed the above indicated "NEW SOLUTION" in acordance with Alcotest 7110 operator training and procedures established by the (NJSP) Chief Forensic Scientist.

Temperature Probe Serial Number:

Changed By:

Last Name: WATSON

First Name: MATTHEW

Badge No.: 7078

Date: 05/03/2022

MI: R



PHILIP D. MURPHY Governor

SHEILA Y. OLIVER Lt. Governor

OFFICE OF THE ATTORNEY GENERAL DEPARTMENT OF LAW AND PUBLIC SAFETY **DIVISION OF STATE POLICE** POST OFFICE BOX 7068 WEST TRENTON, NJ 08628-0068 (609) 882-2000

GURBIR S. GREWAL Attorney General

PATRICK J. CALLAHAN Colonel

CERTIFICATION OF ANALYSIS 0.100 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1174 to 0.1246 grams per 100 milliliters of solution.

MANUFACTURER: Draeger, Inc.

ANALYSIS DATE: 09/17/2020

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 20390

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.1212 to 0.1223 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is September 2, 2022.

As Assistant Chief Forensic Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Michael Kennedy

Assistant Chief Forensic Scientist

all themsely

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 18 day of Septem 36 R, 2020.



"An Internationally Accredited Agency"

New Jersey Is An Equal Opportunity Employer Primed on Recycled Poper and Recycloble

