

TUNING FORK  
**Certificate of Accuracy**

THIS IS TO CERTIFY THAT ON May 7, 2010  
TUNING FORK SERIAL NUMBER 851598 WAS TESTED  
AND FOUND TO OSCILLATE AT 2512 CYCLES PER SECOND.  
SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE 10.525 GHZ BAND TO  
READ 80 MPH.

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

SIGNED \_\_\_\_\_




TUNING FORK  
**Certificate of Accuracy**

THIS IS TO CERTIFY THAT ON May 7, 2010  
TUNING FORK SERIAL NUMBER 852171 WAS TESTED  
AND FOUND TO OSCILLATE AT 1100 CYCLES PER SECOND.  
SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE 10.525 GHZ BAND TO  
READ 35 MPH.

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

SIGNED \_\_\_\_\_




TUNING FORK  
**Certificate of Accuracy**

THIS IS TO CERTIFY THAT ON May 7, 2010  
TUNING FORK SERIAL NUMBER 851593 WAS TESTED  
AND FOUND TO OSCILLATE AT 2511 CYCLES PER SECOND.  
SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE 10.525 GHZ BAND TO  
READ 80 MPH.

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

SIGNED \_\_\_\_\_



TUNING FORK  
**Certificate of Accuracy**

THIS IS TO CERTIFY THAT ON May 7, 2010  
TUNING FORK SERIAL NUMBER 850894 WAS TESTED  
AND FOUND TO OSCILLATE AT 1102 CYCLES PER SECOND.  
SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE 10.525 GHZ BAND TO  
READ 35 MPH.

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

SIGNED \_\_\_\_\_

