

RADAR UNITS

<u>Veh#</u>	<u>Readout</u>	<u>Antenna</u>	<u>Antenna</u>	<u>Tuning25</u>	<u>Tuning 40</u>
1101	DS044339	KC075940	KC074804	210991✓	315781stalker✓
1102	DS045104	KC080687	KC080689	214480✓	319353stalker✓
1104	DS045102	KC080674	KC080688	214627✓	319356stalker✓
1105	DS045060	KC080623	KC080613	214478✓	319357stalker✓
1107	DS044396	KC075949	KC074828	210990✓	315780stalker✓
1108	DS044263	KC074836	KC075494	210992✓	315782stalker✓
1109	DS045061	KC080675	KC080615	214625✓	320052stalker✓
1110	DS044342	KC074800	KC075937	242243✓	349755stalker✓
1111	DS045062	KC080629	KC080630	214479✓	319355stalker✓
1112	DS044285	KC075483	KC074834	232077✓	339864stalker✓
1113	DS044289	KC075759	KC075750	210989-	315779stalker-
1114	DS32342	010945	KC013210	210986-	315776stalker-
1115	DS044288	KC075758	KC075757	210987-	315777stalker-
1116	DS045069	KC080685	KC080683	214481-	319354stalker-
1117	DS045103	KC080628	KC080622	214626-	319358stalker-
1118	DE004870	KC110681	KC110865	232619-	339415stalker-
1120	DS045112	KC080458	KC080610	215386-	319401stalker-
1128	DS32445	KC023862	KC023868	185032-	287353stalker-
1129	048834	025935	025786	220610-	500560stalker-
1132	040272	040741	040760	220611-	500536stalker-
1134	DE014264	KC158193	KC158167	254340-	371352stalker-

<u>Veh#</u>	<u>Comp. Serial#</u>	<u>Antenna</u>	<u>Antenna</u>	<u>Tuning 20</u>	<u>Tuning 50</u>
1119	109004582	653027268	653027269	287000-	286834BeeIII-
1121	109002663	653023054	653023055	396652-	396628BeeIII-
1131	109002664	653023056	653023057	445592-	445578BeeIII-
1133	109004293	653027903	653027904	286796-	286839BeeIII-

Spare Units

Spare Tuning Forks

<u>Tuning 20</u>	<u>Tuning 50</u>
396645	396630-
467262	467209-

Revised 06/04/2020

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA220611
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB500536
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



UNIT 1132

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB371352 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA264340 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DE014264

Antenna #1: S.N. KC158193

Frequency 34.72 GHz

Power Density 0.4 mW/cm²

Antenna #2: S.N. KC158167

Frequency 34.72 GHz

Power Density 0.3 mW/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 km/h) in stationary mode, and/or ± 2 mph (± 3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mW/cm² for this device.

All test instruments are traceable to NIST.

Technician (signature)



Date: 01/03/2019

Technician: Hani Almkhalafi

Technician overseen by: Roland Rickerd

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 286839
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 286796
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



UNIT 1133

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 445578
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Dan Staud
Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 445592
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Dan Staud
Acting State Superintendent

Gloucester County

Date 2/19/2020



Certificate of Calibration

This is to certify that all applicable tests and measurements have been made on Model BEE III
a Doppler Traffic Radar, Computer Serial Number 1090021664
Readout Serial Number _____
Antenna Serial Number 653023056
Antenna Serial Number 653023057
Operating Frequency KA Band

The aforesaid radar meets or exceeds all manufacturer's specifications.

Date 04/19/2013

Signed Dusty R. Fortbrough

IMPH

314 East Ninth Street
Dwainsboro, KY 42303

MPD-101-A05

UNIT 1131


2702858288

p.2

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA220610
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB500560
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



UNIT 1129

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA185032
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Stuard

Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB287353
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Stuard

Acting State Superintendent

Gloucester County

Date 2/19/2020



UNIT 1128

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 396628
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stanel
Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 396652
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stanel
Acting State Superintendent

Gloucester County

Date 2/19/2020



Certificate of Calibration

This is to certify that all applicable tests and measurements have been made on Model BEE III
a Doppler Traffic Radar, Computer Serial Number 109002663

Headout Serial Number _____

Antenna Serial Number 653023054

Antenna Serial Number 653023055

Operating Frequency KA Band

The aforesaid radar meets or exceeds all manufacturer's specifications.

Date 04/19/2013

Signed Dwight R. Lambrough



316 East Ninth Street
Owensboro, KY 42303

NMPH-401-ALEB

2706865286

p. 6

UNIT 1121

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319401
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daryl Stanel
Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA215386
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daryl Stanel
Acting State Superintendent

Gloucester County

Date 2/19/2020



Antenna #1: S.N. K2580610 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. K2080452 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 8 2014

Technician (signature) [Signature]

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1120

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 287000
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 286834
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



Unit 1119

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA232619
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB339415
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL K-55 BAND X-BAND MFTB MPH/IND
SERIAL NUMBER 266003847 ANT. #1 097005191 ANT. #2 097005192

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 16, 2012

SIGNED 

Unit #1118

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319358
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214626
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



Antenna #1: S.N. FC0810628 Frequency 34.72 GHz Power Density 1 mw/cm²
Antenna #2: S.N. FC0810628

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.


This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode,
and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the
prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI
Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) 

Technician (name) CHRIS TRULLO

Applied Concepts, Inc. | Plano, Texas 75074

005-0147-00 Rev M

Unit #1117

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 40.25 m.p.h. Tuning Fork Serial Number **FB319354**
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at **34.7 GHz** KA-Band will result in the stated m.p.h. value.

Agency certified for **FRANKLIN TWP. POLICE DEPT.**


Acting State Superintendent

Gloucester County

Date **2/19/2020**



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number **FA214481**
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at **34.7 GHz** KA-Band will result in the stated m.p.h. value.

Agency certified for **FRANKLIN TWP. POLICE DEPT.**


Acting State Superintendent

Gloucester County

Date **2/19/2020**



Computing Unit	S.N.	Frequency	GHz	Power Density	mw/cm ²
Antenna #1:	S.N. 15C080085	Frequency 34.73 GHz		Power Density 1.5	mw/cm ²
Antenna #2:	S.N. 15C080083	Frequency 34.73 GHz		Power Density 1.5	mw/cm ²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.


This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date **JAN 9 2014**

Technician (signature) 

Technician (name) **CHRIS TRUJILLO**

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev 34

Unit #1116

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210987
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315777
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/19/2020



Computing Unit S.N. DS044258 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #1: S.N. K6070257 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. K6075758 Frequency 34.72 GHz Power Density 0.9 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) [Signature]

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074


006-0147-00 Rev M

Unit 1115

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210986
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315776
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL	STALKER DUAL DSR	BAND	KA - BAND	MFR	APPLIED CONCEPTS, INC.
SERIAL NUMBER	32342	ANT #1	010945	ANT #2	013210

A "DOPPLER" TRAFFIC RADAR. THE AFORESAID RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.
R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE August 7, 2016
SIGNED 

Unit 1114

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315779
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210989
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044299 Frequency GHz Power Density mw/cm²
Antenna #1: S.N. K075759 Frequency 34.72 GHz Power Density 0.8 mw/cm²
Antenna #2: S.N. K075750 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.


This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) 

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1113

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA232077
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.



Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/19/2020

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB339864
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.



Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/19/2020

Computing Unit: S.N. DS066285 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K6074824 Frequency 34.22 GHz Power Density 0.7 mw/cm²
Antenna #2: S.N. K6075483 Frequency 34.23 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) [Signature]

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1112

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214479
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP, POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319355
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP, POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/19/2020



Computing Unit	S.N.	Frequency	Unit	Power Density	Unit
Antenna #1	<u>50080629</u>	<u>34.72</u> GHz		<u>1.5</u>	mw/cm ²
Antenna #2	<u>50080630</u>	<u>34.72</u> GHz		<u>2</u>	mw/cm ²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) [Signature]

Technician (name) CARLOS JAVILLA

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1111

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA242243
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Staud
Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB349755
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Staud
Acting State Superintendent

Gloucester County

Date 2/19/2020



Antenna #1: SN K6175951 Frequency 34.72 GHz Power Density 0.8 mw/cm²
Antenna #2: SN K6074500 Frequency 34.72 GHz Power Density 0.8 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) [Signature]

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

906-0147-00 Rev M

Unit #1110


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214625
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stanel
Acting State Superintendent

Gloucester County
Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB320052
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stanel
Acting State Superintendent

Gloucester County
Date 2/19/2020



Computing Unit: SN DS045061 Frequency — GHz Power Density — mw/cm²
Antenna #1: SN KCO80675 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: SN KCO80615 Frequency 34.72 GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) [Signature]

Technician (name) CHRIS TRUJILLO

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

Unit #1109

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210992
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stank
Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315782
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stank
Acting State Superintendent

Gloucester County

Date 2/19/2020



Computing Unit	<u>SN D5011363</u>	Frequency	<u>34.72</u> GHz	Power Density	<u>1.0</u> mw/cm ²
Antenna #1	<u>SN K007484</u>	Frequency	<u>34.72</u> GHz	Power Density	<u>1.0</u> mw/cm ²
Antenna #2	<u>SN K007484</u>	Frequency	<u>34.72</u> GHz	Power Density	<u>1.0</u> mw/cm ²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date 1/16 - 2 2013

Technician (signature) _____

Technician (name) _____

DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

106-0147-00 Rev M

Unit #1108/Stalker

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315780
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES


This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210990
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 2/19/2020



Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date: 2/19/2020

Technician (signature) *[Signature]*

Technician (name) DO NG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074


006-047-01 Rev M

Unit #1107

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214478
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319357
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



Antenna ID: SN: FB319357

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.


This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the FCC Standard of 5.0 mW/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) 

Technician (name) CHRIS TRULLIO

Applied Concepts, Inc. | Plano, Texas 75074


06E-2147-02 Rev. 11

Unit #1105

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319356
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214627
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.
This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode
and/or ±2 mph (±3 kph) in moving mode.
The transmitter frequency of this speed measuring radar device has been tested and found to be within the
prescribed limits as established by the Federal Communications Commission.
The measured Power Density of this speed measuring device has been tested and found to be below the FCC
Standard of 5.0 mw/cm² for this device.
All test instruments are traceable to NIST.

Date JAN 9 2014

Technician (signature) 

Technician (name) CHRISTOPHER BRUSILLO

Applied Concepts, Inc. | Plano, Texas 75074

886-0147-01 Rev. 04

Unit #1104

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214480
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA-Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stanel
Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319353
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA-Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stanel
Acting State Superintendent

Gloucester County

Date 2/19/2020



Antenna #1: S.N. 080687 Frequency 34.7 GHz Power Density 6.5 mW/cm²
Antenna #2: S.N. 080687 Frequency 34.7 GHz Power Density 2.5 mW/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the FCC Standard of 5.0 mW/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) [Signature]

Technician (name) CHRIS TRULLIO

Applied Concepts, Inc. | Plano, Texas 75074

Unit #1102

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210991 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315781 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



which my supervisor, this speed measuring device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date 2/19/2020

Technician (signature) 

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074


305-0147-06 Rev M

Unit 1101

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 396630
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 396645
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020

Unit Copy



LS

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 467262
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 2/19/2020



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 467209
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 2/19/2020

