

JON S. CORZINE Governor State of New Jersey

Office of the Attorney General Department of Law and Public Safety Division of State Police Post Office Box 7068 West Tremton NJ 08628-0068

(509) 882-2000

ANNE MILORAM

COLONEL JOSEPH R. FUENTES
Superhitendent

CERTIFICATION OF ANALYSIS
0.10 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.117 to 0.125 grams per 100 milliliters of solution.

MANUFACTURER: Drager Sufety, Inc.

ANALYSIS DATE: 07/03/2008

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 08F053

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have an ethyl alcohol concentration range of <u>0.1238</u> to <u>0.1242</u> grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-3.4, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of treath alcohol simulator solution is <u>June 9. 2010</u>

As Chief Forensic Scientist of the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at my direction and under my supervision by personnel of, and at, the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Agit R. Tungare
Chief Forensic Scientist
Division of State Police

Swom to and subscribed before me this

day of

. 2008

Notary

Linda L. DeSantis My Commission Expires Aug. 17, 2009



New Jersey Is An Equal Opportunity Employer Printed on Recycled Paper and Recycloble









CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

→ Model: ALCOTEST® CU3 → Model: MARK IIA	34	Serial Number:
O Other:	_	DISULS3-0163
Certification Date	Technician	Re-Certification Due Date
06-18-08	As	06-18-09





Alcotest 7110 Calibration Record

Serial No.: ARNK-0039 Alcotest 7110 MKIII-C Equipment STRATFORD POLICE DEPT. Location: Calib. No.: 00009 00539 Calib. Date: 09/15/2008 Calibration File No.: Cert. Date: 07/18/2008 Cert. No.: 00006 Certification File No.: 00510 Lin. No.: 00005 Lin. Date: 07/18/2008 00511 Linearity File No.: Soln. No.: 00063 Soln. Date: 09/04/2008 Solution File No.: 00537 09/15/2008 Sequential File No.: 00539 File Date: Serial No.: DDUL S3-0163 WET Model No.: CU-34 Calibrating Unit: Expires: 07/02/2010 Control Solution %: 0.100%Bottle No.: 0979 Solution Control Lot: 08G056 Coordinator Last Name: CROSS First Name: WILLIAM MI: M Badge No.: 5342 PRILLIM 09/15/2008 Date: Signature:

Pursuant to law, and the "Chemical Breath Testing Regulations" N.J.A.C. 13:51, I am a duly appointed Breath Test Coordinator/Instructor. In my official capacity, and consistent with "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist of the Division of State Police, I perform calibration checks on approved instruments employing infrared analysis and electrochemical analysis, when utilized in a single approved instrument as a dual system of chemical breath testing. Pursuant to, and consistent with the current "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist, I performed a Calibration Check on the approved instrument identified on this certificate. The results of my Calibration Check are recorded on this certificate, which consists of two parts on two pages: Part I - Control Tests; and Part II - Linearity Tests. I certify that the foregoing statements made by me are true. I am aware that if any of the foregoing statements made by me are wilfully false, I am subject to punishment.

Alcotest 7110 Calibration Certificate

Part I - Control Tests

0.000%

Equipment Location: Calibration File No.: Certification File No.: Linearity File No.: Solution File No.: Sequential File No.:	Alcotest 7110 STRATFORD 00539 00540 00511 00537 00540			: 09/15/2008 09/15/2008 07/18/2008 09/04/2008 09/15/2008		00009 00007 00005
Calibrating Unit: Control Solution %: Solution Control Lot:	WET 0.100% 08G056		Model No.:	CU-34		DDUL S3-0163 07/02/2010 0979
Function Ambient Air Blank	,	Result %BAC 0.000%	Time HH:MM 09:54D	Temperature Simulator (°C)	Comm or Err	nent(s) or(s)
Control 1 EC		0.100%	09:55D	34.0°C	*** TEST P.	ASSED ***
Control 1 IR		0.100%	09:55D	34.0°C	*** TEST P.	
Ambient Air Blank		0.000%	09:56D			
Control 2 EC		0.100%	09:56D	34.0°C	*** TEST P.	ASSED ***
Control 2 IR		0.098%	09:56D	34.0°C	*** TEST P.	ASSED ***
Ambient Air Blank		0.000%	09:57D			
Control 3 EC		0.099%	09:58D	34.0°C	*** TEST P.	ASSED ***
Control 3 IR		0.099%	09:58D	34.0°C	*** TEST P.	ASSED ***

All tests within acceptable tolerance

Coordinator

Last Name: CRQSS

Ambient Air Blank

First Name: WILLIAM

MI: M

Signature:

- WANT Copo#5342

09:58D

Badge No. 5342

Date:

ก็จ/เร็/วักกล

Pursuant to law, and the "Chemical Breath Testing Regulations" N.J.A.C. 13:51, I am a duly appointed Breath Test. Coordinator/Instructor. In my forficial capacity, and consistent with "Calibration Check Procedure for Alcotest 7 [10]" as established by the Chief Forensic Scientist of the Division of State Police, I perform calibration checks on approved instruments employing infrared analysis and electrochemical analysis, when utilized in a single approved instrument as a dual system of chemical breath testing. Pursuant to and consistent with, the current "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist, I performed a Calibration Check on the approved instrument identified on this certificate. The results of my Calibration Check are recorded on this certificate, which consists of two parts on two pages: Part I - Control Tests; and Part II - Linearity Tests. I certify that the foregoing statements made by me are true. I am aware that if any of the foregoing statements made by me are wilfully false, I am subject to punishment.

Alcotest 7110 Calibration Certificate Part II - Linearity Tests

Certification File No.: 00540	Equipment Location: Calibration File No.:	Alcotest 7110 STRATFORI 00539			: 09/15/2008	Serial No.: Calib. No.:	ARNK-0039
Linearity File No.: 00541 Lin. Date: 09/15/2008 Lin. No.: 00006 Solution File No.: 00537 Soln. Date: 09/04/2008 Soln. No.: 00063	= '					Cert. No.:	00007
Calibrating Unit:				Lin. Date:	09/15/2008	Lin. No.:	00006
Calibrating Unit: Control Solution %: 0.040% Solution Control Lot: 08F054 Model No.: CU-34 Serial No.: DDMK S3-0003 Expires: 06/26/2010 Bottle No.: 0661		00537		Soln. Date:	09/04/2008	Soln. No.:	00063
Control Solution %: 0.040% Solution Control Lot: 08F054 WeT Model No.: CU-34 Serial No.: DDRK \$3-0005 Expires: 06/28/2010 Solution Control Solution %: 0.080% Solution Control Lot: 08F055 Model No.: CU-34 Serial No.: DDRK \$3-0005 Expires: 06/28/2010 Solution Control Lot: 08F055 Bottle No.: 0525 Solution Control Solution %: 0.160% Solution Control Lot: 08G057 Solution Control Lot: 0.040% Solution Co	Sequential File No.:	00541		File Date:	09/15/2008		
Solution Control Lot: 08F054 Bottle No.: 0661				Model No.:	CU-34		
Calibrating Unit:							
Control Solution %:	Solution Control Lot:	U8FU54				bottle No.:	0001
Calibrating Unit:	Calibrating Unit:	WET		Model No.:	CU-34	Serial No.:	
Calibrating Unit: WET Model No.: CU-34 Serial No.: DDRF S3-0009 Expires: 07/07/2010 Bottle No.: 1025 Function Result Time WBAC HH:MM Simulator (°C) Temperature Comment(s) or Error(s) Ambient Air Blank Control 1 EC O.041% 10:11D 34.0°C **** TEST PASSED *** Control 1 IR O.040% 10:11D 34.0°C **** TEST PASSED *** Control 2 EC O.040% 10:13D 34.0°C **** TEST PASSED *** Control 2 IR O.040% 10:13D 34.0°C **** TEST PASSED *** Ambient Air Blank O.000% 10:15D Control 3 EC O.079% 10:15D 34.0°C **** TEST PASSED *** Control 3 IR O.079% 10:15D 34.0°C **** TEST PASSED *** Control 4 EC O.080% 10:17D 34.0°C **** TEST PASSED *** Ambient Air Blank O.000% 10:17D 34.0°C **** TEST PASSED *** Control 4 EC O.157% 10:19D 34.0°C **** TEST PASSED *** Ambient Air Blank O.000% 10:17D 34.0°C **** TEST PASSED *** Control 5 EC O.157% 10:19D 34.0°C **** TEST PASSED *** Control 5 IR O.156% 10:19D 34.0°C **** TEST PASSED *** Control 6 EC O.157% 10:21D 34.0°C **** TEST PASSED *** Control 6 EC O.157% 10:21D 34.0°C **** TEST PASSED *** Control 6 EC O.157% 10:21D 34.0°C **** TEST PASSED *** <	Control Solution %:						
Control Solution %: 0.160% Solution Control Lot: 08G057 Bottle No.: 1025	Solution Control Lot:	08F055				Bottle No.:	0525
Solution Control Lot: 08G057 Result Time Temperature Comment(s) or Error(s)				Model No.:	CU-34		
Function Result %BAC Time wash Temperature Simulator (°C) Comment(s) or Error(s) Ambient Air Blank Control 1 EC 0.041% 10:11D 34.0°C *** TEST PASSED *** Control 1 IR 0.040% 10:11D 34.0°C *** TEST PASSED *** Ambient Air Blank Control 2 EC 0.040% 10:13D 34.0°C *** TEST PASSED *** Control 2 IR 0.040% 10:13D 34.0°C *** TEST PASSED *** Ambient Air Blank Control 3 EC 0.079% 10:15D 34.0°C *** TEST PASSED *** Control 3 IR 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank Control 4 EC 0.080% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Control 5 EC 0.157% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D	•						
MBAC HH:MM Simulator (°C) or Error(s) Ambient Air Blank 0.000% 10:11D	Solution Control Lot:	08G057				Bottle No.:	1025
Ambient Air Blank 0.000% 10:11D 34.0°C *** TEST PASSED *** Control 1 IR 0.040% 10:11D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:13D *** TEST PASSED *** Control 2 EC 0.040% 10:13D 34.0°C *** TEST PASSED *** Control 2 IR 0.040% 10:13D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:15D *** TEST PASSED *** Control 3 EC 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:17D *** TEST PASSED *** Control 4 EC 0.080% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:19D *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D *** TEST PASSED *** Control 5 EC 0.157% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157%	Function		-				, ,
Control 1 EC 0.041% 10:11D 34.0°C *** TEST PASSED *** Control 1 IR 0.040% 10:11D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:13D 34.0°C *** TEST PASSED *** Control 2 IR 0.040% 10:13D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:15D 34.0°C *** TEST PASSED *** Control 3 IR 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:17D 34.0°C *** TEST PASSED *** Control 4 EC 0.080% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED ***	•				Simulator (°C)	or Er	tor(s)
Control 1 IR 0.040% 10:11D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:13D 34.0°C *** TEST PASSED *** Control 2 EC 0.040% 10:13D 34.0°C *** TEST PASSED *** Control 2 IR 0.040% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:15D 34.0°C *** TEST PASSED *** Control 3 IR 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***							
Ambient Air Blank 0.000% 10:13D Control 2 EC 0.040% 10:13D 34.0°C *** TEST PASSED *** Control 2 IR 0.040% 10:13D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:15D *** TEST PASSED *** Control 3 EC 0.079% 10:15D 34.0°C *** TEST PASSED *** Control 3 IR 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***							
Control 2 EC 0.040% 10:13D 34.0°C *** TEST PASSED *** Control 2 IR 0.040% 10:13D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:15D *** TEST PASSED *** Control 3 EC 0.079% 10:15D 34.0°C *** TEST PASSED *** Control 3 IR 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***					34.0°C	*** TEST I	PASSED ***
Control 2 IR 0.040% 10:13D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:15D *** TEST PASSED *** Control 3 EC 0.079% 10:15D 34.0°C *** TEST PASSED *** Control 3 IR 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***							
Ambient Air Blank 0.000% 10:15D Control 3 EC 0.079% 10:15D 34.0°C *** TEST PASSED *** Control 3 IR 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***							
Control 3 EC 0.079% 10:15D 34.0°C *** TEST PASSED *** Control 3 IR 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***					34.0°C	*** TEST I	ASSED ***
Control 3 IR 0.079% 10:15D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:17D 34.0°C *** TEST PASSED *** Control 4 EC 0.080% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***					24.000	*** TOCT I	1 CCED +++
Ambient Air Blank 0.000% 10:17D 34.0°C *** TEST PASSED *** Control 4 EC 0.080% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***							
Control 4 EC 0.080% 10:17D 34.0°C *** TEST PASSED *** Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***					34.0°C	*** 1ES1 F	ASSED ***
Control 4 IR 0.079% 10:17D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:19D *** TEST PASSED *** Control 5 EC 0.157% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***					24 0°C	*** TEST E	0 V C C E D ***
Ambient Air Blank 0.000% 10:19D Control 5 EC 0.157% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***							
Control 5 EC 0.157% 10:19D 34.0°C *** TEST PASSED *** Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***					34.0 C	TEST P	ASSED THE
Control 5 IR 0.156% 10:19D 34.0°C *** TEST PASSED *** Ambient Air Blank 0.000% 10:21D *** TEST PASSED *** Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***					34 0°C	*** TFST F	*** (T722 A
Ambient Air Blank 0.000% 10:21D Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***							
Control 6 EC 0.157% 10:21D 34.0°C *** TEST PASSED *** Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***					5 N.O. C	ILUIT	
Control 6 IR 0.157% 10:21D 34.0°C *** TEST PASSED ***					34.0°C	*** TEST P	ASSED ***
THEOREM 10.20070 10.200	Ambient Air Blank		0.000%	10:23D			

All tests within acceptable tolerance.

Coordinator

First Name: WILLIAM

TPR I WMM. (no #534) Last Name: CROSS MI: M

Badge No.: 5342 Date: 09/15/2008



JON S. CORZINE Governor

State of New Jersey

OFFICE OF THE ATTORNEY GENERAL DEPARTMENT OF LAW AND PUBLIC SAFETY DIVISION OF STATE POLICE Post Office Box 7068 West Trenton NJ 08628-0068 (609) 882-2000

Anne Milgram Attorney General

COLONEL JOSEPH R. FUENTES Superintendent

CERTIFICATION OF ANALYSIS 0.10 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.117 to 0.125 grams per 100 milliliters of solution.

MANUFACTURER: Drager Safety, Inc.

ANALYSIS DATE:07/24/2008

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 08G056

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have an ethyl alcohol concentration range of 0.1227 to 0.1236 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-3.4, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is July 2, 2010.

As Chief Forensic Scientist of the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at my direction and under my supervision by personnel of, and at, the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ajit R. Tungare

Chief Forensic Scientist Division of State Police

Sworn to and subscribed before me this 13 day of August, 2008.

Anila X. Wantis

Linda L. DeSantis My Commission Expires Aug. 17, 2009







State of New Jersey

OFFICE OF THE ATTORNEY GENERAL DEPARTMENT OF LAW AND PUBLIC SAFETY DIVISION OF STATE POLICE POST OFFICE Box 7068 West Trenton NJ 08628-0068

(609) 882-2000

ANNE MILGRAM Attorney General

COLONEL JOSEPH R. FUENTES Superintendent

CERTIFICATION OF ANALYSIS 0.040 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR PREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.045 to 0.051 grams per 100 milliliters of solution.

MANUFACTURER: Drager Safety, Inc.

ANALYSIS DATE:07/16/2008

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 08F054

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have an ethyl alcohol concentration range of 0.0487 to 0.0493 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-3.4, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is June 26, 2010.

As Chief Forensic Scientist of the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at my direction and under my supervision by personnel of, and at, the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

> Ajit R. Tungare Chief Forensic Scientist Division of State Police

Sworn to and subscribed before me this 19 day of Aryst, 2008.

JON S. CORZINE

Governor

NOTARY PUBLIC STATE OF NEW JERSEY MY COMMISSION EXPIRES 12/14/2012







State of New Jersey

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
Post Office Box 7068
West Trenton NJ 08628-0068
(609) 882-2000

Anne Milgram
Attorney General

COLONEL JOSEPH R. FUENTES

Superintendent

CERTIFICATION OF ANALYSIS 0.080 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.094 to 0.099 grams per 100 milliliters of solution.

MANUFACTURER: Drager Safety, Inc.

ANALYSIS DATE:07/25/2008

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 08F055

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have an ethyl alcohol concentration range of <u>0.0977</u> to <u>0.0984</u> grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-3.4, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is June 28, 2010.

As Chief Forensic Scientist of the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at my direction and under my supervision by personnel of, and at, the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Chief Forensic Scientist Division of State Police

Sworn to and subscribed before me this May of August, 2008.

Notary

JON S. CORZINE

Governor

JOHN R. LEAVER NOTARY PUBLIC STATE OF NEW JERSEY MY COMMISSION EXPIRES 12/14/2012







State of New Jersey

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
Post Office Box 7068
West Trenton NJ 08628-0068
(609) 882-2000

ANNE MILGRAM
Attorney General

COLONEL JOSEPH R. FUENTES

Superintendent

CERTIFICATION OF ANALYSIS 0.160 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.188 to 0.199 grams per 100 milliliters of solution.

MANUFACTURER: Drager Safety, Inc.

ANALYSIS DATE:07/28/2008

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 08G057

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have an ethyl alcohol concentration range of <u>0.1956</u> to <u>0.1959</u> grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-3.4, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is July 7, 2010.

As Chief Forensic Scientist of the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at my direction and under my supervision by personnel of, and at, the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ajit R. Tungare Chief Forensic Scientist Division of State Police

Sworn to and subscribed before me this 19 day of August, 2008.

Notary

JON S. CORZINE

Governor

JOHN R, LEAVER

NOTARY PUBLIC STATE OF NEW JERSEY
MY COMMISSION EXPIRES 12/14/2012





Calibrating Unit New Standard Solution Report

Equipment	Alcotest 7110	MKIII-C			Serial No.:	ARNK-0039
Location:	STRATFORI	POLICE D	EPT.			
Calibration File No.:	00539		Calib. Date	: 09/15/2008	Calib. No.:	00009
Certification File No .:	00540		Cert. Date:	09/15/2008	Cert. No.:	00007
Linearity File No.:	00541		Lin. Date:	09/15/2008	Lin. No.:	00006
Solution File No.:	00542		Soln. Date:	09/15/2008	Soln. No.:	00064
Sequential File No.:	00542		File Date:	09/15/2008		
Calibrating Unit:	WET		Model No.:	CU-34	Serial No.:	DDUL \$3-0163
Control Solution %:	0.100%				Expires:	04/24/2009
Solution Control Lot:	07B046				Bottle No.:	0687
Function		Result	Time	Temperature	Com	ment(s)
		%BAC	HH:MM	Simulator (°C)	or Er	ror(s)
Ambient Air Blank		0.000%	11:30D			
Control 1 EC		0.099%	11:30D	34.0°C	*** TEST I	PASSED ***
Control 1 IR		0.101%	11:30D	34.0°C	*** TEST I	PASSED ***
Ambient Air Blank		0.000%	11:31D			
Control 2 EC		0.099%	11:32D	34.0°C	*** TEST I	PASSED ***
Control 2 IR		0.099%	11:32D	34.0°C	*** TEST I	PASSED ***
Ambient Air Blank		0.000%	11:32D			
Control 3 EC		0.099%	11:33D	34.0°C	*** TEST I	PASSED ***
Control 3 IR		0.098%	11:33D	34.0°C	*** TEST I	ASSED ***
Ambient Air Blank		0.000%	11:34D			

All tests within acceptable tolerance.

On this date, I installed the above indicated "NEW SOLUTION" in acordance with Alcotest 7110 operator training and procedures established by the (NJSP) Chief Forensic Scientist.

TEMPERATURE PROBE SERIAL NUMBER: DDUJP2-030 NC

Changed By: Last Name: CROSS

MI: M

First Name: WILLIAM
TPR. I WWM. Con #5342

Badge No.: 5342 Date:

09/15/2008



CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

Model: ALCOTEST® CU34 Model: MARK IIA Other:		Serial Number: DDMK 53-0003
Certification Date	Technician	Re-Certification Due Date



CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

Model: ALCOTEST [®] CU34 Model: MARK IIA		Serial Number:
Other:		DDRK53.0005
Certification Date	Technician	Re-Certification Due Date
02-13-08	X	02.13.09
	l .	




CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

✓ Model: ALCOTEST* CU34✓ Model: MARK IIA✓ Other:		Serial Number: DDRF53-0009
Certification Date	Technician	Re-Certification Due Date



Ertco-Hart Digital Temperature Measuring System

REPORT OF CALIBRATION

This is to certify that the Ertco-Hart Digital Temperature Measuring System has been tested for accuracy with instrumentation that is traceable to the National Institute of Standards and Technology (NIST). Draeger Safety Diagnostics, Inc. (DSDI) recommends accuracy verification of the Ertco-Hart Digital Temperature Measuring System within 12 months of the certification date below, or sooner, according to your state specification.

DSDI equipment used for temperature verification Serial Number: <u>HH4I 301316/HH4I 303176/MERCURY THERMOMETER</u>
Digital Units Serial Number: <u>A 7/569</u>
Probe Serial Number: 765077
Certification Date: 02-12-2008
Next Certification Due: <u>0Z-1Z-2009</u>
At 34.00 °C digital unit displays 34.05 °C
Draeger Safety Diagnostics, Inc. Technician:

This is to constitute of DEPARTMENT OF

William M. Cross

New Jersey State Police

IE QUALIFIED AND COMPETENT TO CONDUCT CREMICAL EXPLINE ANALYSES PURSUANT TO CHAPTER 142 OF THE LAWS OF 1866 IN THE OPERATION OF THE DECELOR LYZQUENCO TO DETERMINE INTOXICATION.

GIVEN UNDER MY HAND AT TRENTON, NEW JERSEY THIS...

ONE THOUSAND MINE HUNDRED AND ...

Cala, Tollena BUPERNTENDENT NEW HERSEY STATE POLICE la. Williama

		Refresher Cou	rse
1	2-11-98	6800	XXX TANGEN
2/	0.10.01	BCPA (L. Darlie !
	1-17-03	BOPA	Ron Yeragor
4. 6	52205	ACTC .	- CFortes
5. 1	7-27-07	OCPA	a Smlo
6.	<u> </u>		
7.			
8.			
9.			

DEPARTMENT OF and Hublic S

William M. Cross New Jersey State Police

IS QUALIFIED AND CHIMMITERY TO CONNECT CHEMICAL REGATH ANALYSES PURSUANT TO CHAPTER 142 OF

THE LAWS OF I WASHING OPERATION OF THE ACCOUNT 7110 MKIII-C


A METHOD TO DETERMINE INTUXICATION.
OVER LINDER MY HAND AT DEPLOY, NEW IERSEY THIS

3rd exem

February

INITERARANDANO US

DATE 1. 12-20-07	Refresher Course PLACE O, C. P. A.	INSTRUCTOR
2.		
3.		
1.		
b		
i.		
'.		
. 		
. 		



CERTIFICATE

This is to certify that

William M. Cross Trooper II #5342

has successfully completed the two day Draeger Safety Diagnostics, Inc. Operator Training and Preventive Maintenance Course on the New Jersey specific Alcotest® 7110 MKIII-C and is hereby certified as a qualified

Operator Trainer and Maintenance Technician

Completion of this course qualifies this individual to train and certify Operators in the proper use and operation as well as perform Preventive Maintenance on the New Jersey specific Alcotest® 7110 MKIII-C.

Date: October 28, 2004

Instructor: Hansveli Ryser

William M. Cross #5342 Department of Law and Public Safety New Jersey State Police P.O. Box 7068-River Road West Trenton, NJ 08628 609-882-2000 lpp5342@gw.njsp.org

Enlistment Date

December 23, 1995

<u>Career</u> <u>Experience</u>

10 years, 9 months

May 2003 to present

Field Operations Section

Alcohol/Drug Test Unit

December 2001 to May 2003

Field Operations Section

Tactical Patrol Unit #1

Troop D

March 1999 to December 2001

Field Operations Section

Moorestown Barracks

Troop D

November 1997 to March 1999

Field Operations Section

Bellmawr Barracks

Troop A

October 1997 to November 1997

Field Operations Section

Red Lion Barracks

Troop A

January 1997 to October 1997

Field Operations Section

Tuckerton Barracks

Troop A

June 1996 to January 1997

Field Operations Section

Bridgeton Barracks

Troop A

December 1995 to June 1996

Field operations Section

Red Lion Barracks

Troop A

July 1995 to December 1995

New Jersey State Police Academy

Education

May 1992 Bachelor of Arts degree, Political Science,

Kutztown University, Kutztown, PA

June 1988 Graduated Haddon Township High School,

Haddon Township, NJ

Technical/ Professional Training

February 1996

Alcotest® 7110 MKIII-C Certified February 2005 October 2004 Draeger Safety Diagnostics, Inc. Operator Training and Preventative Maintenance Course on the New Jersey specific Alcotest® 7110 MKIII-C Instructor Training in DWI Detection and January 2004 Standardized Field Sobriety Testing January 2004 Certified in Standardized Field Sobriety Tests including Horizontal Gaze Nystagmus September 2003 Certified Breath Test Coordinator/Instructor National Draeger, Inc. Breathalyzer® 900/900A August 2003 Maintenance Course July 2003 Methods of Instruction Course June 2003 Driving While Intoxicated/Standardized Field **Sobriety Testing Course** May 2003 The Robert F. Borkenstein Course on Alcohol, Drugs, and Highway Safety Gang Awareness Course May 2003 March 2000 Spanish for Law Enforcement Course March 1999 Traffic Law Enforcement Course June 1998 Accident Investigation I Course February 1997 Tracktest Fifth Wheel Certified January 1997 5-Day Breathalyzer® 900/900A Operator Certified

K-55 Radar Operator Certified