



MARY EVA COLALILLO  
Camden County Prosecutor

## Office of the County Prosecutor

County of Camden

25 North Fifth Street  
Camden, New Jersey 08102-1231  
Tel: (856) 225-8400 Fax: (856) 963-0080

DANA R. PETRONE  
First Assistant Prosecutor

GRACE C. MACAULAY  
Deputy First Assistant Prosecutor

RON MOTEN  
Chief of Detectives

## MEMORANDUM

**TO:** Camden County Chiefs of Police

**FROM:** Prosecutor Mary Eva Colalillo *MJC*

**DATE:** October 11, 2016

**RE:** Temporary Procedure for Evidential Breath Test  
Utilizing Alcotest Instrument  
For Standard Time Period October 30 – November 6, 2016

Memo # 16-17

---

Enclosed please find a copy of a memorandum from the Office of the Attorney General detailing the temporary procedure for utilizing the Alcotest Instrument for the standard time period of October 30<sup>th</sup> through November 6, 2016.

Thank you.

/jb  
Enc.

C: First Assistant Prosecutor Dana R. Petrone, w/enc.  
Deputy First Assistant Prosecutor Grace C. MacAulay, w/enc.  
Chief Ron Moten, w/enc.  
Deputy Chief Frank Falco, w/enc.



CHRISTOPHER S. POKRINO  
*Attorney General*

CHRIS CHRISTIE  
*Governor*

ELIE HONIG  
*Director*

KIM GUADAGNO  
*Lieutenant Governor*

State of New Jersey  
OFFICE OF THE ATTORNEY GENERAL  
DEPARTMENT OF LAW AND PUBLIC SAFETY  
DIVISION OF CRIMINAL JUSTICE  
PO BOX 085  
TRENTON, NJ 08625-0085  
TELEPHONE (609) 984-6500

October 4, 2016

**TO:** All County Prosecutors  
Colonel Joseph Fuentes, Superintendent, New Jersey Division of State Police  
All Municipal Prosecutors  
All Law Enforcement Executives

**Re: Temporary Procedure for Evidential Breath Test Utilizing  
Alcotest Instrument for Standard Time Period October 30 - November 6, 2016**

In 2007, the federal Energy Policy Act, 42 U.S.C. §15801, changed the dates of ending Daylight Savings Time from the last Sunday in October to the first Sunday in November.

The Alcotest 7110 MKIII-C New Jersey firmware version 3.11 is configured to automatically revert to Eastern Standard Time based on the pre-2007 timetable. Instead of changing to Eastern Standard Time on November 6, 2016, the Alcotest 7110 MK III-C will change on October 30, 2016. Commencing at 02:00 on October 30, 2016, the instrument will record all times, both printed and electronic, with an "S" suffix, indicating Standard Time.

The instrument's recordation of Standard Time rather than Daylight Savings Time does not affect the method of analysis or the accuracy of the readings. All current procedures for the processing of arrested intoxicated drivers are to continue, including the 20 minute observation period currently part of the regular protocol. However, because the Alcotest is set to read in Standard Time for the week between October 30 and November 6, Breath Test Operators should enter the time of arrest in the Alcotest instrument in Standard Time (one hour earlier than Daylight Savings Time). Entries on all other documents related to the arrest (e.g., police reports) should reflect Daylight Savings Time which will remain in effect until November 6, 2016.

Any questions regarding this procedure can be directed to your New Jersey State Police Breath Test Coordinator or the Municipal Prosecutor Supervisor within the County Prosecutor's Office.

Very truly yours,

Philip S. Aronow, Assistant Attorney General  
Chief, Prosecutors Supervision & Training Bureau

c: Assistant Attorney General Elie Honig, Director, Division of Criminal Justice  
Lieutenant Roberto Torno, Unit Head, NJSP Alcohol & Drug Testing Unit  
Traffic Records Unit, Criminal Justice Records Bureau, NJSP  
Dr. Howard Baum, Director, NJSP Office of Forensic Sciences



New Jersey is An Equal Opportunity Employer - Printed on Recycled Paper and is Recyclable

