

FA160186

TUNING FORK CERTIFICATE

This Tuning Fork has been tested and found to oscillate at 2613 ± 5 Hertz at 70°F resulting in a calibration signal of 25 mph (40 kph) when used with a Ka Band Radar operating at 34.7 GHz.

Operation from -22°F to $+140^{\circ}\text{F}$ will result in an error of less than .5 mph (.8 kph)

Technician Todd L. Gardner Date 1-8-7 Serial # 160186
Todd L. Gardner

Applied Concepts, Inc.



Plano, Texas 75074

© 1994 Goes 480

LITHO. IN U.S.A.

STATE OF NEW JERSEY OFFICE OF THE STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA160186 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA-Band will result in the stated m.p.h. value.


Agency certified for WILLINGBORO TWP. POLICE DEPT.

Burlington County

Louis E. Greenleaf
State Superintendent

Date

3/22/2007



FA160186

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA160186 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz KA-Band will result in the stated m.p.h. value.

Agency certified for WILLINGBORO TWP. POLICE DEPT.


State Superintendent

Burlington County

Date

2/18/2009

