


TUNING FORK  
**Certificate of Accuracy**

May 1, 2009

THIS IS TO CERTIFY THAT ON \_\_\_\_\_  
TUNING FORK SERIAL NUMBER 265112 WAS TESTED  
AND FOUND TO OSCILLATE AT 4167 CYCLES PER SECOND.  
SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE 34.700 GHZ BAND TO  
READ 40 MPH.

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

SIGNED \_\_\_\_\_



©1994 Goes 441B

All Rights Reserved


TUNING FORK  
**Certificate of Accuracy**

May 1, 2009

THIS IS TO CERTIFY THAT ON \_\_\_\_\_  
TUNING FORK SERIAL NUMBER 165311 WAS TESTED  
AND FOUND TO OSCILLATE AT 2615 CYCLES PER SECOND.  
SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE 34.700 GHZ BAND TO  
READ 25 MPH.

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

SIGNED \_\_\_\_\_



©1994 Goes 441B

All Rights Reserved

**Certificate of Calibration**

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON


MODEL STALKER II BAND KA - BAND MFR APPLIED CONCEPTS, INC.  
SERIAL NUMBER 004087 ANT. #1 XXXXXX ANT. #2 XXXXXX

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

DATE May 1, 2009

SIGNED \_\_\_\_\_



© GOES 406

LITHO IN U.S.A.