

## CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. 34540 Frequency 34.7 GHz Power Density        mw/cm<sup>2</sup>

Antenna #1: S.N. 32958 Frequency 34.7 GHz Power Density .6 mw/cm<sup>2</sup>

Antenna #2: S.N. 31786 Frequency 34.7 GHz Power Density .8 mw/cm<sup>2</sup>

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within  $\pm 1$  mph ( $\pm 2$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 3$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date NOV 03 2008

Technician (signature) *Scott Kleckner*

Technician (name) Scott Kleckner

Applied Concepts, Inc. Plano, Texas 75074

006-0147-00 Rev K

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. 001817  
Antenna #1: S.N. 015471 Frequency 1.173 GHz Power Density 2 mw/cm<sup>2</sup>  
Antenna #2: S.N. 015473 Frequency 2.173 GHz Power Density 2 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 12/28/14

Applied Concepts, Inc.

  
Technician

Plano, Texas 75074

006-0147-00 REV.D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. 25001478  
Antenna #1: S.N. K0017062 Frequency 34.23 GHz Power Density 1 mW/cm<sup>2</sup>  
Antenna #2: S.N. K0017063 Frequency 34.22 GHz Power Density 3 mW/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits, as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mW/cm<sup>2</sup> for this device.

Date 2-22-04

Applied Concepts, Inc.

Technician

Lenny Elder

Plant, Texas 75074

006-0147-00 REV D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. 001932  
Antenna #1: S.N. 015575 Frequency 39.77 GHz Power Density .6 mw/cm<sup>2</sup>  
Antenna #2: S.N. 015928 Frequency 39.77 GHz Power Density .3 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and for  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 12/28/04

Applied Concepts, Inc.

Kenney Elden  
Technician

Plano, Texas 75074

006-0147-00 REV D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting Display: S.N. 001792  
Antenna #1: S.N. 015499 Frequency: 34.73 GHz Power Density: 3 mW/cm<sup>2</sup>  
Antenna #2: S.N. 015397 Frequency: 34.73 GHz Power Density: 4 mW/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mW/cm<sup>2</sup> for this device.

Date 12/29/04

Applied Concepts, Inc.

*Kenny Elder*  
Technical

Piano, Texas 75074  
006-0147-00 REV.0

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. 1237  
Antenna #1: S.N. 10005 Frequency 34.70 GHz Power Density: 0 mW/cm<sup>2</sup>  
Antenna #2: S.N. 10005 Frequency 34.70 GHz Power Density: 0 mW/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits, as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mW/cm<sup>2</sup> for this device.

Date 5-15-03

Technician

Henry Elder

Applied Concepts, Inc.

Piano, Texas 75074

006-0147-00 REV D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device.

Counting/Display: S.N. 001780

Antenna #1: S.N. 011331

Frequency 24.72 GHz Power Density 2 mw/cm<sup>2</sup>

Antenna #2: S.N. 011332

Frequency 24.73 GHz Power Density 3 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 12/28/04

Applied Concepts, Inc.

  
Technician

Plano, Texas 75074

006-0147-00 REV. D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S. N. DS 00500  
Antenna #1: S. N. KC 019023 Frequency 34.26 GHz Power Density 6  $\mu\text{w}/\text{cm}^2$   
Antenna #2: S. N. KC 014053 Frequency 34.22 GHz Power Density 4  $\mu\text{w}/\text{cm}^2$

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits, as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of  $5.0 \mu\text{w}/\text{cm}^2$  for this device.

Date 7/22/01

Applied Concepts, Inc.

Technician

Teray Elder

Plano, Texas 75074

006-0147-00 REV. D



## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. 001792  
Antenna #1: S.N. 015914 Frequency 31.75 GHz Power Density 4 mw/cm<sup>2</sup>  
Antenna #2: S.N. 015523 Frequency 31.75 GHz Power Density 4 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 12/23/04

Applied Concepts, Inc.

Kenny Elder  
Technician

Piano, Texas 75074

006-0147-00 REV D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting Display: S.N. 801830  
Antenna #1: S.N. 015495 Frequency 3472 GHz Power Density 2.3 mw/cm<sup>2</sup>  
Antenna #2: S.N. 015514 Frequency 3472 GHz Power Density 2.4 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 12/23/04

Applied Concepts, Inc.

*Henry Elden*  
Technical

Piano, Texas 75074

006-0147-00 REV.D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display S.N. 201840

Antenna #1 S.N. 015578 Frequency 77.72 GHz Power Density 3 mW/cm<sup>2</sup>

Antenna #2 S.N. 015560 Frequency 77.73 GHz Power Density 3 mW/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mW/cm<sup>2</sup> for this device.

Date 12/28/04

Applied Concepts, Inc.

*Henry Elder*  
Technician

Plano, Texas 75074

008-0147-00 REV D

### CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting Display: S.N. 001711  
Antenna #1: S.N. 015499 Frequency 24.72 GHz Power Density 3 mw/cm<sup>2</sup>  
Antenna #2: S.N. 015516 Frequency 24.72 GHz Power Density 3 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 12/28/04

*[Signature]*  
Technician

Applied Concepts, Inc.

Plano, Texas 75074  
006-0147-00 REV.0

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. 001802  
Antenna #1: S.N. 015577 Frequency 34.22 GHz Power Density 3 mw/cm<sup>2</sup>  
Antenna #2: S.N. 015502 Frequency 34.22 GHz Power Density 4 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits, as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 1/21/28/04

Applied Concepts, Inc.

  
Technician

Plano, Texas 75074

006-0147-00 REV D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S. N. 96356  
Antenna #1: S. N. 36227 Frequency 34.69 GHz / Power Density 6 mw/cm<sup>2</sup>  
Antenna #2: S. N. 36227 Frequency 34.69 GHz / Power Density 4 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 12-28-00

Technician

Kenny Elder

Applied Concepts, Inc.

Plano, Texas 75074

006-0147-00 REV D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. 6298  
Antenna #1: S.N. 10135 Frequency 34.70 GHz Power Density 5 mw/cm<sup>2</sup>  
Antenna #2: S.N. 10136 Frequency 34.70 GHz Power Density 0 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits, as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 5-15-03

Technician Kenny Elden

Applied Concepts, Inc.

Plano, Texas 75074

006-0147-00 REV D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER speed measuring radar device:

Under my supervision, this speed measuring radar device, Serial Number 79579 has been checked for accuracy and correct operation.

This STALKER speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be 24.12 GHz which is within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be 0 mw/cm<sup>2</sup> which is below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 2-26-04

Technician ABG/24242

Applied Concepts, Inc.

Plano, Texas 75074

006-0120-00, Rev C



## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. 001726

Antenna #1: S.N. 015431

Frequency 34.73 GHz

Power Density .2 mW/cm<sup>2</sup>

Antenna #2: S.N. 015435

Frequency 34.73 GHz

Power Density .3 mW/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mW/cm<sup>2</sup> for this device.

Date 12/23/04

Applied Concepts, Inc.

Henry Eldon  
Technician

Riano, Texas 75074

006-0147-00 REV.D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display: S.N. 46378  
Antenna #1: S.N. 36216 Frequency 34.69 GHz Power Density 3 mw/cm<sup>2</sup>  
Antenna #2: S.N. 36214 Frequency 34.70 GHz Power Density 5 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 12-28-00

Applied Concepts, Inc.

Technician

Kenny Elder

Plano, Texas 75074

006-0147-00 REV D

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display S.N. 500452  
Antenna #1 S.N. KC011051 Frequency 3.173 GHz Power Density 4 mw/cm<sup>2</sup>  
Antenna #2 S.N. KC014074 Frequency 3.172 GHz Power Density 5 mw/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and for  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm<sup>2</sup> for this device.

Date 7-22-04

Applied Concepts, Inc.

Technician

Kenny Elder

Plano, Texas 75074

006-0147-00 REV.0

## CERTIFICATE OF ACCURACY

I hereby certify the following STALKER DUAL speed measuring radar device:

Counting/Display S.N. DS 60188  
Antenna #1 S.N. KC 01205 Frequency 34.22 GHz Power Density 4 mW/cm<sup>2</sup>  
Antenna #2 S.N. KC 01206 Frequency 34.22 GHz Power Density 4 mW/cm<sup>2</sup>

Under my supervision, this speed measuring radar device has been checked for accuracy and correct operation.

This STALKER DUAL speed measuring radar device is certified accurate within  $\pm 1$  mph ( $\pm 1$  kph) in stationary mode, and/or  $\pm 2$  mph ( $\pm 2$  kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mW/cm<sup>2</sup> for this device.

Date 2-22-04

Technician Kenny Eder

Applied Concepts, Inc.

Plano, Texas 75074

006-0147-00 REV 0

# Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL STALKER DUBAND KA-BAND MFR APPLIED CONCEPTS

SERIAL NUMBER 046356 ANT #1 036217 ANT #2 XXXXXX

A "DOPPLER" TRAFFIC RADAR. THE AFORESAIDED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

DATE JANUARY 30, 2007

SIGNED 

# Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON  
MODEL STALKER DUAL BAND KA-BAND MFR APPLIED CONCEPTS, INC.  
SERIAL NUMBER 046356 ANT #1 036217 ANT #2 XXXXXX

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

DATE January 6, 2009  
SIGNED [Signature]

# Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL STALKER ATR BAND KA - BAND MFR APPLIED CONCEPTS, INC.

SERIAL NUMBER 79579 ANT #1 XXXXXX ANT #2 XXXXXX

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

**R & R RADAR, INC.**  
762 WHITE HORSE PIKE  
ATCO, N.J. 08004

DATE June 8, 2008  
SIGNED [Signature]