

# ▼ Certificate ₹ of Speedometer Accuracy



This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On John 10 7613 the speedometer of Find Som Model)
Manufacturer's No. 2FAFP71V28XX55211
Registration No. MC 90582
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED 10 20 3/ 4/ 57 6/ 7/ 89
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. 20028294
DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
( STATION ADDRESS)





This is to certify thatL	Davidneiser's Speedometer Repair, Inc.
has been designated as offi	ficial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPO	PORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANS	SPORTATION.
On Jan 10 20 13 th	the speedometer of 23 (MAKE OF VEHICLE) . MODEL)
Manufacturer's No. 255	BP7BV6BX108266
Registration No	1688849
was tested for accuracy, and	nd the degree of accuracy was as follows:
TRUE SPEED	MILES PER HOUR 10 20 30 40 50 60 70 80
SPEED INDICATED	
BY SPEEDOMETER /	11 21 31 41 51 6171 81
TEST EQUIPMENT  MAKE MUSTANG DYNO	
	CALIBRATION TECHNICIAN
MODEL MD-66	
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO.	<del></del>





This is to certify thatDavidheis	er's Speedometer Repair, Inc.
has been designated as official Spee	edometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION	ON, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTAT	- 1
ON 10 2013 the speed	ometer of Chevy SW (MAKE OF VEHICLE) - MODEL)
Manufacturer's No.  GNCOBE	DER281867
Registration No. MG-9/78	<del>7</del> 0
was tested for accuracy, and the deg	gree of accuracy was as follows:
TRUE SPEED 10 20	
SPEED INDICATED   11 2-1	31 41 52627282
BY SPEEDOMETER // Y	13, 191 3260 12 18 0
TEST EQUIPMENT  MAKE MUSTANG DYNO	
MODEL	CALIBRATION TECHNICIAN
MODEL MD-66	
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)
EQUID NO 6	





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTATION.
On San 10 2073 the speedometer of TONS (MAKE OF VEHICLE) MODEL)
Manufacturer's No 2FAFP71V 38 2120838
Registration No
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR  TRUE SPEED 10 20 30 40 50 60 70 80  SPEED INDICATED 45 20 40 50 60 70 80
BY SPEEDOMETER 10 20 30 40 31 61 7181
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. 20028294  DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)





This is to certify that Davidheis	er's Speedometer Repair, Inc.
has been designated as official Spee	dometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION	ON, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTAT	ION.
On Jan 10 2017 the speed	ometer of FMS SW (MAKE OF VEHICLE) - MODEL)
Manufacturer's No. IFMEU 7DE	7AUA 78676
Registration No. MG 876 37	<i></i>
was tested for accuracy, and the deg	ree of accuracy was as follows:
TRUE SPEED 10 20	MILES PER HOUR    30   40   50   60   70   80
SPEED INDICATED 10-27	1.1.2
BY SPEEDOMETER 100	32 93 53 63 73 83
TEST EQUIPMENT	
MAKE MUSTANG DYNO	to the
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969
	( STATION ADDRESS)
50UID NO 8	



EQUIP. NO. 1 (FAPPLICABLE)

### Certificate of



#### Speedometer Accuracy

This is to certify that \_\_\_\_\_ Davidheiser's Speedometer Repair, Inc.

has been designated as o	official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANS	PORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRAN	ISPORTATION.
0n Jan 10 2013	the speedometer of
Manufacturer's No. 2	FARP1BV93×112585
Registration No. MG	-9US97
was tested for accuracy, a	and the degree of accuracy was as follows:  MILES PER HOUR
TRUE SPEED_	منزاك والمسور بمسهد والكال المرابات الم
	10 20 30 40 50 60 70 80
SPEED INDICATED	11/20/31/11/01/1/21/81
BY SPEEDOMETER	10 00 01 91 0 61 11 01
TEST EQUIPMENT  MAKE <u>MUSTANG DY</u> NO  MODEL <u>MD-66</u>	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Jan 10, 20; 3 the speedometer of And John Model)
Manufacturer's No. 2FAFO7IV 48X 155 259
Registration No. MG5999
was tested for accuracy, and the degree of accuracy was as follows:
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED
BY SPEEDOMETER 10 20 37 41 51 6272 82
TEST EQUIPMENT  MAKE MUSTANG DYNO
CADBRATION TECHNICIAN
MODEL MD-66
SER. NO. 20028294  DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)





201

### Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Jan 16 2013 the speedometer of MAKE OF VEHICLE) MODEL)
Manufacturer's No. 2FAFF71V98X175620
Registration No. MGSU779
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR   TRUE SPEED   10   20   30   40   50   60   70   80   SPEED INDICATED   D 24   30   40   50   60   70   80   BY SPEEDOMETER   D 24   30   40   50   60   70   80
TEST EQUIPMENT  MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. 20028294  DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969
EQUIP. NO. 14

(IF APPLICABLE)





207

This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as office	cial Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPO	ORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANS	PORTATION.
ON 10 2013 11	ne speedometer of (MAKE OF VEHICLE) MODEL)
Manufacturer's No. 253 h	471V09X144718
Registration No	
was tested for accuracy, and	d the degree of accuracy was as follows:
	MILES PER HOUR
	10 20 30 40 50 60 70 80
SPEED INDICATED	10/20/31/41/51/61/72/82
BY SPEEDOMETER //	
TEST EQUIPMENT	
MAKE MUSTANG DYNO	
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETED BERAID ING
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)
EQUID NO IT	



EQUIP. NO. (IF APPLICABLE)

## Certificate of



207

This is to certify that Davidheis	er's Speedometer Repair, Inc.
has been designated as official Spee	dometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION	ON, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTAT	
On kalo 2013 the speed	ometer of MAKE OF VEHICLE) MODEL)
Manufacturer's No. 2FALTP7	V29X144719
Registration No. 1/17-8/1P	
was tested for accuracy, and the deg	ree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED 10 20	30 40 50 60 70 80
SPEED INDICATED //2 20	30 40 0 60 71 81
BY SPEEDOMETER / 0 00	P 170 DC 100 11 81
TEST EQUIPMENT	
TEST EXCHINERY	
MAKE MUSTANG DYNO	
	CALIBRATION TECHNICIAN
MODEL <u>MD-66</u>	
SER. NO. 20028294	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Jan 10 2013 the speedometer of FUND SO W (MAKE OF VEHICLE) MODEL)
Manufacturer's No. 2540P7BVXBX 1092-89
Registration No. MGG0596
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED 11 20 31 41 51 6171 81
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66 CALIBRATION TECHNICIAN
SER. NO. 20028294
DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)