



# Certificate of



## Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA.  
DEPARTMENT OF TRANSPORTATION.

On March 07 2011 the speedometer of Ford SW  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 1FMEJ15539FB20086

Registration No. MG3974

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	12	22	32	42	53	63	73	83

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 1  
(IF APPLICABLE)



# Certificate of



207

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2011 the speedometer of Ford SW  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 1FMPU165281A63298

Registration No. MG8079U

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	12	22	32	43	53	63	73	83

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294

  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 2  
(# APPLICABLE)



# Certificate of



207

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2011 the speedometer of Ford SDW  
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2FAPP71V28X155211

Registration No. MG 79351

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	51	61	72	82

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294

  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 3  
(IF APPLICABLE)



# Certificate of



257

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.  
has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2011 the speedometer of Ford SDN  
(DATE) (MAKE OF VEHICLE) MODEL


Manufacturer's No. 2FABP70V68X109266

Registration No. MG88849

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	51	61	72	82

TEST EQUIPMENT  
MAKE MUSTANG DYNO  
MODEL MD-66  
SER. NO. 20028294

  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  
(STATION NAME)  
181 RIDGE ROAD TELFORD, PA 18969  
(STATION ADDRESS)

EQUIP. NO. 4 NEW  
(IF APPLICABLE)



# Certificate of



## Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2011 the speedometer of Ford SCW  
(DATE) (MAKE OF VEHICLE) MODEL

Manufacturer's No. 1FMPU55562AG0534

Registration No. MC80791

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	51	62	73	84

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 5  
(IF APPLICABLE)



# Certificate of



207

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On May 07 2011 the speedometer of Ford Focus  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAFP71V38X120838

Registration No. MG75784

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61	71	81

TEST EQUIPMENT  
MAKE MUSTANG DYNO  
MODEL MD-66  
SER. NO. 20028294

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 9  
(IF APPLICABLE)



# Certificate



207

## of

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On MAR 07 2011 the speedometer of FORD SW  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 1FMEU7DEAUA78676

Registration No. MG87633

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	32	42	52	62	73	83

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294

  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 8  
(IF APPLICABLE)



# Certificate of



207

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2011 the speedometer of Ford SDN  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAHP71V99X144717

Registration No. MG83972

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	62	72	82

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294

  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 11  
(IF APPLICABLE)





# Certificate



## of

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2011 the speedometer of Ford SDW  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAPP71W86X105506

Registration No. MG70864

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	52	62	72	82

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 12  
(IF APPLICABLE)



# Certificate



207

## of

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On MG 10 2011 the speedometer of Ford Focus  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FA1FP71V48X155209

Registration No. MG54909

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	32	42	52	62	72	82

TEST EQUIPMENT  
MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294

  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 13  
(IF APPLICABLE)



# Certificate



207

# of

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On MG 07 2011 the speedometer of FORD SON  
(DATE) (MAKE OF VEHICLE) MODEL

Manufacturer's No. 2FAFP7198X175620

Registration No. MG 80779

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	32	42	52	67	73	83

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 14  
(IF APPLICABLE)



# Certificate



2-27

## of

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On MAR 07 2011 the speedometer of Ford 5.0L  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAHP91V09X144718

Registration No. MG83973

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	62	72	82

TEST EQUIPMENT  
MAKE MUSTANG DYNO  
MODEL MD-66  
SER. NO. 20028294

\_\_\_\_\_  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  
(STATION NAME)  
181 RIDGE ROAD TELFORD, PA 18969  
(STATION ADDRESS)

EQUIP. NO. 15  
(IF APPLICABLE)



# Certificate



207

# of

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On 11/07/2011 the speedometer of Ford SDW  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAFP71V08X155210

Registration No. MG56475

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61	71	81

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 15  
(IF APPLICABLE)



# Certificate



207

## of

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2011 the speedometer of Ford Focus  
(DATE) (MAKE OF VEHICLE) MODEL

Manufacturer's No. 2FAFP71W16X165508

Registration No. MG70863

was tested for accuracy, and the degree of accuracy was as follows:

TRUE SPEED	MILES PER HOUR							
	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61	71	81

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294

[Signature]  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 118  
(IF APPLICABLE)



# Certificate of



207

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2011 the speedometer of Ford SDN  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAFP71V18X120840

Registration No. MG75787

was tested for accuracy, and the degree of accuracy was as follows:

TRUE SPEED	MILES PER HOUR							
	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61	71	81

TEST EQUIPMENT  
MAKE MUSTANG DYNO  
MODEL MD-66  
SER. NO. 20028294

  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  
(STATION NAME)  
181 RIDGE ROAD TELFORD, PA 18969  
(STATION ADDRESS)

EQUIP. NO. 19  
(IF APPLICABLE)



# Certificate of



257

# Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the  
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,  
DEPARTMENT OF TRANSPORTATION.

On MAR 07 2011 the speedometer of Ford Focus  
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2F3HP71V29X144719

Registration No. YLT-8117

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	42	52	62	72	83

TEST EQUIPMENT

MAKE MUSTANG DYNO

MODEL MD-66

SER. NO. 20028294

\_\_\_\_\_  
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. Silcock  
(IF APPLICABLE)