



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2013 the speedometer of Chrysler
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. KM1LC2E05D123908

Registration No. MG93743

was tested for accuracy, and the degree of accuracy was as follows:

MILES PER HOUR								
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	50	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 1
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2013 the speedometer of Ford SW
(DATE) (MAKE OF VEHICLE) MODEL

Manufacturer's No. 1FMFU16K28LA63288

Registration No. MFB0790

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	12	22	32	42	53	63	73	83

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 2
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2013 the speedometer of Ford 52W
(DATE) (MAKE OF VEHICLE) MODEL

Manufacturer's No. 2FAFP71V28X155211

Registration No. MG 905 82

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	31	41	51	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 3
(IF APPLICABLE)



Certificate



of

Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2013 the speedometer of Ford 502
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FABP7BV6BX108266

Registration No. MG58849

was tested for accuracy, and the degree of accuracy was as follows:


TRUE SPEED	MILES PER HOUR							
	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	51	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 4
(IF APPLICABLE)



Certificate



207

of

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2013 the speedometer of Chevy SW
(DATE) (MAKE OF VEHICLE) MODEL

Manufacturer's No. 1GNLC2EDBR281067

Registration No. MG9720

was tested for accuracy, and the degree of accuracy was as follows:


TRUE SPEED	MILES PER HOUR							
	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	51	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 6
(IF APPLICABLE)



Certificate



of

207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2013 the speedometer of Ford SN
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAFP71V38X120538

Registration No. MG75784

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	51	61	71	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 7
(IF APPLICABLE)



Certificate



of

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2013 the speedometer of Chevy SW.
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 1GNLC2E0D0R12419

Registration No. AND-97V

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	50	60	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 9
(IF APPLICABLE)



Certificate



of

207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2013 the speedometer of Ford Son
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FABP7BV9BX117585

Registration No. MG90597

was tested for accuracy, and the degree of accuracy was as follows:


		MILES PER HOUR							
TRUE SPEED		10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER		10	20	31	41	51	61	71	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 12
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On MAR 02 2013 the speedometer of FORD SON
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAFP71V48X5T209

Registration No. MG54909

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	51	61	71	81

TEST EQUIPMENT
MAKE CLAYTON
MODEL PSN
SER. NO. C-1474-R

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

13

EQUIP. NO. 13
(IF APPLICABLE)



Certificate



of

207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On MAR 07 2013 the speedometer of Ford SDN
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2KA FP71V98X175620

Registration No. MG80779

was tested for accuracy, and the degree of accuracy was as follows:


MILES PER HOUR								
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	31	41	51	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 14
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 17 2013 the speedometer of Ford SON
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAHP21V09X1W718

Registration No. MG 83973

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	31	41	51	61	72	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 15
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Mar 07 2013 the speedometer of Ford Focus
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAFP71V18X120837

Registration No. MG 757 85

was tested for accuracy, and the degree of accuracy was as follows:

TRUE SPEED	MILES PER HOUR							
	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61	72	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. M
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On March 17 2013 the speedometer of Ford SON
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FABD7BVNX109288

Registration No. MG90596

was tested for accuracy, and the degree of accuracy was as follows:


TRUE SPEED	MILES PER HOUR							
	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	31	41	51	61	72	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 18
(IF APPLICABLE)