



207

This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTATION.
On Apr 83 2-014 the speedometer of Chevy SW (MANE OF VENICLE) : MODEL)
Manufacturer's No. 16-NLC 2Ea SOR123908
Registration No. MG-93743
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR TRUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED 10 20 30 40 50 60 71 8 1
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969
EQUIP. NO



EQUIP. NO.

Certificate of



This is to certify thatDavidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTATION.
On Air O3 2 OLY the speedometer of Charles (MAKE OF VEHICLE) MODEL)
Manufacturer's No. IGNLCJE04DRスで8037
Registration No. MG96913
was tested for accuracy, and the degree of accuracy was as follows: MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED
BY SPEEDOMETER /U 20 40 51 61 71 81
TEST EQUIPMENT MAKE MUSTANG DYNO CALIBRATION TECHNICIAN MODEL MD-66
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)





This is to certify that	Davidheiser's S	peedometer f	Repair, Inc.
has been designated as o	ificial Speedome	eter Testing St	ation No. <u>S-19</u> by the
SECRETARY OF TRANS	PORTATION, C	OMMONWEA	ALTH OF PENNSYLVANIA,
DEPARTMENT OF TRAN			
On Aproz Duly	the speedomete	er of Fund	MAKE OF VEHICLE . MODEL
Manufacturer's No. 2541			
Registration NoMGS	_		
was tested for accuracy, a	nd the degree o	f accuracy wa	s as follows:
		MILES PER H	OUR
TRUE SPEED	10 20 30	40 50	60 70 80
SPEED INDICATED	. 2. 2		
BY SPEEDOMETER	10 20 31	141 51	62 72 82
TEST EQUIPMENT			
MAKE <u>MUSTANG DY</u> NO	~~<	5	of Colin
MODEL MD 66		CALIBR	ATION TECHNICIAN
MODEL <u>MD-66</u>			
SER. NO. <u>20028294</u>	DAV	DHEISER'S S	SPEEDOMETER REPAIR, INC.
	<u>DAV</u>	DI ILIULINO C	(STATION NAME)
	<u>181 F</u>	RIDGE ROAD	TELFORD, PA 18969
9			
FOLIP NO			





This is to certify that	David	theise	er's Spo	eedom	eter R	epair,	Inc.			-
has been designated as o	fficial	Speed	domete	r Testi	ng Sta	ation N	o. <u>S</u>	<u>-19</u> b	y the	
SECRETARY OF TRANS	PORT	ATIO	N, CO	MMON	IWEA	LTH O	F PEN	INSYL	VANIA,	
DEPARTMENT OF TRAN	SPOF	RTATI	ON.		مبر					
On Ano 3 July	the s	peedo	meter	of \int	7/63	AKE OF VE	HICLE)	J MODE	L1	_
Manufacturer's No. 2 FA										
Registration No										
was tested for accuracy, a	ind the	e degr		occurad	•		lows:			
TRUE SPEED	10	20	30	40	50	60	70	80		
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	51	61	71	81		
TEST EQUIPMENT			\supset			\(((
MAKE <u>MUSTANG DY</u> NO			7				<u> </u>	2		_
MODEL <u>MD-66</u>				- CA	LIBRA	ATION	TECH	HIQIM	Ň	
SER. NO. <u>20028294</u>			DAVID 181 RII		OAD	PEED((STATION AD	NAME) TEI		PAIR, INC.	
EQUIP. NO. (IF APPLICABLE)	E)	-								





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Agroz July the speedometer of FOK 5 SW (MAKE OF VEHICLE) - MODEL)
Manufacturer's No. JFMSKSARX DGAG3921
Registration No. MG-93739
was tested for accuracy, and the degree of accuracy was as follows: MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED 11 21 32 42 52 62 72 87
TEST FOUNDMENT
TEST EQUIPMENT
MAKE MUSTANG DYNO
CALIBRATION TECHNICIAN
MODEL MD-66
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)



EQUIP. NO. ((FAPPLICABLE)

Certificate of



This is to certify that	Davidhe	iser's Spe	edometer R	epair, Inc.	
has been designated as o	fficial Spe	eedomete	Testing Sta	ation NoS	-19 by the
SECRETARY OF TRANS	PORTAT	ION, CO	MONWEA	LTH OF PEN	INSYLVANIA,
DEPARTMENT OF TRAN	SPORTA	TION.			
On Apr 03 2014	the spee	dometer (of <u>Ra</u>	AKE OF VEHICLE)	· MODEL)
Manufacturer's No. 1610	ILC2!	EOOBR	281067	<u> </u>	
Registration No. 11(2917 a	-			
was tested for accuracy, a	and the de		ccuracy was	OUR	
TRUE SPEED	10 2	0 30	40 50	60 70	80
SPEED INDICATED	122	2 82	4252	6272	83
BY SPEEDOMETER	100	0 30	7770	102/12	8 3
TEST EQUIPMENT MAKE <u>MUSTANG DY</u> NO MODEL <u>MD-66</u>		3	CALIBRA	ATION TECH	INICIAN
SER. NO. <u>20028294</u>			OGE ROAD	(STATION NAME)	ER REPAIR, INC. LFORD, PA 18969



Certificate Speedometer Accuracy

Davidheiser's Speedometer Repair, Inc.



This is to certify that	<u>Davidheis€</u>	<u>∍r's Sp</u>	eedom	<u>neter f</u>	<u>Repair</u>	<u>. Inc. </u>			
has been designated as of							S-19 hv	, the	
nas ocen designated as or	noiar opece	30117011	JI 1431	mig ot		10	, 10 5	,	
SECRETARY OF TRANSF	PORTATIO	N, CC	OMMO	NWEA	LTH	OF PE	NNSYLV	/ANIA	,
DEPARTMENT OF TRANS	SPORTATION	ON.							
On Agr 03 2014	the speedo	meter	of	0	RECE VE	5 S	לתם	_	
Manufacturer's No. 66							·		
Registration No	99936	·							
was tested for accuracy, an	id the degre	e of a	ccurac	y was	as fo	llows:			
		MII	LES P	FR HC	UR				
TRUE SPEED	10 20	30	40	50	60	70	80		
SPEED INDICATED		7.	(15)				81		
BY SPEEDOMETER	000	30	90	00	61	7/	0/		
								_	
			$\overline{}$. /) .	/
TEST EQUIP.		1				//		//	
		/		1004	TION	(- «	500		
Make_STORAGE GENERATOR			ZUA I	-IRKA	HON	I.P.C.H.	MICIAN		
Model SPEEDOMETER CALIBRATO	R								
	D.	AVIDE	IEISEF	R'S SF	EEDO	METE	R REPA	AIR IN	1C

181 RIDGE ROAD TELFORD, PA 18969





Speedometer Accuracy

This is to certify that	David	theise	r's Spe	eedom	eter R	epair.	Inc.
has been designated as o	fficial	Speed	lomete	r Testi	ng Sta	ation N	lo. <u>S-19</u> by the
SECRETARY OF TRANS	PORT	ATIOI	N, CO	MMON	IWEA	LTH C	PENNSYLVANIA,
DEPARTMENT OF TRAN	SPOR	TATI	ON.		,		
On Aron Duly	the sp	eedo	meter	of	F08	AKE OF VI	SUJ EHICLE) - MODEL)
Manufacturer's No./FM	EUT	DE	DAU	A78	676	· 	
Registration No	870	<u>63</u>	3				
was tested for accuracy, a	and the	edegr			•		llows:
				<u>LES P</u>	ER HO	<u>pur</u>	
TRUE SPEED	10	20	30	40	50	60	70 80
SPEED INDICATED BY SPEEDOMETER	10	DU	31	41	51	61	72 82
DI SI ELDOMILICI	<u> </u>		<u> </u>	<u> </u>			
TEST EQUIPMENT MAKE <u>MUSTANG DY</u> NO	<		>		. 1	1	
MODEL MD-66		γ		_eA	LIBRA	ATION	TECHNICIAN
SER. NO. <u>20028294</u>		ַ	DAVID	HEISE	R'S S	PEED	OMETER REPAIR, INC.
				DGE R	OAD	(STATION	TELFORD, PA 18969
EQUIP. NO.							

(IF APPLICABLE)



EQUIP. NO. (IF APPLICABLE)

Certificate of

2.7

This is to certify that	Davidheiser's Speedometer Repair, Inc.	
has been designated as of	ficial Speedometer Testing Station No. <u>S-19</u> by the	ne
SECRETARY OF TRANSF	PORTATION, COMMONWEALTH OF PENNSYLVA	NIA.
DEPARTMENT OF TRANS		
On Apr 03 JULY	the speedometer of FOX SW. (MAKE OF VEHICLE) MODEL)	
	K84R5DL-A6 3910	
Registration No. MG	_	
was tested for accuracy, a	nd the degree of accuracy was as follows:	
TOUE OPER	MILES PER HOUR	
TRUE SPEED SPEED INDICATED	10 20 30 40 50 60 70 80	
BY SPEEDOMETER	11 01 31 47 25 65 25 85	
TEST EQUIPMENT	Q ()	
MAKE MUSTANG DYNO	A September 1	
	CALIBRATION TECHNICIAN	
MODEL <u>MD-66</u>		
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPA (STATION NAME) 181 RIDGE ROAD TELFORD, P	





This is to certify that	David	theise	r's Sp	eedom	eter F	Repair, Inc.	
has been designated as o	fficial	Speed	lomete	er Test	ing Sta	ation No	S-19 by the
SECRETARY OF TRANS	PORT	ATIO	N, CC	OMMO	NWEA	LTH OF PI	ENNSYLVANIA,
DEPARTMENT OF TRAN							
On for 03 20 W	the sp	peedo	meter	of	3100 M	AKE OF VEHICLE) · MODELI
Manufacturer's No. 254	21-10	71	99X	MY	7/7		
Registration No							
was tested for accuracy, a	ind the	e degr	ee of a	accura	ey was	s as follows	s:
			M	LES P	ER HO	OUR	
TRUE SPEED	10	20	30	40	50	60 70	0 80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61 7	181
TEST EQUIPMENT		$ \overline{}$	\overline{C}		1		/
MAKE <u>MUSTANG DY</u> NO			5	>		70	pa (
MODELMD-66_			(et	LIBR	ATION TEC	CHNICIAN
255 110							
SER. NO. <u>20028294</u>			אר/ער	HEISE	פ פים:	PEEDOME	TER REPAIR, INC.
		Ŀ	<u> </u>	TILIOL	<u>.i< 0 0</u>	(STATION NAME	
		1	181 RI	DGE R		•	ELFORD, PA 18969
EQUIP. NO. (IF APPLICABLE	E)	•					





This is to certify thatDavidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Moral the speedometer of Chave Sw (MAKE OF VEHICLE) - MODEL) Manufacturer's No. FULCEOSDR 1241/9 Registration No. MOD -97V
Manufacturer's No. J CNLCEOSDR 124119
Registration No. KND -97V
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED BY SPEEDOMETER /0 20 31 41 51 61 71 81
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)





This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as o	fficial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANS	PORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRAN	SPORTATION.
On Anros Duil	the speedometer of FOND SD WODELI
Manufacturer's No. 254	3P7BY9BX1/2585
Registration No. M. G	90587
was tested for accuracy, a	and the degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED	
SPEED INDICATED BY SPEEDOMETER	10 20 30 40 50 60 70 80
DI OI EEDOWILIEN	
TEST EQUIPMENT	
MAKE <u>MUSTANG DY</u> NO	De man
MODEL <u>MD-66</u>	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. Z	E) -



EQUIP. NO. (IF APPLICABLE)

Certificate of



This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On AGE 3 20 14 the speedometer of FUND SON MODEL)
Manufacturer's No. 2 FaFF7/V98X/75620
Registration No. MG 80779
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR TRUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED 1/ 3/ 3/ 42 52 62 72 82 82 83 83 83 83 83 8
MAKE MUSTANG DYNO CALIBRATION TECHNICIAN MODEL MD-66
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)





This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as of	ficial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSF	PORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANS	SPORTATION.
On Ann 3 Joly	the speedometer of MAKE OF VEHICLE) - MODEL1
Manufacturer's No. 264	H71409×144718
Registration No. MGS	3973
was tested for accuracy, a	nd the degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED	10 20 30 40 50 60 70 80
SPEED INDICATED BY SPEEDOMETER	10 20 30 40 50 607, 81
TEST EQUIPMENT	
MAKE MUSTANG DYNO	De Land
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969
	(STATION ADDRESS)
EQUIP. NO. / MAPPLICABLE	<u>-</u>





This is to certify that[Davidheiser's Speedometer Repair, Inc.
has been designated as offi	cial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSP	ORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANS	PORTATION.
On for o 7 2014 t	ne speedometer of
Manufacturer's No. 24	BP7BYXIX/09289
Registration No. MG-S	
was tested for accuracy, an	d the degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED	10 20 30 40 50 60 70 80
SPEED INDICATED BY SPEEDOMETER	0 30 40 50 60 71 81
TEST EQUIPMENT	
MAKE MUSTANG DYNO	4 South
	CALIBRATION TECHNICIAN
MODEL MD-66	CALIBRATION TECHNOLAR
SER. NO. 20028294	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969
	(STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)	



Certificate solvente solvente



This is to certify that <u>Davidheiser's Speedometer Repair, Inc.</u>
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Apr 03 2014 the speedometer of Cheur Sind (MAKE OF VEHICLE) - MODEL)
Manufacturer's No. 66/MKGUJOL 829042
Registration No. MG 29937
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED 10 30 40 50 60 70 80 BY SPEEDOMETER 10 30 40 50 61 71 81
TEST EQUIP.
Make STORAGEGENERATOR CALIBRATION TECHNICIAN
Model SPEEDOMETER CALIBRATOR DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
Ser. No
EQUIP. NO. (IF APPLICABLE)