



his is to certify that Davidheiser's Speedometer Repair, Inc.	
as been designated as official Speedometer Testing Station No. <u>S-19</u> by the	
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,	
DEPARTMENT OF TRANSPORTATION.	
On Apr S 2012 the speedometer of (MAKE OF VEHICLE) · MODELI	
Manufacturer's No. 1 FMFU165284A63288	
Registration No. MG-817SO	
vas tested for accuracy, and the degree of accuracy was as follows:	
MILES PER HOUR	
RUE SPEED 10 20 30 40 50 60 70 80	
SPEED INDICATED 10 20 31 41 51 62 72 82	
TEST EQUIPMENT	
MAKE MUSTANG DYNO	-
MODEL MD-66 CADIBRATION TECHNICIAN	_
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC.	
(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)	<u>}</u>



Certificate



of

This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as o	fficial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANS	PORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRAN	
On Api 5 2017	the speedometer of(MAKE OF VEHICLE) - MODEL)
Manufacturer's No. 244	PP7128XX5211
Registration No	6-90582
was tested for accuracy, a	and the degree of accuracy was as follows:
TRUE SPEED	MILES PER HOUR 10 20 30 40 50 60 70 80
SPEED INDICATED	1121314151617181
BY SPEEDOMETER	11 21 31 41316/11 01
TEST EQUIPMENT	
MAKE <u>MUSTANG DY</u> NO	1 John
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. 20028294	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE	<u>E)</u>





This is to certify that	Davidheis	er's Sp	edom	eter R	epair, I	nc.		
has been designated as o	official Spee	domete	r Testi	ng Sta	tion No	o. <u>S-</u>	19 by the	€
SECRETARY OF TRANS	PORTATIO	ON, CO	MMON	WEAL	TH OF	PEN	NSYLVAN	IA,
DEPARTMENT OF TRAN								
On Apr 5 2017	the speed	ometer	of	{MA}	JUN KE OF VEH	IICLE)	MODEL)	
Manufacturer's No. 25	9BP7BV	68X						
Registration No. MG-	8884	19						
was tested for accuracy, a	and the deg		iccurad	-		ows:		
TRUE SPEED	10 20	30	40	50	60	70	80	
SPEED INDICATED BY SPEEDOMETER	11 21	31	41.	57	61	つこ	82	
		$\overline{}$,				1	
TEST EQUIPMENT				Δ		//		
MAKE <u>MUSTANG DY</u> NO		> ··	> <	¥	18	1)	
MODEL MD-66	_		CA	LIBRA	TION .	ј)ЕСН	NICIAN	
SER. NO. <u>20028294</u>		541.45		D.A. O.				5 44.0
		DAVID	HEISE		STATION N		ER REPAI	K, INC.
		<u>181 RII</u>	DGE R	DAD	TATION ADI	TEI	FORD, PA	18969
EQUIP. NO. (IF APPLICABI	IEI							





This is to certify that Davidheiser's Speedometer Repair, Inc.	
has been designated as official Speedometer Testing Station No. S-19 by the	:
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVAN	IA,
DEPARTMENT OF TRANSPORTATION.	
On Arc. 2017 the speedometer of Town SW (MAKE OF VEHICLE) - MODEL)	
Manufacturer's No. JEMPU 15556 LAGOS 34	
Registration No. MG-8079 (
was tested for accuracy, and the degree of accuracy was as follows:	
MILES PER HOUR TRUE SPEED 10 20 30 40 50 60 70 80	
SPEED INDICATED 1/2/37 42 53 63 73 84	
TEST EQUIPMENT	
MAKE MUSTANG DYNO	
MODEL MD-66	
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR	3, INC.
(STATION NAME) 181 RIDGE ROAD TELFORD, PA (STATION ADDRESS)	_
EQUIP. NO. (IF APPLICABLE)	





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Apr 5 2012 the speedometer of Che us SW (MAKE OF VEHICLE) MODEL)
Manufacturer's No. 16NIC2EOOBP 281067
Registration No. MG91720
was tested for accuracy, and the degree of accuracy was as follows: MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED 10 27 77 (12 57 70 67
BY SPEEDOMETER 1245 4 4 2 5 C 12 12 C
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66 CALIBRATION TECHNICIAN
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)





This is to certify thatDavidhe	iser's Speedometer Repair, Inc.
has been designated as official Spe	sedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTAT	TON, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTA	
On tor 5 2017. the spee	edometer of
Manufacturer's No. 254FP7/V	
Registration No. MG-2578	4
was tested for accuracy, and the de	
	MILES PER HOUR
	20 30 40 50 60 70 80
SPEED INDICATED BY SPEEDOMETER 10 2	0 30 40 30 60 20 80
TEST EQUIPMENT	
MAKE <u>MUSTANG DY</u> NO	
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDUEISEDIÉ ÉBEEDOMETED DEDAID INC
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969
	(STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)	



EQUIP. NO. _

Certificate of



207

This is to certify that	David	<u>dheise</u>	er's Spe	edom	eter R	<u>Repair,</u>	Inc.			
has been designated as o	official	Speed	domete	r Testi	ing Sta	ation N	10. <u> </u>	S-19 t	by the	
SECRETARY OF TRANS	PORT	ATIO	N, COI	NONN	WEA	LTH C	F PE	NNSYL	VANIA,	
DEPARTMENT OF TRAN	ISPOF	RTATI	ON.			_				
On Apr 5 7017	the s	peedo	meter	of	Zv.	KQ AKE OF V	EHICLE)	MODE	EL)	
Manufacturer's No. 25										
Registration No. MG	257	86								
was tested for accuracy, a	and the	e degr			•		llows:			
TRUE SPEED	10	20	30	<u>ES P</u>	ER HO 50	5UR 60	70	80	٦ .	
SPEED INDICATED BY SPEEDOMETER	10	20				61		- C	1	
TEST EQUIPMENT		<u></u>	\supset					/		
MAKE <u>MUSTANG DY</u> NO			5				200	<u>~_</u>		
MODEL <u>MD-66</u>				ÇA	LIBRA	ATION	TEC	HNICIA	۸N	
SER. NO. 20028294		_	- ·							
		<u>[</u>	DAVIDI	HEISE				TER RE	PAIR, I	NC.
		-	181 RIC	GE R	OAD	TATION A	TE		D, PA 1	<u>8969</u>



EQUIP. NO. (IF APPLICABLE)

Certificate of



This is to certify that David	dheiser's Speedometer Repair, Inc.
has been designated as official	Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORT	TATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPOR	RTATION.
On Mr 5 2012 the sp	peedometer of
Manufacturer's No. 244	711991144717
Registration No. MG-83	972
was tested for accuracy, and the	e degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED 10	20 30 40 50 60 70 80
SPEED INDICATED // BY SPEEDOMETER //	21 31 41 51 61 71 81
TEST EQUIPMENT	
MAKE <u>MUSTANG DY</u> NO	Todal
MODEL <u>MD-66</u>	CALIBRATION TECHNICIAN
SER. NO. 20028294	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)



EQUIP. NO. 11F APPLICABLE)

Certificate of



This is to certify that Davidh	eiser's Speedometer Repair, Inc.
has been designated as official Sp	peedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTA	TION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORT	ATION.
On Apr 5 20/2 the spe	edometer of MAKE OF VEHICLE) MODEL)
Manufacturer's No. 254(1076)	eedometer of John Son (MAKE OF VEHICLE) MODEL) 1908112585
Registration No. MG90	0557
was tested for accuracy, and the o	degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED 10	20 30 40 50 60 70 80
SPEED INDICATED // 2	71314151617181
TEST EQUIPMENT	
MAKE <u>MUSTANG DY</u> NO	CALIBRATION TECHNICIAN
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)





207

This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as o	official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANS	SPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRAN	NSPORTATION.
On Apr S 2017	the speedometer of (MAKE OF VEHICLE) - MODEL)
	FAFF71V48X15T209
Registration No	354909
was tested for accuracy, a	and the degree of accuracy was as follows:
TRUE SPEED	MILES PER HOUR 10 20 30 40 50 60 70 80
SPEED INDICATED BY SPEEDOMETER	11 21 31 41 51 617181
TEST EQUIPMENT	
MAKE <u>MUSTANG DY</u> NO	
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. 13	BLE)





Speedometer Accuracy

This is to certify that _____ Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTATION.
On Hor 5 7017 the speedometer of MAKE OF VEHICLE) MODEL)
Manufacturer's No. 2434P71V98X17562v
Registration No. MG 80778
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED (
SPEED INDICATED 1/12/3/4/5/6/7/8/
TEST EQUIPMENT
MAKE MUSTANG DYNO
CALIBRATION TECHNICIAN
MODEL MD-66
SER. NO. 20028294
DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(SINTON ADDRESS)
EQUIP. NO. (IF APPLICABLE)





207

This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as o	official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANS	PORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRAN	ISPORTATION.
On 45 2017	the speedometer of (MAKE OF VEHICLE) - MODEL)
•	AFP1118X120837
Registration No	
was tested for accuracy, a	and the degree of accuracy was as follows:
TOUT OPER	MILES PER HOUR
TRUE SPEED SPEED INDICATED	10 20 30 40 50 60 70 80
BY SPEEDOMETER	11 21 31 41 51 61 72 82
TEST EQUIPMENT	
MAKE <u>MUSTANG DY</u> NO	CALIBRATION TECHNICIAN
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. 20028294	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969
	(STATION ADDRESS)
EQUIP. NO. 17	LE)





207

This is to certify that Davidheis	ser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the	
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA.	
DEPARTMENT OF TRANSPORTATION.	
On Spr 5 7012 the speed	Iometer of FUND S D MODEL)
Manufacturer's No 2FABP 7BV XBX 109288	
Registration No. MG-90596	>
was tested for accuracy, and the degree of accuracy was as follows: MILES PER HOUR	
TRUE SPEED 10 20	
SPEED INDICATED , 2	27 (11 51 12 77 87)
BY SPEEDOMETER // //	13/19/ 5/66/200
TEST EQUIPMENT MAKE MUSTANG DYNO MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)