



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 22, 2013 the speedometer of CHEVY - SCV
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 1GNL02E05DR12398

Registration No. MG93743

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 1
(IF APPLICABLE)



Certificate of



Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2 2013 the speedometer of Ford S J W
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAFD71V28X155211

Registration No. MG90592

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	51	61	71	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. 3
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2 2013 the speedometer of Ford Focus
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2FARF7BVG6X108266

Registration No. MG 88849

was tested for accuracy, and the degree of accuracy was as follows:

MILES PER HOUR								
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	42	52	62	72	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 4
(IF APPLICABLE)



Certificate



of

207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2 2013 the speedometer of Chrysler
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 1GNLC2E003R281067

Registration No. MG91720

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	57	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 6
(IF APPLICABLE)



Certificate



of

207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2, 2013 the speedometer of Ford Focus
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FAFP71V38X120838

Registration No. MG 5784

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	52	62	72	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 2
(IF APPLICABLE)



Certificate



of

Speedometer Accuracy

227

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2, 2013 the speedometer of Ford SW
(DATE) (MAKE OF VEHICLE) - (MODEL)


Manufacturer's No. 1FMEU7DE7AUA78676

Registration No. MG87633

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	32	42	52	63	73	83

TEST EQUIPMENT
MAKE CLAYTON
MODEL PSN
SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. 8
(IF APPLICABLE)



Certificate



of

207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2 2013 the speedometer of Chouk SW
(DATE) (MAKE OF VEHICLE) - MODEL)

Manufacturer's No. KENIC2E05DR124119

Registration No. KND-97V

was tested for accuracy, and the degree of accuracy was as follows:

TRUE SPEED	MILES PER HOUR							
	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 9
(IF APPLICABLE)



Certificate



of

Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2 2013 the speedometer of Ford Focus
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2FAPP71V48X15209

Registration No. MG-54909

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	31	41	51	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 13
(IF APPLICABLE)



Certificate



of

207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2 2013 the speedometer of Ford Focus
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2FAPP71V98X175620

Registration No. MG80779

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	50	60	70	80

TEST EQUIPMENT
MAKE CLAYTON
MODEL PSN
SER. NO. C-1474-R

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. 14
(IF APPLICABLE)



Certificate



of

Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2 2013 the speedometer of Ford SA
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2FA1H71V09X144718

Registration No. MG83973

was tested for accuracy, and the degree of accuracy was as follows:

TRUE SPEED	MILES PER HOUR							
	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	50	60	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 15
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On May 2 2013 the speedometer of Ford 50W
(DATE) (MAKE OF VEHICLE) • MODEL


Manufacturer's No. 2FABP7BVX3X109288

Registration No. M690596

was tested for accuracy, and the degree of accuracy was as follows:

MILES PER HOUR								
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	51	61	71	82

TEST EQUIPMENT
MAKE CLAYTON
MODEL PSN
SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. 18
(IF APPLICABLE)