



This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as o	fficial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANS	PORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRAN	ISPORTATION.
On May 29 WLY	the speedometer of MAKE OF VEHICLES MODELS
Manufacturer's No. 16-	WLCZEUSDR123908
Registration No.	
was tested for accuracy, a	and the degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED	10 20 30 40 50 60 70 80
SPEED INDICATED	11 71 31 41 51 61 71 81
BY SPEEDOMETER	11 21 31 41 51 61 71 81
TEST EQUIPMENT MAKE MUSTANG DYNO MODEL MD-66 SER. NO. 20028294	CALIBRATION TECHNICIAN
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUID NO	





This is to certify that	Davidheiser's Speedometer Repair, Inc.	
has been designated as of	fficial Speedometer Testing Station No. <u>S</u>	<u>19</u> by the
SECRETARY OF TRANSF	PORTATION, COMMONWEALTH OF PEN	INSYLVANIA,
DEPARTMENT OF TRANS	4	
On May 25 204	the speedometer of Chaus	SW. MODEL)
	ILCAEOYDRAT8037	
Registration No	596913	
was tested for accuracy, a	and the degree of accuracy was as follows:	
TRUE SPEED	MILES PER HOUR 10 20 30 40 50 60 70	80
SPEED INDICATED BY SPEEDOMETER	10 20 31 41 51 61 76	81
		<u> </u>
TEST EQUIPMENT		
MAKE <u>MUSTANG DY</u> NO		
MODEL MD-66	CADIBRATION TECH	NICIAN
SER. NO. 20028294	DAVIDUEISEDIS SPEEDOMET	ED DEDAID INC
	DAVIDHEISER'S SPEEDOMET (STATION NAME)	ER REPAIR, INC.
	•	LFORD, PA 18969
EQUIP. NO	.£)	





This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as of	fficial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSI	PORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANS	SPORTATION.
On May 29, 2014	the speedometer of Kura SJN (MAKE OF VEHICLE) · MODEL)
Manufacturer's No 2536	11 255/086 NICO
Registration No. #69	0582
was tested for accuracy, a	and the degree of accuracy was as follows:
70UE 00550	MILES PER HOUR
TRUE SPEED SPEED INDICATED	10 20 30 40 50 60 70 80
BY SPEEDOMETER	10 00 30 40 50 61 72 82
DI OF ECOOMETER	
TEST EQUIPMENT	8 ()/
MAKE <u>MUSTANG DY</u> NO	
MODEL	CACIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDUEIDEDIO OBEEDOMETEO DEDAID IMO
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969
	(STATION ADDRESS)
EQUIP. NO	. . E)





Speedometer Accuracy

This is to certify that	David	dheise	r's Spe	eedom	eter F	Repair,	Inc.		
has been designated as o	fficial	Speed	lomete	r Testi	ng Sta	ation N	o. <u>S</u>	<u>-19</u> by the	
SECRETARY OF TRANS	PORT	ATIO	N, CO	MMON	IWEA	LTH O	F PEI	NNSYLVANIA	
DEPARTMENT OF TRAN	ISPOF	RTATIO	ON.						
On May 29 2014	the s	peedo	meter	of	FU	AKE OF VE	SHICLE)	· MODEL)	
Manufacturer's No 2 FA	397/	3461	3X/0	826	6				
Registration No. MGS	854	19							
was tested for accuracy, a	and the	e degn		ccurad	-		lows:		
TRUE SPEED	10	20	30	40	50	60	70	80	
SPEED INDICATED BY SPEEDOMETER	10	DU	30	40	S	(ar)	71	87	
DI OF LEDOWILTER			_					\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
TEST EQUIPMENT						1	_	//	
MAKE <u>MUSTANG DY</u> NO		_		~	<u> </u>	+	1	1	
MODEL MD-66				<u></u> еа	LIBRA	ATION	LECH	INICÍAN	
SER. NO. <u>20028294</u>		_	24741DI	HEIGE	ם פים	DEED/	244 57	ED DEDAID	INO
		<u> </u>	-AAIDI	IEISE	133	(STATION		ER REPAIR,	INC.
		<u>1</u>	181 RII	OGE R		TATION AC	TE	LFORD, PA 1	<u>8969</u>
FOUR NO									

(IF APPLICABLE)





This is to certify that	Dav	idheis	<u>er's Sp</u>	eedon	<u>neter f</u>	Repair	<u>, Inc.</u>			
has been designated as								S-19	by the	
_		•			•				·	
SECRETARY OF TRANS	SPOR	TATIO	N, CC	OMMO	NWEA	LTH (OF PE	NNSY	LVANIA.	•
DEPARTMENT OF TRAI										
On May 29 DUM	_ the s	speedo	meter	of _	OR) S	EHICLE)	MOD	EL)	
Manufacturer's No. 1500	SK8	ARX	D(74	639	2/					
Registration No. MG	937	39								
was tested for accuracy,	and th	e degr	ee of a	ccura	cy was	as fo	llows:			
			MI	LES P	ER HO	DUR				
TRUE SPEED	10	20	30	40	50	60	70	80]	
SPEED INDICATED BY SPEEDOMETER	D	22	32	42	52	62	72	82		
						-	_		,	
)		(0)	
TECT FOLUD		M			Y) /		
TEST EQUIP.			\rightarrow	~		_	-			
Make_STORAGE GENERATOR				CA	LIBRA	MOIT	TEGH	INICIAI	N	
Model SPEEDOMETER CALIBRA	TOR	D	AVIDE	HEISER	R'S SF	PEEDO	OMET	ER RE	PAIR, IN	1C.
Ser. No D101		1	81 RID	CE DO	•	STATION		EODD), PA 18	oeo
		1	O I KIL	GE RE		ATION AD		OKD	', FA 10	<u> </u>
_										
EQUIP. NO.	E)									





This is to certify that Davidheis	ser's Speedometer Repair, Inc.
has been designated as official Spee	edometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION	ON, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTAT	
On Majari Ithe speed	Imake DEVENICLE) · MODEL)
Manufacturer's No. 16-DLCJEO	OBR281067
Registration No. MG-91720	
was tested for accuracy, and the deg	gree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED 10 20	30 40 50 60 70 80
SPEED INDICATED	31 41 51 61 71 81
BY SPEEDOMETER // 0 / 0 / 0	13/14/57/6/17/81
TEST EQUIPMENT	
TEST EGOTI MEIAT	
MAKE <u>MUSTANG DY</u> NO —	P
	CALIBRATION TECHNICIAN
MODEL <u>MD-66</u>	
SER. NO. <u>20028294</u>	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969
	(STATION ADDRESS)
501115 110	





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Muy 29 2 H the speedometer of Cheir SNN (MAKE OF PENICLE) . MODEL)
Manufacturer's No. 66/M/KSU2/DC829/77
Registration No. MG979.36
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED BY SPEEDOMETER 10 20 30 40 50 60 70 80
BY ST ELECTRICITY P
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. <u>20028294</u>
DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTATION.
On May 29 2014 the speedometer of FORD SW.
Manufacturer's No. IFMEUDA E 7AUA 78676
Registration No
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED
BY SPEEDOMETER 1/2/3, 4/5/62 72 83
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. <u>20028294</u>
DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On May 29 2014 the speedometer of Charges SW. [MAKE OF VEHICLE] - MODEL)
Manufacturer's No. 16-NLC2 FOXDR134119
Registration No. KND 971/
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED
BY SPEEDOMETER 11 21 31 41 57 6171 81
TEST EQUIPMENT
MAKE MUSTANG DYNO
CALBRATION TECHNICIAN
MODEL MD-66
SER. NO. 20028294
DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
9
EQUIP. NO. (IF APPLICABLE)





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Mande July the speedometer of Fund 5 (MAKE OF VEHICLE) MODEL)
Manufacturer's No. JEMSKEAR SD G-AG 3910
Registration No. MG93738
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED 12 22 32 42 52 62 72 87
BI SPEEDOMETER 10 00 0
TEST EQUIP.
Make_STORAGE GENERATOR CALIBRATION TECHNICIAN
Model SPEEDOMETER CALIBRATOR DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. /O





DUT

Speedometer Accuracy

This is to certify that _____ Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the

_	•			-				•
SECRETARY OF TRANS	PORTATIO	N, COI	MMON	IWEAI	LTH O	F PEN	INSYLV	/ANIA,
DEPARTMENT OF TRAM	ISPORTATI	ON.			_			
On May 29 2014	_ the speedo	meter	of	(MA	WE OF VE	HICLE)	MODEL .	<u>/</u>
Manufacturer's No. <i>2FA</i>					•			
Registration No	87972							
was tested for accuracy, a	and the degr		ccurac	-		lows:		
TRUE SPEED	10 20	30	40	50	60	70	80	
SPEED INDICATED BY SPEEDOMETER	10 20	30	40	S	60	70	81	
TEST EQUIPMENT MAKE <u>MUSTANG DY</u> NO)		
MODEL MD-66			CA	LIBRA	MOITA	2ECH	INICIAN	1
SER. NO. <u>20028294</u>		DAVIDI 181 RIC		OAD	PEED (STATION AD	NAME) TEI		PAIR, INC
EQUIP. NO. //	(F)							



EQUIP. NO.

Certificate of



This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On My 29 July the speedometer of WNS 52 (MAKE OF VEHICLE) - MODEL)
Manufacturer's No. 254B07BV9BX1/2585
Registration No. MG-90597
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED 11 21 31 41 51 62 72 82
TEST EQUIPMENT MAKE MUSTANG DYNO CALIBRATION TECHNICIAN MODEL MD-66
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)





This is to certify that	David	<u>lheise</u>	r's Spe	edom	eter R	epair, i	nc.			
has been designated as o	fficial	Speed	lomete	r Testi	ng Sta	tion N	o. <u>S</u>	-19 b	y the	
SECRETARY OF TRANS	PORT	ATIO	N, CO	MMON	WEAL	TH O	F PEN	INSYL	VANIA,	
DEPARTMENT OF TRAN	SPOR	TATI	ON.							
On May 28 2014	the s	peedo	meter	of	FUR?	KE OF VE	HICLE)	· MODE	L)	
Manufacturer's No. 2.6	PP-	7/1/	18×1	1172	7	_				
Registration No. MC	5490	29								
was tested for accuracy, and the degree of accuracy was as follows: MILES PER HOUR										
TRUE SPEED	10	20	30	40	50	60	70	80	1	
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	رڪ	61	ار	81		
TEST EQUIPMENT MAKE <u>MUSTANG DY</u> NO MODEL <u>MD-66</u>	Ç	R		CA	LIBRA	TION) TECH	INICIA	N	
SER. NO. <u>20028294</u>				HEISE DGE R	OAD (STATION AD	NAME) TEI		PAIR, II	
EQUIP. NO. (IF APPLICAB	LE)	-								





This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as o	fficial Speedometer Testing Station NoS-19 by the
SECRETARY OF TRANS	PORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRAN	ISPORTATION.
On May 29 2/4	the speedometer of HOAD SON MODEL)
Manufacturer's No	471V98X175-620
Registration No. MG	80779
was tested for accuracy, a	and the degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED	10 20 30 40 50 60 70 80
SPEED INDICATED	
BY SPEEDOMETER	10 20 30 M/ S1 62 72 FZ
BT SPEEDOWIETER	70
TEST EQUIPMENT	
MAKE MUSTANG DYNO	500.22
	CALIBRATION TECHNICIAN
MODEL MD-66	CALIBRATIONSI ECHNICIAN
SER. NO. 20028294	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969
	(STATION ADDRESS)
EQUIP. NO. //	LE)





This is to certify that David	heiser's Speedometer Repair, Inc.
has been designated as official S	Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTA	ATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORT	TATION.
On May 29 W/Y the sp Manufacturer's No. 2 FAHP 1	eedometer of FURD (MAKE OF VERTICE) . MODEL)
Manufacturer's No. 2 FAHP	Y29X144719
Registration No	819
was tested for accuracy, and the	degree of accuracy was as follows:
TRUE SPEED 10	MILES PER HOUR 20 30 40 50 60 70 80
SPEED INDICATED	1 4 4 1 0 0 0
BY SPEEDOMETER 10	20 31 41 51 61 72 52
TEST EQUIPMENT	
MAKE MUSTANG DYNO	De Mun
	CALIBRATION TECHNICIAN
MODEL MD-66	
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
FOLUD NO.	





This is to certify thatDavidh	neiser's Speedometer Repair, Inc.
has been designated as official S	peedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTA	TION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORT	ATION.
On May 29 214 the spe	eedometer of Chur 500 (MAXE OF VEHICLE) · MODEL)
Manufacturer's No.	5U200L829042
Registration No. MG 979	37
was tested for accuracy, and the	degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED 10	20 30 40 50 60 70 80
SPEED INDICATED	71 31 41 51 61 71 81
TEST EQUIPMENT	
MAKE MUSTANG DYNO	1
MODEL MD-66	CALIBRATION DECHNICIAN
SER. NO. 20028294	
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)	





207

This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as of	ficial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSF	PORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANS	SPORTATION.
On May 29 Zuly	the speedometer of (MAKE OF VEHICLE) - MODEL)
Manufacturer's No. 244	ABPIBYXBX109288
Registration No	F 90596
was tested for accuracy, ar	nd the degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED	10 20 30 40 50 60 70 80
SPEED INDICATED	(1) 2. 2. 11 01 (1) 12
BY SPEEDOMETER /	10 20 30 41 51 61 72 82
TEST EQUIPMENT MAKE MUSTANG DYNO	B 2/2
	CALIBRATION TECHNICIAN
MODEL <u>MD-66</u>	
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
5045 NO 18	