



Certificate



of

Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 22 2013 the speedometer of Chevy SW
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. KMNL2A F05DR 123508

Registration No. MG93743

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	51	61	71	81

TEST EQUIPMENT
MAKE CLAYTON
MODEL PSN
SER. NO. C-1474-R

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. /
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 22, 2013 the speedometer of Ford Focus
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FABP7BVCBX108266

Registration No. MG88849

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	62	72	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 4
(IF APPLICABLE)



207

Commonwealth of Pennsylvania Department of Transportation

BUREAU OF MOTOR VEHICLES CERTIFICATE OF SPEEDOMETER ACCURACY DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

This is to certify that _____
(NAME OF INDIVIDUAL OR COMPANY)

has been designated as official Speedometer Testing Station No. S-19 by the SECRETARY OF TRANSPORTATION.

On Aug 22 2013 the speedometer of Ford SW
(DATE) (MAKE OF VEHICLE - MODEL)

bearing Manufacturer's No. 1FMSK8AR1D0A63921 and Registration No. 1M6-93739 was
NJ.

(X) tested for accuracy, () adjusted for accuracy, and the degree of accuracy was as follows:

TRUE SPEED	MILES PER HOUR									
	10	20	30	40	50	60	70	80	90	100
SPEED INDICATED BY SPEEDOMETER	12	22	32	42	52	62	72	82	92	102

This Certificate is issued in accordance with the provisions of the Vehicle Code, Section 3368(b) Act of June 17, 1976, No. 81, as amended.

TEST EQUIP.

Make STORAGE GENERATOR

Model SPEEDOMETER CALIBRATOR

Ser. No. D101

POLICE EQUIP.

No. 5
(IF APPLICABLE)

BARRY L. ROSENBERGER

(PRINT NAME AS IT APPEARS ABOVE)

16789324

(INSPECTOR'S OPERATOR NUMBER)

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD, TELFORD, PA 18969

(STATION ADDRESS)



Certificate



of

Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 22 2013 the speedometer of Ford son
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2A9FD71U3E112083E

Registration No. MG75784

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	50	61	71	81

TEST EQUIPMENT
MAKE CLAYTON
MODEL PSN
SER. NO. C-1474-R

[Signature]
CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. 7
(IF APPLICABLE)



Certificate



of

Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On As 22 2013 the speedometer of Ford SW
(DATE) (MAKE OF VEHICLE) - (MODEL)

Manufacturer's No. 1FMEUDDE70UA78676

Registration No. MG87633

was tested for accuracy, and the degree of accuracy was as follows:

TRUE SPEED	MILES PER HOUR							
	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	12	22	33	43	53	63	73	83

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. P
(IF APPLICABLE)



207

Commonwealth of Pennsylvania Department of Transportation

BUREAU OF MOTOR VEHICLES CERTIFICATE OF SPEEDOMETER ACCURACY

This is to certify that DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(NAME OF INDIVIDUAL OR COMPANY)

has been designated as official Speedometer Testing Station No. S-19 by the SECRETARY OF TRANSPORTATION.

On Aug 12 2013 the speedometer of Ford SW
(DATE) (MAKE OF VEHICLE - MODEL)

bearing Manufacturer's No. 1FMSK8AR50GA63910 and Registration No. MC93738 NJ was

(X) tested for accuracy, () adjusted for accuracy, and the degree of accuracy was as follows:

TRUE SPEED SPEED INDICATED BY SPEEDOMETER	MILES PER HOUR									
	10	20	30	40	50	60	70	80	90	100
	11	21	31	42	52	62	72	82	92	102

This Certificate is issued in accordance with the provisions of the Vehicle Code, Section 3368(b) Act of June 17, 1976, No. 81, as amended.

TEST EQUIP.

Make STORAGE GENERATOR

Model SPEEDOMETER CALIBRATOR

Ser. No. D101

POLICE EQUIP.

No. 10
(IF APPLICABLE)

BARRY L. ROSENBERGER

(PRINT NAME AS IT APPEARS ABOVE)

16789324

(INSPECTOR'S OPERATOR NUMBER)

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD, TELFORD, PA 18969

(STATION ADDRESS)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 22 2013 the speedometer of Ford SUV
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2K2ND71V19X144717

Registration No. MG-53972

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	50	61	71	81

TEST EQUIPMENT
MAKE CLAYTON
MODEL PSN
SER. NO. C-1474-R

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. / /
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 22 2013 the speedometer of Ford SED
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FABP7BV9BX112585

Registration No. MG 90587

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 72
(IF APPLICABLE)



Certificate of



Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On April 22, 2013 the speedometer of Ford CON
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2F0PPTV48V155209

Registration No. MG 54909

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	31	41	51	62	72	82

TEST EQUIPMENT
MAKE CLAYTON
MODEL PSN
SER. NO. C-1474-R

CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. 13
(IF APPLICABLE)



Certificate



of

Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 22 2013 the speedometer of Ford son
(DATE) (MAKE OF VEHICLE) MODEL

Manufacturer's No. 2FAPP01V98X175620

Registration No. MU80779

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	52	62	72	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R



CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 14
(IF APPLICABLE)



Certificate of



207

Speedometer Accuracy

This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 22 2013 the speedometer of Ford Focus
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2FA1P71V09X144718

Registration No. MO83973

was tested for accuracy, and the degree of accuracy was as follows:

MILES PER HOUR								
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	<u>10</u>	<u>20</u>	<u>30</u>	<u>40</u>	<u>51</u>	<u>61</u>	<u>72</u>	<u>82</u>

TEST EQUIPMENT
MAKE CLAYTON
MODEL PSN
SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. 15
(IF APPLICABLE)



Certificate



of

Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 22 2013 the speedometer of Ford son
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2F8W17U29X144719

Registration No. YLT 81P

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	51	61	72	82

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R



 CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 16
(IF APPLICABLE)



Certificate of



Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 22 2013 the speedometer of Ford 52W
(DATE) (MAKE OF VEHICLE) - MODEL

Manufacturer's No. 2FABD71V18X120831

Registration No. MG 75785

was tested for accuracy, and the degree of accuracy was as follows:

	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	50	60	70	80

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)

EQUIP. NO. 12
(IF APPLICABLE)



Certificate



of

Speedometer Accuracy

207

This is to certify that Davidheiser's Speedometer Repair, Inc.

has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.

On Aug 12 2013 the speedometer of Ford Focus
(DATE) (MAKE OF VEHICLE) (MODEL)

Manufacturer's No. 2F0BP7DVX3X109288

Registration No. MG 90596

was tested for accuracy, and the degree of accuracy was as follows:


	MILES PER HOUR							
TRUE SPEED	10	20	30	40	50	60	70	80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	50	60	71	81

TEST EQUIPMENT

MAKE CLAYTON

MODEL PSN

SER. NO. C-1474-R


CALIBRATION TECHNICIAN

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD TELFORD, PA 18969

(STATION ADDRESS)

EQUIP. NO. 18
(IF APPLICABLE)