



This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On SOFT 18 2014 the speedometer of Challes SW.
Manufacturer's No. KONLODE OTD R123 908
Registration No. MG93743
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED 10 20 30 80 51 01 71 81
DI SPEEDOMETER / S S S S S S S S S S
TEST EQUIPMENT
MAKE MUSTANG DYNO
CADBRATION-FECHNICIAN
MODEL MD-66
SER, NO. 20028294
DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
/
EQUIP. NO. (IF APPLICABLE)



Tertificate solvente solvente

This is to certify that	David	dheise	r's Spe	<u>eedom</u>	eter R	epair,	Inc.			<u> </u>
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the										
SECRETARY OF TRANS	PORT	ATIO	N, CO	MMON	IWEA	LTH O	F PEN	INSYL	VANIA.	
	DEPARTMENT OF TRANSPORTATION.									
On Set 18 2014 the speedometer of Charge 54										
Manufacturer's No. 16N										
Registration No	9691	13	_	 .						
was tested for accuracy, and the degree of accuracy was as follows:										
TRUE SPEED	10	20	30	LES PI 40	50	60	70	80		
SPEED INDICATED BY SPEEDOMETER	10	20	30	41	51	61	71	8)		
TEST EQUIPMENT			>) /	/
MAKE <u>MUSTANG DY</u> NO		S	\geq		\(\)	1	>	4.2		
MODEL MD-66				CA	LIBRA	MON	TECH	IN)CIAI	N	
SER. NO. <u>20028294</u>)V/\ID	UEISE	D'e ei	DEED	SMET	ED DC	DAID IN	ıc
			<u> MVIDI</u>	<u> </u>		STATION		EKKE	<u>PAIR, IN</u>	<u> </u>
		1	81 RI	OGE R	OAD	ATION AD	TEI	FORD), PA 189	96 <u>9</u>
EQUIP. NO	LE)	-								



EQUIP. NO. (IF APPLICABLE)

Tertificate of Speedometer Accuracy



This is to certify that	Davidheise	er's Speedo	meter F	lepair, Inc.	
has been designated as o	fficial Speed	dometer Te	sting Sta	ation NoS	<u>-19</u> by the
SECRETARY OF TRANS	PORTATIO	N, COMM	ONWEA	LTH OF PEI	NNSYLVANIA,
DEPARTMENT OF TRAN	ISPORTATI	ON.			
On SARTIS 2014	the speedo	meter of _	1-01 M	US S D	- MODEL)
Manufacturer's No. 2FAC	711123X	155211			
Registration No					
was tested for accuracy, a	and the degi		·		
			PER H		
TRUE SPEED	10 20	30 40	50	60 70	80
SPEED INDICATED BY SPEEDOMETER	10 20	30 40	(Z)	60 70	80
TEST EQUIPMENT		\supset		X	
MAKE <u>MUSTANG DY</u> NO	2				Sech
MODEL MD-66			CALIBR	ATION TER	HNICIAN
SER. NO. <u>20028294</u>					
	!	DAVIDHEIS	SER'S S	<u>PEEDOME1</u>	ER REPAIR, INC.
		404 0100-		(STATION NAME)	
		<u>181 RIDGE</u>		TE TATION ADDRESS)	LFORD, PA 18969
			, 3	TOTAL VIOLE VIOLE (CO.)	



Tertificate solvente solvente



This is to certify that	David	lheisei	's Spe	edome	eter Re	epair,	Inc.		
has been designated as o	fficial S	Speed	omete	r Testi	ng Sta	tion N	lo. <u>S</u>	<u>-19</u> by the	
SECRETARY OF TRANS	PORT	ATION	ı, col	MMON	WEAL	TH C	F PEN	INSYLVANIA,	
DEPARTMENT OF TRAN	ISPOR	TATIC	ON.		_				
On Sport WWW	the sp	eedor	neter (of <u></u>	2/20 ₇₋	KE OF VI	HICLE)	MODEL)	_
Manufacturer's No.									
Registration No. 116	SEE	49					<u>_</u>		
was tested for accuracy, a	and the	degre	ee of a	ccurae	y was	as fo	lows:		
				LES P	ER HC				
TRUE SPEED	10	20	30	40	50	60	70	80	
SPEED INDICATED BY SPEEDOMETER	11	21	31	41	51	61	7/	81	
TEST EQUIPMENT			\rightarrow		1			1	
MAKE <u>MUSTANG DY</u> NO		\$	_		4	(X	/ 92.	h	_
MODEL MD-66		• (_>	CA	LIBRA	MOTT	TECH	INICIAN	

181 RIDGE ROAD

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION ADDRESS)

TELFORD, PA 18969

EQUIP. NO. 4

SER. NO. 20028294





This is to certify that	Davidheise	r's Speedom	eter R	epair, Inc.					
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the									
SECRETARY OF TRANS	PORTATION	N, COMMON	WEA	LTH OF PI	ENNSYLVA	NIA,			
DEPARTMENT OF TRANSPORTATION.									
On Sept 8 2014 the speedometer of Clevy Sand (MAKE OF VEHICLE) - MODEL)									
Manufacturer's No. 661	MKSUZ	1028291	77						
Registration No. MG	99936								
was tested for accuracy, a	was tested for accuracy, and the degree of accuracy was as follows:								
The second		MILES P							
TRUE SPEED	10 20	30 40	50	60 70	0 80				
SPEED INDICATED BY SPEEDOMETER	10/20	30 40	50	60 70) (20				
B) SPEEDOWIETER	7000	10012							
TEST EQUIPMENT	(>		X					
MAKE <u>MUSTANG DY</u> NO	1			X	/m/	<u>5</u>			
	_	-GA	LIBRA	TIONTE	HNICIAN	-			
MODEL MD-66									
SER. NO. <u>20028294</u>	_								
	<u>L</u>	<u>DAVIDHEISE</u>				<u>IR, INC.</u>			
	1	181 RIDGE R		(STATION NAME) T) ELFORD, P	A 18969			
	-			ATIONADDRES					
EQUIP. NO. (IF APPLICABI	LĒ)								





This is to certify that	Davidheise	r's Sneed	ometer F	lepair.	Inc			
This is to certify that Davidheiser's Speedometer Repair, Inc.								
has been designated as o	fficial Speed	lometer Te	esting Sta	ation N	lo. <u>S-19</u> by the			
SECRETARY OF TRANS	PORTATIO	N, COMM	ONWEA	LTH C	OF PENNSYLVANIA,			
DEPARTMENT OF TRAN	ISPORTATIO	ON.	4					
On Sept 8 2014 the speedometer of Character (MAKE OF VEHICLE) - MODEL)								
Manufacturer's No. / (¬/)	1LC2KO	SDRIO	24119					
Registration NoK/J/	D-97V		<u></u>					
was tested for accuracy, a	and the degr	ee of accu	racy was	s as fo	llows:			
YDUE OBEED	40 00		PER H		. 			
TRUE SPEED SPEED INDICATED	10 20		0 50	60	70 80			
BY SPEEDOMETER	10 20	30 4	0 50	60	181			
					~			
TEST EQUIPMENT		$\overline{}$	\					
MAKE <u>MUSTANG</u> DYNO	4	5_			South			
MODEL MD-66	·		DALIBR.	ATION	TECHNICIAN			
SER. NO. 20028294								
	<u> </u>	DAVIDHE	SER'S S	PEED	OMETER REPAIR, INC.			
		181 RIDGE	ROAD	(STATION	TELFORD, PA 18969			
	•			TATION A				
EQUIP. NO. OIF APPLICABLE	LE)							



Tertificate = of Speedometer Accuracy



has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Soft Told the speedometer of FUND 5/1
Manufacturer's No. 1FMCK8BC5DC-A63910
Registration No. MG93738
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED 12 22 32 42 52 62 72 82
TEST EQUIPMENT
MAKE STORAGE GENERATOR
MODEL SPEEDOMETER CALIBRATOR CALIBRATION TECHNICIAN
SER. NOD103
DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. IF APPLICABLE)

This is to certify that _____ Davidheiser's Speedometer Repair, Inc.



EQUIP. NO. / (IF APPLICABLE)

Certificate of



This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Scattle the speedometer of MAKE OF VEHICLE) - MODEL)
Manufacturer's No. 2FpHF7/V95×/447/7
Registration No. MG-83972
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED 11 21 31 41 51 61 71 81 BY SPEEDOMETER
TEST EQUIPMENT MAKE MUSTANG DYNO GALIBRATION TECHNICIAN MODEL MD-66
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)





This is to certify that Davidheiser's Speedometer Repair, Inc.							
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the							
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,							
DEPARTMENT OF TRANSPORTATION.							
On Sept 18 214 the speedometer of MAKE OF VEHICLE) - MODEL)							
Manufacturer's No. 2FADP 7AV9BX112 595							
Registration No. MG94587							
was tested for accuracy, and the degree of accuracy was as follows:							
MILES PER HOUR							
TRUE SPEED 10 20 30 40 50 60 70 80							
SPEED INDICATED 10 20 31 41 51 61 71 81							
TEST EQUIPMENT							
MAKE MUSTANG DYNO							
MODEL MD-66							
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC.							
(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)							
EQUIP. NO. 12							
(IF APPLICABLE)							





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On SOTIS 2014 the speedometer of FUND 5000 (DATE) the speedometer of (MAKE OF VEHICLE) - MODEL)
Manufacturer's No. 2 GAFP 2/V 98 X/75620
Registration No. MG-80779
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED
BY SPEEDOMETER 10 30 30 41 51 61 72 87
S. S. ELESOWIC P. C. S.
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. 20028294
DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
FOLUE NO. 1C
EQUIP. NO. (IF APPLICABLE)





This is to certify that	Davidheise	er's Spe	edom	eter R	epair, Inc.				
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the									
SECRETARY OF TRANS	PORTATIO	N, CO	MMON	IWEAL	TH OF PE	ENNSYLV	ANIA,		
DEPARTMENT OF TRAN	SPORTATI	ON.		_	_				
On SepTIF ZOIL	On Sept & 2014 the speedometer of LUND SDU (MAKE OF VEHICLE) MODEL)								
Manufacturer's No. 25						,			
Registration No									
was tested for accuracy, a		ee of a	ccurac	•		;			
	10 00			ER HC					
TRUE SPEED	10 20	30	40	50	60 70	80			
SPEED INDICATED BY SPEEDOMETER	1020	30	40	SV	60 70	50			
TEST EQUIPMENT MAKE <u>MUSTANG DY</u> NO MODEL <u>MD-66</u>	7	3	CA	BIBRA	ATION TEC	HNICIÁN			
SER. NO. <u>20028294</u>		DAVIDI 181 RII		OAD	PEEDOME STATION NAME; TATION ADDRESS	ELFORD.	AIR, INC. PA 18969		
EQUIP. NO.	LE)								



EQUIP. NO. (FAPPLICABLE)

● Certificate • of Speedometer Accuracy



This is to certify that <u>Davidheiser's Speedometer Repair, Inc.</u>
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Scot 18 Jo / U the speedometer of FOND SD (MAKE OF VEHICLE) - MODEL)
Manufacturer's No. JAHP7/V 29X/VY7/9
Registration No
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR TRUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED BY SPEEDOMETER 1 21 31 41 51 61 71 82
TEST EQUIPMENT MAKE MUSTANG DYNO
MODEL MD-66 CALIBRATION TECHNICIAN
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC (STATION NAME) 181 RIDGE ROAD TELFORD, PA 1896: (STATION ADDRESS)





This is to certify that	David	iheise	r's Spe	eedom	eter R	epair, Inc.		
has been designated as o							S-19 bv	the
		•						
SECRETARY OF TRANS	PORT	ATIO	N, CO	MMON	IWEA	LTH OF PE	NNSYLV	ANIA.
DEPARTMENT OF TRAN	ISPOR	RTATIO	ON.					
On Septiszury	the s	peedo	meter	of <u></u>	The COMP	AKE OF (EHICLE)	MODEL)	
Manufacturer's No. 66-1mKSU2UDL829042								
Registration No. MG-99937								
was tested for accuracy, and the degree of accuracy was as follows: MILES PER HOUR								
TRUE SPEED	10	20	30	40	50	60 70	80	
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	(کی	6070	80	
	<u>-</u>							,
TEST EQUIPMENT				ı				
MAKE <u>MUSTANG DY</u> NO		4			1			
MODEL MD-66		<u>~</u>	~	CA	SBRA	ATION TEC	HNICIAN	
SER. NO. 20028294								
DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME)								
181 RIDGE ROAD TELFORD, PA 1896 (STATION ADDRESS)								
EQUIP. NO. /7	LE)	-						