



207

This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Self 20 2917 the speedometer of FORD (OW MODEL)
Manufacturer's No. 25APP21V28XXX211
Registration No. MG90082
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80  SPEED INDICATED 11 21 31 41 51 67 71 81
BI SPEEDOWLIER 17
TEST EQUIPMENT  MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. 20028294  DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)







### Certificate of



This is to certify thatDavid	theiser's Speedometer Repair, Inc.
has been designated as official s	Speedometer Testing Station No S-19 by the
SECRETARY OF TRANSPORT	ATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPOR	RTATION.
On SOT Zu Pointhe sp	Deedometer of FUNDELI MODEL)
Manufacturer's No. 15m7UI	SSSGLA 60534
Registration No. MC-80	7G1
was tested for accuracy, and the	e degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED 10	20 30 40 50 60 70 80
BY SPEEDOMETER 12	22 33 43 53 63 73 87
TEST EQUIPMENT	
MAKE MUSTANG DYNO	
	CALIBRATION TECHNICIAN
MODEL <u>MD-66</u>	SALISTATION TO SALISTATION
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969



This is to certify that

EQUIP. NO.

## Certificate of



### Speedometer Accuracy

Davidheiser's Speedometer Repair, Inc.

77110 to to obtain 11101									
has been designated as o	fficial	Speed	omete	r Testi	ng Sta	tion N	o. <u>S</u> -	<u>19</u> b	y the
SECRETARY OF TRANS	PORT	ATION	N, CO	MMON	IWEAL	тн о	F PEN	INSYL	VANIA,
DEPARTMENT OF TRAN	ISPOR	TATIO	ON.		,	1			
On Ser La 12	the sp	peedo	meter (	of	C	MeUC KE OF VE	HCLE	MODE	<u>,                                     </u>
Manufacturer's No. 16-N									
Registration No.	G-91	17-	<u>رن</u>						
was tested for accuracy, a	and the	e degre		ccurad	-		lows:		
TRUE SPEED	10	20	30	40	50	60	70	80	1
SPEED INDICATED	- 10	20							1
	12	27	37.	43	53	63	73	87	
BY SPEEDOMETER			70	1,				<u> </u>	J
TEST EQUIPMENT	<		)						
MAKE <u>MUSTANG DY</u> NO				5		Ŧ	$\Rightarrow$		$\overline{}$
MODEL MD-66				ĊA	LIBRE	ITION	TECH	NIC <del>IA</del>	N
SER. NO. <u>20028294</u>				HEISE DGE R	OAD	PEED ( STATION AC	NAME) TEI		PAIR, INC.



## Certificate of



207

This is to certify that	Davidheise	r's Spe	eaome	eter Ke	epair,	inc.		
has been designated as o	fficial Speed	omete	r Testi	ng Sta	tion N	o. <u>S</u> -	<u>19</u> by	the
SECRETARY OF TRANS	PORTATION	N, COI	MMON	WEAL	TH O	F PEN	INSYLV	/ANIA.
DEPARTMENT OF TRAN	SPORTATIO	ON.						
On Spot 20 [7	the speedo	meter o	of7	(MA	KE OF VE	HICLE	/ MODEL	
Manufacturer's No. 25	7-871Y3	8x/	20 g	-38	2			
Registration No. MC	7578	4			_	<del></del>		
was tested for accuracy, a	ind the degr			•		lows:		
			ES P					
TRUE SPEED	10 20	30	40	50	60	70	80	
SPEED INDICATED BY SPEEDOMETER	1020	30	41	51	61	71	81	
							_	
TEST EQUIPMENT		$\supset$			$\Gamma$			
MAKE MUSTANG DYNO	A					<del></del>		)
110	_	$\bigcirc$	<b>&gt;</b>		70.1			
MODEL MD-66			CCA	TIBKA	TION	TECH	MICIAN	
SER. NO. <u>20028294</u>	Ţ	DAVIDI	HEISE				ER REI	PAIR, INC.
	1	181 RIC	OGE R	OAD	STATION ATION AD	TEL	<u>FORD</u>	, PA 18969





This is to certify that Davidheis	ser's Speedometer Repair, Inc.
has been designated as official Spec	edometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION	ON, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTAT	TION.
On SAOT 20/2 the speed	dometer of
Manufacturer's No. 250 FP71 VSE	1X12US38
Registration No. MG 7.576	6
was tested for accuracy, and the deg	gree of accuracy was as follows:  MILES PER HOUR
TRUE SPEED 10 20	The state of the s
SPEED INDICATED BY SPEEDOMETER // 2/	314157617181
TEST EQUIPMENT	
MAKE MUSTANG DYNO	
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)	





This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as office	cial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPO	ORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANS	PORTATION.
On 500 20/1 th	ne speedometer of (MAKE OF VEHICLE) MODEL)
Manufacturer's No. 24741	H71199X144717
Registration No	357.2
was tested for accuracy, and	d the degree of accuracy was as follows:  MILES PER HOUR
TRUE SPEED	10 20 30 40 50 60 70 80
SPEED INDICATED BY SPEEDOMETER	121314151617182
TEST EQUIPMENT  MAKE MUSTANG DYNO  MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)
EQUIP. NO. (IF APPLICABLE)	



# ▼ Certificate = of Speedometer Accuracy



This is to certify that	Davi	dheise	r's Spe	edom	eter R	epair, Inc.
has been designated as o	official	Speed	iomete	r Testi	ng Sta	ation No. <u>S-19</u> by the
SECRETARY OF TRANS	PORT	TATIO	N, CO	MMON	WEA	LTH OF PENNSYLVANIA,
DEPARTMENT OF TRAIN	NSPOF	RTATIO	ON.		_	
On Sept 20 2012	the s	peedo	meter	of	OR-	AKE OF VEHICLE) MODEL)
Manufacturer's No. 24	ADP	7BV	9BX	11250	5	
Registration No. MG9	259	2				
was tested for accuracy,	and the	e degre	ee of a	ссигас	y was	as follows:
			MII	LES PE	ER HO	DUR
TRUE SPEED	10	20	30	40	50	60 70 80
SPEED INDICATED BY SPEEDOMETER	10	20	30	40	51	617182
TEST EQUIPMENT	<		>		( ,	
MAKE <u>MUSTANG DY</u> NO						
MODEL MD-66				_>CA	LIBRA	ATIONTECHNICIAN

181 RIDGE ROAD

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION ADDRESS)

TELFORD, PA 18969

EQUIP. NO. (IF APPLICABLE)

SER. NO. 20028294



EQUIP. NO. / 3

## Certificate of



This is to certify thatDa	widheiser's Speedometer Repair, Inc.
has been designated as offici	al Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPOR	RTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPO	
On Spot 20/2 the	e speedometer of
Manufacturer's No. 2144	77148415569
Registration No. MG-5	4909
was tested for accuracy, and	the degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED 10 SPEED INDICATED BY SPEEDOMETER //	0 20 30 40 50 60 70 80
TEST EQUIPMENT  MAKE <u>MUSTANG DY</u> NO	CALIBRATION TECHNICIAN
MODEL <u>MD-66</u>	
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)



## Certificate of



207

This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as office	cial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPO	ORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSP	
On Spot 20 2012 th	ne speedometer of
Manufacturer's No. 2 FAF	P71196X17562
Registration No. MCS0	779
was tested for accuracy, and	d the degree of accuracy was as follows:
TOUE OPECO	MILES PER HOUR
TRUE SPEED SPEED INDICATED ,	10 20 30 40 50 60 70 80
BY SPEEDOMETER /	112/13/14/15/16/17/186
TEST EQUIPMENT  MAKE <u>MUSTANG DY</u> NO  MODEL <u>MD-66</u>	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)





This is to certify that	Davidheiser's Speedometer Repair, Inc.
has been designated as o	fficial Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANS	PORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRAN	SPORTATION.
On Spot 20 72/2	the speedometer of MAKE OF VEHICLE) MODEL)
Manufacturer's No. 243	HP71409×144718
Registration No. MG	739.73
was tested for accuracy, a	and the degree of accuracy was as follows:
	MILES PER HOUR
TRUE SPEED SPEED INDICATED	10 20 30 40 50 60 70 80
BY SPEEDOMETER	10 20 30 41 51 61 71 81
TEST EQUIPMENT  MAKE <u>MUSTANG DY</u> NO	
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)



## Certificate of



This is to certify that Davidheis	er's Speedometer Repair, Inc.
has been designated as official Spee	edometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION	ON, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTAT	ION.
On Sept 201 2 the speed	ometer of TUND (O ) MODEL)
Manufacturer's No. 23911771	128×144715
Registration No. VLT-811	<u> </u>
was tested for accuracy, and the deg	ree of accuracy was as follows:
TOUE COLLEG	MILES PER HOUR
TRUE SPEED 10 20 SPEED INDICATED BY SPEEDOMETER 1/ 2/	30 40 50 60 70 80
D. G. ELDOWICILIN	
TEST EQUIPMENT	
MAKE MUSTANG DYNO	
MODEL MD-66	CALIBRATION TECHNICIAN
SER. NO. <u>20028294</u>	<u>DAVIDHEISER'S SPEEDOMETER REPAIR, INC.</u>
	(STATION NAME)
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)



## Certificate of



his is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTATION.
On Sept 20 20 17 the speedometer of HIN (MAKE OF VEHICLE) - MODEL)
Manufacturer's No. 2 Ka FF IV/8 X/20837
Registration No. MG78787
vas tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR  TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED
BY SPEEDOMETER /0 20 31 41 51 61 72 82
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. 20028294
DAVIDHEISER'S SPEEDOMETER REPAIR, INC
(STATION NAME) 181 RIDGE ROAD TELFORD, PA 1896
( STATION ADDRESS)



# ▼ Certificate ¬ of Speedometer Accuracy



JU 7

This is to certify that	Davidheiser's Speedometer Repair, Inc.	
has been designated as o	official Speedometer Testing Station No. <u>S-19</u> by the	
SECRETARY OF TRANS	SPORTATION, COMMONWEALTH OF PENNSYLVANIA.	
DEPARTMENT OF TRAN	ISPORTATION.	
On SOT DO WIZ	the speedometer of	
Manufacturer's No 2FABP7BVXBX169298		
Registration No. MG90576		
was tested for accuracy, and the degree of accuracy was as follows:  MILES PER HOUR		
TRUE SPEED	10 20 30 40 50 60 70 80	
SPEED INDICATED BY SPEEDOMETER	1020 31 41 51 61 7681	

MODEL MD-66

**TEST EQUIPMENT** 

MAKE MUSTANG DYNO

SER. NO. 20028294

DAVIDHEISER'S SPEEDOMETER REPAIR, INC.

(STATION NAME)

181 RIDGE ROAD

TELFORD, PA 18969

STATION ADDRESS)

EQUIP. NO.

UK APPI ICABI EL