



| This is to certify that Davidheiser's Speedometer Repair, Inc.   |   |               |                 |                      |             |              |  |  |
|--|---|---------------|-----------------|----------------------|-------------|--------------|--|--|
| has been designated as o   | fficial Speed   | dometer       | Testing S       | tation No            | <u>S-19</u> | by the       |  |  |
| SECRETARY OF TRANS   | PORTATIO  | N, COM        | MONWE           | ALTH OF              | PENNSY      | LVANIA.      |  |  |
| DEPARTMENT OF TRAN   | SPORTATI  | ON.           |                 |                      |             |              |  |  |
| On Aldy 13 BULL (DATE)   | the speedo  | ometer of     | Fa              | WAKE OF VEHI         | CLE) · MO   | DEL)         |  |  |
| Manufacturer's No. 25A   | FP71V2  | 3x 1550       | 2//             |                      |             |              |  |  |
| Registration No  | -9058   | 2             |                 |                      | _           |              |  |  |
| was tested for accuracy, a                                       | was tested for accuracy, and the degree of accuracy was as follows: |               |                 |                      |             |              |  |  |
| TRUE SPEED   | 10 20   | 30            | <u> 40   50</u> |                      | 70 80       | <u> </u>     |  |  |
| SPEED INDICATED BY SPEEDOMETER                                   | 10 20   |               | 10 50           | 6/7                  | 1 81        |              |  |  |
| TEST EQUIPMENT  MAKE MUSTANG DYNO  MODELMD-66  SER. NO. 20028294 | 4   |               |                 |                      | FECHNIC     |              |  |  |
|  |   | <u>DAVIDH</u> | EISER'S         | SPEEDO<br>(STATION N |             | REPAIR, INC. |  |  |
|  |   | 181 RID       | GE ROAD         | STATION ADD          |             | RD, PA 18969 |  |  |
| EQUIP. NO.   | 7   |               |                 |                      |             |              |  |  |





| This is to certify that                                       | Davidh                 | eiser's S | peedon      | <u>neter Re</u> | pair, Inc.     |                  |      |
|---|------------------------|-----------|-------------|-----------------|----------------|------------------|------|
| has been designated as o                                      | fficial S <sub>l</sub> | peedomet  | er Test     | ting Stat       | tion No        | <u>S-19</u> by t | he   |
| SECRETARY OF TRANS  | PORTA                  | TION, CO  | OMMC        | NWEAL           | TH OF PE       | ENNSYLVA         | NIA. |
| DEPARTMENT OF TRAN  |                        |           |             |                 |                |                  |      |
| On/W/13 2014  | the spe                | edomete   | r of        | J.              | RE OF VEHICLE) | · MODEL)         |      |
| Manufacturer's No. 2-FA                                       | 13075                  | VGBXI     | 0826        | 6               |                |                  |      |
| Registration No.  | MG                     | -8884     | A           |                 |                |                  |      |
| was tested for accuracy, a                                    |                        | degree of | accura      | cy was          |                | :                |      |
| TRUE SPEED  | 10                     | 20 30     | 40          | 50              | 60 70          | 80               |      |
| SPEED INDICATED<br>BY SPEEDOMETER                             | 10:                    | 20 30     | 40          | 50              | 61 71          | 81               |      |
| TEST EQUIPMENT  MAKE <u>MUSTANG DY</u> NO  MODEL <u>MD-66</u> |                        | 3         | <b>≥</b> c/ | ALIBRA          | TION TEC       | HNICIAN          |      |
|   |                        |           |             |                 |                |                  |      |
| SER. NO. <u>20028294</u>                                      |                        |           | DHEISE      | ROAD            | TATION NAME)   | TER REPA         |      |
| EQUIP. NO   | .E)                    |           |             |                 |                |                  |      |





| This is to certify that        | David   | dheise        | r's Spe         | edom           | eter R | epair, I  | nc.         |                  |          |
|--------------------------------|---------|---------------|-----------------|----------------|--------|-----------|-------------|------------------|----------|
| has been designated as o       | fficial | Speed         | lomete          | r Testi        | ng Sta | tion No   | o. <u>Ş</u> | <u>-19</u> by th | ne       |
| SECRETARY OF TRANS             | PORT    | ATIO          | N, CO           | MMON           | WEAI   | LTH O     | F PEN       | INSYLVAI         | NIA,     |
| DEPARTMENT OF TRAN             | ISPOF   | RTATIO        | ON.             |                |        | _         |             | ,                |          |
| On Ny / 3 2014                 | the s   | peedo         | meter           | of             | F.     | NE OF VE  | HICLE)      | - MODEL)         |          |
| Manufacturer's No. 150         |         |               | DG-1            | 163            | 521    |           |             |                  |          |
| Registration No. MG9           | 373     | 7             |                 |                |        |           |             |                  |          |
| was tested for accuracy, a     | and the | e degr        |                 | ccurac         |        |           | ows:        |                  |          |
| TRUE SPEED                     | 10      | 20            | 30              | 40             | 50     | 60        | 70          | 80               |          |
| SPEED INDICATED BY SPEEDOMETER | //      | 21            | 31              | 41             | 51     | 61        | 7/          | 81               |          |
| TEST EQUIPMENT                 |         |               | $\Rightarrow$   |                | /      |           | )           |                  |          |
| MAKE STORAGEGENERATO           | R       | $\overline{}$ | $\Rightarrow$   |                |        | 1600      | 4           |                  |          |
| MODEL SPEEDOMETER CAL          | BRATO   | <u>R</u>      |                 | <del>с</del> А | LIBRA  | MION.     | TECH        | INICIAN          |          |
| SER. NO                        |         | <u> </u>      | DAVID           | HEISE          |        |           |             | ER REPA          | IR, INC. |
|                                |         | -             | 181 <u>RI</u> I | DGE R          | OAD    | STATION I | TEI         | LFORD, P         | A 18969  |
| EQUIP. NO.                     | LE)     | _             |                 |                |        |           |             |                  |          |





| This is to certify that        | Davidheiser's Speedometer Repair, Inc.                              |  |  |  |  |  |  |  |
|--------------------------------|---|--|--|--|--|--|--|--|
| has been designated as o       | official Speedometer Testing Station No. S-19 by the                |  |  |  |  |  |  |  |
| SECRETARY OF TRANS             | SPORTATION, COMMONWEALTH OF PENNSYLVANIA,                           |  |  |  |  |  |  |  |
| DEPARTMENT OF TRAN             |   |  |  |  |  |  |  |  |
| On Nou 13 204                  | the speedometer of (MAKE OF VEHICLE) - MODEL)                       |  |  |  |  |  |  |  |
|                                | MKSU210L829177  |  |  |  |  |  |  |  |
| Registration No. MG            |   |  |  |  |  |  |  |  |
| was tested for accuracy, a     | was tested for accuracy, and the degree of accuracy was as follows: |  |  |  |  |  |  |  |
|                                | MILES PER HOUR  |  |  |  |  |  |  |  |
| TRUE SPEED                     | 10 20 30 40 50 60 70 80   |  |  |  |  |  |  |  |
| SPEED INDICATED BY SPEEDOMETER | 10 20 30 41 51 61 71 81   |  |  |  |  |  |  |  |
|                                |   |  |  |  |  |  |  |  |
| TEST EQUIPMENT                 |   |  |  |  |  |  |  |  |
| MAKE <u>MUSTANG DY</u> NO      |   |  |  |  |  |  |  |  |
| MODEL <u>MD-66</u>             | CALIBRATION TECHNICIAN  |  |  |  |  |  |  |  |
| SER. NO. 20028294              |   |  |  |  |  |  |  |  |
|                                | DAVIDHEISER'S SPEEDOMETER REPAIR, INC.                              |  |  |  |  |  |  |  |
|                                | (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS) |  |  |  |  |  |  |  |
| EQUIP. NO. (IF APPLICABLE      |   |  |  |  |  |  |  |  |





| This is to certify that Davidheiser's Speedometer Repair, Inc.      |  |                   |          |            |                            |  |  |
|---|--|-------------------|----------|------------|----------------------------|--|--|
| has been designated as o  | fficial Spe  | edomete           | er Testi | ng Station | No. <u>\$-19</u> by the    |  |  |
| SECRETARY OF TRANS  | SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA, |                   |          |            |                            |  |  |
| DEPARTMENT OF TRANSPORTATION.                                       |  |                   |          |            |                            |  |  |
| On/ VUV 13 2014   | the spee   | dometer           | of       | FON 2      | VEHICLE) - MODEL)          |  |  |
| Manufacturer's No. 15m  | EUTDE  | E7AU              | 478      | 676        |                            |  |  |
| Registration No. MG8  | 7633   |                   |          |            |                            |  |  |
| was tested for accuracy, and the degree of accuracy was as follows: |  |                   |          |            |                            |  |  |
|   | - 10 T A   | _                 | _        | ER HOUR    |                            |  |  |
| TRUE SPEED  | 10 2   | 0 30              | 40       | 50 60      | 70 80                      |  |  |
| SPEED INDICATED<br>BY SPEEDOMETER                                   | 112  | 131               | 41       | 5161       | 71 81                      |  |  |
|   |  |                   |          |            |                            |  |  |
| TEST EQUIPMENT  |  | $\overline{}$     |          | $\langle$  | ) /                        |  |  |
| MAKE <u>MUSTANG DY</u> NO   | <  | $\mathcal{I}_{-}$ | _        | *          |                            |  |  |
|   | ~  |                   | S CA     | LIBRATIO   | NTECHNICIAN                |  |  |
| MODEL <u>MD-66</u>  |  |                   |          |            |                            |  |  |
| SER. NO. 20028294   |  |                   |          |            |                            |  |  |
|   |  | DAVID             | HEISE    |            | DOMETER REPAIR, INC.       |  |  |
|   |  | 101 🖼             | DCC B    | •          | N NAME)                    |  |  |
|   |  | 181 RI            | DGE K    |            | TELFORD, PA 18969 ADDRESS) |  |  |
| EQUIP. NO. (IF APPLICABLE   | LEI  |                   |          |            |                            |  |  |





| This is to certify that                   | Davidheiser's Speedometer Repair, Inc.  |
|---|---|
| has been designated as office             | cial Speedometer Testing Station No. <u>S-19</u> by the   |
| SECRETARY OF TRANSPO                      | ORTATION, COMMONWEALTH OF PENNSYLVANIA,   |
| DEPARTMENT OF TRANSI                      | PORTATION.  |
| On 20013 2014 th                          | ne speedometer of   |
| Manufacturer's No. 16-100                 | CAEUSDRIZYII9   |
| Registration No. KND-                     | 97V   |
| TRUE SPEED                                | the degree of accuracy was as follows:  MILES PER HOUR  10 20 30 40 50 60 70 80                             |
| SPEED INDICATED BY SPEEDOMETER            | 0 20 30 40 50 60 70 80  |
| TEST EQUIPMENT  MAKE <u>MUSTANG DY</u> NO | 3   |
| MODEL MD-66                               | CALIBRATION TECHNICIAN  |
| SER. NO. <u>20028294</u>                  | DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS) |
| FOUR NO 9)                                |   |





| This is to certify that Davidheiser's Speedometer Repair, Inc.                     |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
| has been designated as official Speedometer Testing Station No. <u>S-19</u> by the |  |  |  |  |  |  |  |
| SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,                         |  |  |  |  |  |  |  |
| DEPARTMENT OF TRANSPORTATION.  |  |  |  |  |  |  |  |
| On MIN 13 JUIU the speedometer of FUND (MAKE OF VEHICLE) · MODEL)                  |  |  |  |  |  |  |  |
| Manufacturer's No. JFM5K8 ARSD GAG3910   |  |  |  |  |  |  |  |
| Registration No  |  |  |  |  |  |  |  |
| was tested for accuracy, and the degree of accuracy was as follows:                |  |  |  |  |  |  |  |
| MILES PER HOUR  TRUE SPEED 10 20 30 40 50 60 70 80                                 |  |  |  |  |  |  |  |
| SPEED INDICATED 11 21 71 41 62 62 72 82 BY SPEEDOMETER 11 21 71 41 62 62 72 82     |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |
| TEST EQUIPMENT   |  |  |  |  |  |  |  |
| MAKE STORAGE GENERATOR   |  |  |  |  |  |  |  |
| MODEL SPEEDOMETER CALIBRATOR  CALIBRATION TECHNICIAN                               |  |  |  |  |  |  |  |
| SER. NOD103  |  |  |  |  |  |  |  |
| DAVIDHEISER'S SPEEDOMETER REPAIR, INC.   |  |  |  |  |  |  |  |
| (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS)                |  |  |  |  |  |  |  |
| EQUIP. NO. (IF APPLICABLE)   |  |  |  |  |  |  |  |





| This is to certify thatDavidhei                                     | ser's Speedometer Repair, Inc.                                     |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|
| has been designated as official Spe                                 | edometer Testing Station No. <u>S-19</u> by the                    |  |  |  |  |  |  |
| SECRETARY OF TRANSPORTATI   | ON, COMMONWEALTH OF PENNSYLVANIA,                                  |  |  |  |  |  |  |
| DEPARTMENT OF TRANSPORTA  |  |  |  |  |  |  |  |
| On / Lul 3 Jel 4 the speed  | dometer of MAKE OF VEHICLE) - MODELI                               |  |  |  |  |  |  |
| Manufacturer's No. 2 FAHPウル   | 99X144717  |  |  |  |  |  |  |
| Registration No. MG-83972   |  |  |  |  |  |  |  |
| was tested for accuracy, and the degree of accuracy was as follows: |  |  |  |  |  |  |  |
| TRUE CREES 40 40  | MILES PER HOUR   |  |  |  |  |  |  |
| TRUE SPEED 10 20  | 0 30 40 50 60 70 80  |  |  |  |  |  |  |
| SPEED INDICATED BY SPEEDOMETER // 2                                 | 7 31 41 51 61 71 81  |  |  |  |  |  |  |
| TEST EQUIPMENT  MAKE MUSTANG DYNO  MODEL MD-66  SER. NO. 20028294   | SALIBRATION TECHNICIAN  DAVIDHEISER'S SPEEDOMETER REPAIR, INC.     |  |  |  |  |  |  |
|   | (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS) |  |  |  |  |  |  |
| EQUIP. NO. //   |  |  |  |  |  |  |  |





| his is to certify that Davidheiser's Speedometer Repair, Inc.   |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| nas been designated as official Speedometer Testing Station No. <u>S-19</u> by the                          |  |  |  |  |  |  |
| ECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,   |  |  |  |  |  |  |
| DEPARTMENT OF TRANSPORTATION.   |  |  |  |  |  |  |
| In MUIS 2011 the speedometer of MAKE OF VEHICLE) - MODEL)   |  |  |  |  |  |  |
| Manufacturer's No. 2F43P7BVGBX/12585  |  |  |  |  |  |  |
| Registration No. MG90597  |  |  |  |  |  |  |
| vas tested for accuracy, and the degree of accuracy was as follows:   |  |  |  |  |  |  |
| MILES PER HOUR  RUE SPEED 10 20 30 40 50 60 70 80   |  |  |  |  |  |  |
| RUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED 10 20 30 40 50 60 70 82                                   |  |  |  |  |  |  |
| MAKE MUSTANG DYNO  MODEL MD-66  |  |  |  |  |  |  |
| DAVIDHEISER'S SPEEDOMETER REPAIR, INC.  (STATION NAME)  181 RIDGE ROAD TELFORD, PA 18969  (STATION ADDRESS) |  |  |  |  |  |  |
| QUIP. NO. (IF APPLICABLE)   |  |  |  |  |  |  |





| This is to certify that    | Davidheiser's Speedometer Repair, Inc.                     |
|----------------------------|--|
| has been designated as of  | fficial Speedometer Testing Station No. <u>S-19</u> by the |
| SECRETARY OF TRANSI        | PORTATION, COMMONWEALTH OF PENNSYLVANIA,                   |
| DEPARTMENT OF TRAN         | SPORTATION.  |
| On MW13 2014               | the speedometer of FOND (MAKE OF VEHICLE) MODEL)           |
| Manufacturer's No. 254     | FP71196×125620   |
| Registration No. MG        | 80779  |
| was tested for accuracy, a | nd the degree of accuracy was as follows:                  |
|                            | MILES PER HOUR   |
| TRUE COEED                 |  |
| TRUE SPEED                 | 10 20 30 40 50 60 70 80                                    |
| SPEED INDICATED            | 10/21/30/40/50/60/50/50/                                   |
| BY SPEEDOMETER             | 10 00 00 00 00 00  |
|                            |  |
|                            |  |
|                            |  |
| TEST EQUIPMENT             |  |
|                            |  |
| MAKE <u>MUSTANG DYNO</u>   | A Com m  |
|                            | CANCELLON TECHNICIAN                                       |
| MODEL NO.                  | CAMBRATION TECHNICIAN                                      |
| MODELMD-66                 |  |
| OFF NO secret              |  |
| SER. NO. 20028294          | DAMBUEIGEDIO ODDEDOMETED DEDAMO INIC                       |
|                            | DAVIDHEISER'S SPEEDOMETER REPAIR, INC.                     |
|                            | (STATION NAME)   |
|                            | 181 RIDGE ROAD TELFORD, PA 18969                           |
|                            | ( STATION ADDRESS)   |
|                            |  |
| EQUIP. NO //               | E)   |





| This is to certify that   | David     | heise | r's Spe | edom               | eter R | epair,   | lnc.          |              |            |
|---|-----------|-------|---------|--------------------|--------|----------|---------------|--------------|------------|
| has been designated as o  | fficial S | Speed | lomete  | r Testi            | ng Sta | ition N  | o. <u>S</u> . | <u>-19</u> b | y the      |
| SECRETARY OF TRANS  | PORT      | OITA  | N, COI  | MMON               | WEA    | TH O     | F PEN         | INSYL        | VANIA,     |
| DEPARTMENT OF TRAN  |           |       |         |                    |        |          |               |              |            |
| On MUIS DUIY  | the sp    | eedo  | meter o | of                 | - S    | KE OF VE | HICLE         | . MODEL      |            |
| Manufacturer's No. 25   | HP7       | 140   | 9X/     | 447                | 18     |          |               |              |            |
| Registration No. MG   |           |       |         |                    |        |          |               |              |            |
| was tested for accuracy, and the degree of accuracy was as follows: |           |       |         |                    |        |          |               |              |            |
| TRUE SPEED  | 10        | 20    | 30      | <u>ES PI</u><br>40 | 50     | 60 T     | 70            | 80           |            |
| SPEED INDICATED BY SPEEDOMETER                                      | 10        | 20    | 30      | 40                 |        | 60       |               | 81           |            |
|   |           |       |         |                    |        |          |               | `            |            |
| TEST EQUIPMENT  |           | 6     | $\geq$  |                    | ,      | Y        |               | //           |            |
| MAKE <u>MUSTANG DY</u> NO   |           |       |         | ><                 |        |          | al            | 2            |            |
| MODELMD-66  |           |       |         | GA                 | LIBRA  | MOUL     | твсн          | NICIAI       | N          |
| SER. NO. 20028294  DAVIDHEISER'S SPEEDOMETER REPAIR, INC.           |           |       |         |                    |        |          |               |              |            |
|   |           |       | וטויאכ  | IL-IQL             |        | STATION  |               |              | PAIK, INC. |
|   |           | 1     | 81 RIC  | GE R               |        | ATION AD |               | FORD         | , PA 18969 |
| EQUIP, NO. (IF APPLICABLE)  | .E)       |       |         |                    |        |          |               |              |            |





| This is to certify that   | David                         | theise   | r's Spe | edom     | eter R     | epair, Inc.       |                    |  |
|---|-------------------------------|----------|---------|----------|------------|-------------------|--------------------|--|
| has been designated as o  | fficial                       | Speed    | omete   | r Testi  | ng Sta     | ation NoS         | <u>6-19</u> by the |  |
| SECRETARY OF TRANS  | PORT                          | ATION    | N, COI  | MMON     | WEA        | LTH OF PE         | NNSYLVANIA,        |  |
| DEPARTMENT OF TRAN  | DEPARTMENT OF TRANSPORTATION. |          |         |          |            |                   |                    |  |
| On 1013 7014  |                               |          |         |          | •          | •                 | · MODEL)           |  |
| Manufacturer's No. 25   | 4BP-                          | 200      | 48X1    | 10928    | <u> 18</u> |                   |                    |  |
| Registration No. MG   | 900                           | 96       |         |          |            |                   |                    |  |
| was lested for accuracy, and the degree of accuracy was as follows: |                               |          |         |          |            |                   |                    |  |
|   |                               |          | MIL     | ES P     | ER HO      | OUR               |                    |  |
| TRUE SPEED  | 10                            | 20       | 30      | 40       | _50        | 60 70             | 80                 |  |
| SPEED INDICATED BY SPEEDOMETER                                      | 10                            | Ð1       | 30      | U1       | 5)         | 61 71             | 82                 |  |
|   |                               |          |         |          |            |                   |                    |  |
| TEST EQUIPMENT  |                               |          |         |          | ١          |                   | ) ]                |  |
| MAKE <u>MUSTANG DY</u> NO   |                               |          | X       |          | A          | - L               |                    |  |
| MODEL MD-66   |                               | ,        |         | CA       | LIBRA      | THON DECI         | HNICIÁN            |  |
| SER. NO. 20028294   |                               |          |         |          |            |                   |                    |  |
|   |                               | <u>C</u> | AVIDI   | HEISE    |            |                   | ER REPAIR, INC.    |  |
|   |                               | <u>1</u> | 81 RID  | GE R     | -          | (STATION NAME) TE | LFORD, PA 18969    |  |
|   |                               |          |         | <u> </u> | ( S1       | PATION ADDRESS)   |                    |  |
| EQUIP. NO   | <u>.ξ)</u>                    | _        |         |          |            |                   |                    |  |