



This is to certify that Davidheiser's Speedometer Repair, Inc.							
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the							
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,							
DEPARTMENT OF TRANSPORTATION.							
On Dec 15 2011 the speedometer of Ford Solvi (MAKE OF VEHICLE) - MODEL)							
Manufacturer's No. OFAFF 71V28X 185-211							
Registration No. MG-90587							
was tested for accuracy, and the degree of accuracy was as follows:							
MILES PER HOUR [RUE SPEED 10 20 30 40 50 60 70 80]							
DEED INDICATED							
BY SPEED INDICATED 11 21 31 415/617181							
TEST EQUIPMENT							
MAKE CLAYTON							
MODEL C700 SECE							
DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)							
EQUIP. NO. (IF APPLICABLE)							





This is to certify that	Davidh	neiser	's Spe	edome	eter Re	epair, I	nc.		
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the									
SECRETARY OF TRANS	PORTA	TION	, co	MMON	WEAL	TH O	F PEN	INSYLVANIA,	
DEPARTMENT OF TRAN					_				
On Dec 15 201/	the spe	edon	neter	of <u>F</u>	INA	KE OF VE	NICLE)	· MODEL)	
Manufacturer's No. 254	BP7BV	(6B)	(108	املاز	0_				
Registration No. MG	3884	9							
was tested for accuracy, a	was tested for accuracy, and the degree of accuracy was as follows:								
TRUE SPEED	10	20		LES PE			70	1 90	
SPEED INDICATED BY SPEEDOMETER	100	كى .	<u>30</u> 30	40	50	60 (₀ 1	70	81	
TEST EQUIPMENT MAKE <u>MUSTANG DY</u> NO			> >		X	7	4		,
MODEL MD-66				CA	LIBRA	TION	TECH	MICIAN	
SER. NO. <u>20028294</u>				HEISE DGE R	OAD	PEED(STATION TATION AD	NAME) TEI	ER REPAIR, I	
EQUIP. NO.	.E)								





This is to certify that	Davidheiser's Speedometer Repair, Inc.						
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the							
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,							
DEPARTMENT OF TRAI							
On 2015 2011	the speedometer of FOLD S() (MAKE OF VEHICLE) - MODEL)						
Manufacturer's No.	PU/5556LA60534						
	8070/						
was tested for accuracy,	and the degree of accuracy was as follows:						
	MILES PER HOUR						
TRUE SPEED	10 20 30 40 50 60 70 80						
SPEED INDICATED BY SPEEDOMETER	12 22 37 43 53 63 74 84						
TEST EQUIPMENT							
MAKE <u>CLAYTON</u>							
MODEL C700 SECE	EALIBRATION TECHNICIAN						
SER. NO. <u>10670-R</u>	DAVIDUEISERIS SPEEDOMETER DERAID (MO						
	DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME)						
	181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)						
EQUIP. NO	LE)						







EQUIP. NO. (IF APPLICABLE)

Certificate of



This is to certify that Davidheiser's Speedometer Repair, Inc.							
has been designated as official Speedometer Testing Station No. S-19 by the							
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,							
DEPARTMENT OF TRANSPORTATION.							
On De 15 2011 the speedometer of Fund SW (MAKE OF VEHICLE) · MODEL)							
Manufacturer's No. JFMEUDDETAUA786X6							
Registration No. 10687633							
was tested for accuracy, and the degree of accuracy was as follows:							
MILES PER HOUR							
TRUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED 1/2/3/47 52 67 72 82							
TEST EQUIPMENT							
MAKE MUSTANG DYNO							
CALIBRATION TECHNICIAN							
MODEL MD-66							
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)							





Speedometer Accuracy

his is to certify that <u>Davidheiser's Speedometer Repair, Inc.</u>
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Doc 15 20 1/ the speedometer of FUND (MAKE OF VEHICLE) MODEL)
Manufacturer's No. 2 FAFF 7/VSB X/Je/839
Registration No. MGT786
vas tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
RUE SPEED 10 20 30 40 50 60 70 80 SPEED INDICATED
SY SPEEDOMETER 11 21 31 41 5162 72 82
TEST EQUIPMENT
MAKE MUSTANG DYNO
CALIBRATION TECHNICIAN
MODEL MD-66
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)

EQUIP. NO. (IF APPLICABLE)



EQUIP. NO. (IF APPLICABLE)

Certificate of



This is to certify that Davidheis	er's Speedometer Repair, Inc.							
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the								
SECRETARY OF TRANSPORTATION	SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,							
DEPARTMENT OF TRANSPORTAT	TION.							
On Dec/S Juil the speed								
Manufacturer's No 2 FANP 71 V99	GKKYY7/7							
Registration No. MC-83972								
was tested for accuracy, and the deg	ree of accuracy was as follows:							
TRUE SPEED 10 20 SPEED INDICATED // 2/	MILES PER HOUR 30 40 50 60 70 80 31 41 51 62 72 82							
BY SPEEDOMETER /// ///	1-197 PT (86, 17 PC)							
TEST EQUIPMENT								
MAKE MUSTANG DYNO	CALIBRATION TECHNICIAN							
MODEL <u>MD-66</u>	CALIBAATION TECHNICIAN							
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC.							
	(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)							





This is to certify that	Davidhe	eiser's Sp	<u>eedom</u>	eter Re	epair, I	nc.		
has been designated as official Speedometer Testing Station No. S-19 by the								
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,								
DEPARTMENT OF TRANSPORTATION.								
On Dec 15 Dos/	the spec	edometer	of	(MA)	KE OF VEH	NCLE)	- MODEL)	
Manufacturer's No. 2 FA								
Registration No. MG90								
was tested for accuracy, and the degree of accuracy was as follows:								
TRUE SPEED	10 2	<u>MI</u> 20 30	LES P	ER HO 50	60 T	70	80	
SPEED INDICATED	4 1	20 30	1 40	30	, 00	-70	0	
BY SPEEDOMETER	110	17 31	91	5	() ()	71	84	
TEST EQUIPMENT MAKECLAYTON		2		J		_	>	
			(e)	LIBRA	TION	TECH	NICIAN	
MODEL C700 SECE							J	
SER. NO. <u>10670-R</u>		<u>DAVID</u>		OAD (PEEDC STATION N	IAME) TEI	ER REPA	MR, INC. PA 18969
EQUIP. NO	LË)							





207

This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. S-19 by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA.
DEPARTMENT OF TRANSPORTATION.
On Dec 15 70 11 the speedometer of FUND (MAKE OF VEHICLE) MODEL)
Manufacturer's No 2 FAFF71 V 48 X 15 T 209
Registration No. MG SYAGA
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED
BY SPEEDOMETER 10 20 30 40 51 6171 81
DI OI EEDOMETEIX
TEST EQUIPMENT
MAKE MUSTANG DYNO
CALIBRATION TECHNICIAN
MODEL MD-66
SER. NO. 20028294
DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME)
181 RIDGE ROAD TELFORD, PA 18969
(STATION ADDRESS)





his is to certify that Davidheiser's Speedometer Repair, Inc.								
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the								
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,								
DEPARTMENT OF TRANSPORTATION.								
On Dec15 2011 the speedometer of [MAKE OF VEHICLE] - MODEL)								
Manufacturer's No. 2FAFP71V98X15620								
Registration No. MG 80779								
was tested for accuracy, and the degree of accuracy was as follows:								
MILES PER HOUR TRUE SPEED 10 20 30 40 50 60 70 80								
SPEED INDICATED								
BY SPEEDOMETER 102031 41 516272 52								
TEST EQUIPMENT								
MAKE MUSTANG DYNO CALIBRATION TECHNICIAN								
MODEL MD-66								
SER. NO. 20028294 DAVIDHEISER'S SPEEDOMETER REPAIR, INC.								
(STATION NAME)								
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)								
EQUIP. NO. (IF APPLICABLE)								



EQUIP. NO. (IF APPLICABLE)

Certificate of



This is to certify thatDavidheis	er's Speedometer Repair, Inc.						
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the							
SECRETARY OF TRANSPORTATION	ON, COMMONWEALTH OF PENNSYLVANIA,						
DEPARTMENT OF TRANSPORTAT	TON.						
On Dec 15 2011 the speed	ometer of FOND SOW						
Manufacturer's No. <u> </u>	19x144718						
Registration No. <u>MC</u> 多39フ	3						
was tested for accuracy, and the deg	•						
TRUE SPEED 10 20	MILES PER HOUR 30 40 50 60 70 80						
SPEED INDICATED	30 40 30 60 70 80						
BY SPEEDOMETER // 2	131 42 52 62 72 82						
TEST EQUIPMENT MAKE MUSTANG DYNO	7						
	CALIBRATION TECHNICIAN						
MODEL <u>MD-66</u>)						
SER. NO. <u>20028294</u>	DAVIDHEISER'S SPEEDOMETER REPAIR, INC. (STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)						





This is to certify that	Davidheis	er's Spee	domet	er Re	epair, Inc.		
has been designated as o	fficial Spee	dometer	Testing	Stat	tion No. <u>S</u>	<u>-19</u> by the	
SECRETARY OF TRANS	PORTATIO	N, COM	MONV	VEAL	TH OF PE	NNSYLVANI	Α.
DEPARTMENT OF TRAN			,	7			
On Del 2011	the speed	ometer of	<u> </u>	(MAI	KE OF VEHICLE)	· MODEL)	
On Deal 2011 (DATE) Manufacturer's No. 251	7HP31V2	19×14	4716	?			
Registration No. VCT	31P						
was tested for accuracy, and the degree of accuracy was as follows:							
TRUE SPEED	10 20	30	ES PER	50	60 70	80	
SPEED INDICATED BY SPEEDOMETER	1121	31	41	5-2	6272	58.	
				•	· · ·		
TEST EQUIPMENT		X					
MAKE <u>MUSTANG DY</u> NO	,		-	>	J		
MODEL <u>MD-66</u>			CAL	BRA	JION TECI	HNICIAM,	
SER. NO. <u>20028294</u>		DA1 4101 11	5 1455			· · · ·	
		DAVIDH	<u>EISER</u>		PEEDOMET STATION NAME)	ER REPAIR	, INC.
		181 RID	GE RO	AD		LFORD, PA	<u>18969</u>
EQUIP. NO. (IF APPLICABLE	LE)						





This is to certify that Davidheiser's Speedometer Repair, Inc.
has been designated as official Speedometer Testing Station No. <u>S-19</u> by the
SECRETARY OF TRANSPORTATION, COMMONWEALTH OF PENNSYLVANIA,
DEPARTMENT OF TRANSPORTATION.
On Sec 15 70/1 the speedometer of Tial Sow (MAKE OF VEHICLE) MODEL)
Manufacturer's No AFABOTBVXGX109386
Manufacturer's No ARBITISVXBX109388 Registration No
registration res.
was tested for accuracy, and the degree of accuracy was as follows:
MILES PER HOUR
TRUE SPEED 10 20 30 40 50 60 70 80
SPEED INDICATED 1/2/3/4252627382
BY SPEEDOMETER 1/ a/ 3/ 72 SC GC GC
TEST EQUIPMENT
MAKE MUSTANG DYNO
MODEL MD-66
SER. NO. 20028294
DAVIDHEISER'S SPEEDOMETER REPAIR, INC.
(STATION NAME) 181 RIDGE ROAD TELFORD, PA 18969
181 RIDGE ROAD TELFORD, PA 18969 (STATION ADDRESS)
EQUIP. NO. ((FAPPLICABLE)