

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/19	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0810 HRS.
--------------------------	---	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4054	417	MG99895	2014	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl Korey Linico
--	---

Florence Township Police Department Stalker Speed Calibration Sheet



Date: 10/19/2019	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0751 HRS.
----------------------------	---	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4054	404	26162MG	2017	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel	19. Vehicle Operator: Ptl. Korey Linico
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/19	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0805 Hrs
--------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4029	411	17791MG	2016	Tahoe
30 MPH	30 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	Same / Same	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel	19. Vehicle Operator: Ptl Charles Levach
--	---

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/19	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0740 Hrs
--------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4029	400	26226MG	2018	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel	19. Vehicle Operator: Ptl. Charles Levach
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/2019	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 1430 HRS.
----------------------------	---	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4052	413	26161MG	2017	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ptl. Zack Czepiel
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/19	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0745 HRS
--------------------------	---	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # **FA177085** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **FB277677** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	SOUTH/SOUTH	4057	421	16941MG	2015	TAHOE
30 MPH	30 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ofc. Kate Poltrictzky
--	--



Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/19	2. Officer: Sgt. N. Czepiel	3. Radar Unit: DS34806	4. Time: 0749 Hrs
--------------------------	---------------------------------------	----------------------------------	-----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction- Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4057	415	30712MG	2019	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Ofc. Kate Poltrictzky 
---	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/19	2. Officer: Ptl. Jason Silk	3. Radar Unit: DS33106	4. Time: 2330 HRS.
--------------------------	---------------------------------------	----------------------------------	------------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # FA167058 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB266751 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4041	419	16943MG	2015	TAHOE
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Ptl. Jason Silk 	19. Vehicle Operator: Sgt. Nick Czepiel
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/2019	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0800Hrs
----------------------------	---	----------------------------------	----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail _____.
- 7. With Unit in stationary mode struck 25mph fork # FA177085 IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # FB277677 IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	South / South	4049	410	26227MG	2018	Tahoe
30 MPH	30 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	South / South	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel	19. Vehicle Operator: Ptl. Jason Silk
--	--

Florence Township Police Department Stalker Speed Calibration Sheet

Date: 10/19/2019	2. Officer: Sgt. Nick Czepiel	3. Radar Unit: DS34806	4. Time: 0810HRS
----------------------------	---	----------------------------------	----------------------------

- 5. Turn the RADAR on.
- 6. Push self test button, unit should read 888/888/188 Pass X Fail .
- 7. With Unit in stationary mode struck 25mph fork # **FA177085** IFO antenna.
(You should receive a reading of 25 in the target window.)
- 8. Struck 40mph fork # **FB277677** IFO antenna.
(You should receive a reading of 40 in the target window.)

09. Vehicle Speed	10. RADAR Speed	11. Difference	12. Direction Vehicle/RADAR	13. Vehicle Driver	14. Vehicle Number	15. Vehicle Registration	16. Vehicle Year	17. Vehicle Type
20 MPH	20 MPH	0	SOUTH/SOUTH	4047	420	16942MG	2015	TAHOE
30 MPH	30 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
40 MPH	40 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
50 MPH	50 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME
60 MPH	60 MPH	0	SAME	SAME	SAME	SAME	SAME	SAME

(+) Speedometer reads faster than actual vehicle speed. (-) Speedometer reads slower than actual vehicle speed.

18. RADAR Operator: Sgt. Nick Czepiel 	19. Vehicle Operator: Cpl. Anthony Cardone
--	---