

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 286839
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for BUENA BORO POLICE DEPT.

Robert F. Camparulli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 286796
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 33.8 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for BUENA BORO POLICE DEPT.

Robert F. Camparulli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

11-3

This certifies that 80 m.p.h. Tuning Fork Serial Number 9316 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Campanelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

11-3

This certifies that 35 m.p.h. Tuning Fork Serial Number 9299 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Campanelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 50 m.p.h. Tuning Fork Serial Number 396630
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz will result in the stated m.p.h. value.

KA - Band

Agency certified for BUENA BORO POLICE DEPT.

Robert F. Campanelli
State Superintendent

Atlantic County
Date



4/3/2014

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 20 m.p.h. Tuning Fork Serial Number 396645
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 33.8 GHz will result in the stated m.p.h. value.

KA - Band

Agency certified for BUENA BORO POLICE DEPT.

Robert F. Campanelli
State Superintendent

Atlantic County
Date



4/3/2014

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 287000
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 33.8 GHz

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Camporelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 286834
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 33.8 GHz

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Camporelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number S 617
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 10,525 MHz
X - Band will result in the stated m.p.h. value.

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Campanelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number S 685
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 10,525 MHz
X - Band will result in the stated m.p.h. value.

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Campanelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number D 1008
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 10,525 MHz
X - Band will result in the stated m.p.h. value.

Agency certified for BUENA BORO POLICE DEPT.

Robert F. Campanelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number D 1053
has been compared with standards of the State of New Jersey in possession
of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 10,525 MHz
X - Band will result in the stated m.p.h. value.

Agency certified for BUENA BORO POLICE DEPT.

Robert F. Campanelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 22385 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for BUENA BORO POLICE DEPT.

Robert F. Camporelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number 30069 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at X - Band will result in the stated m.p.h. value. 10,525 MHz

Agency certified for BUENA BORO POLICE DEPT.

Robert F. Camporelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 35 m.p.h. Tuning Fork Serial Number 2023
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 10,525 MHz
X - Band will result in the stated m.p.h. value.

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Camporelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 80 m.p.h. Tuning Fork Serial Number D 1061
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 10,525 MHz
X - Band will result in the stated m.p.h. value.

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Camporelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 50 m.p.h. Tuning Fork Serial Number 396628
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 33.8 GHz

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Campanelli
State Superintendent

Atlantic County

Date 4/3/2014



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 20 m.p.h. Tuning Fork Serial Number 396652
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 33.8 GHz

Agency certified for BUENA BORO POLICE DEPT.

Robert J. Campanelli
State Superintendent

Atlantic County

Date 4/3/2014



11-6

**Tuning Fork
CERTIFICATE OF ACCURACY**

This is to certify that on 6-18-14 tuning fork Serial No. 44 55 92
was tested and found to oscillate at 2018 cycles per second. Such
oscillation causes a doppler radar operating in the KA band to read 20 mph.
When operated over the temperature of -22°F to +140°F no correction is required.



316 East Ninth Street / Owensboro, KY 42303

GC-026 MPD-184B Rev. 05/12

Clayton A. Kewin, J.D.
Technician

11-6

**Tuning Fork
CERTIFICATE OF ACCURACY**

This is to certify that on 6-18-14 tuning fork Serial No. 44 55 78
was tested and found to oscillate at 5040 cycles per second. Such
oscillation causes a doppler radar operating in the KA band to read 50 mph.
When operated over the temperature of -22°F to +140°F no correction is required.



316 East Ninth Street / Owensboro, KY 42303

GC-026 MPD-184B Rev. 05/12

Clayton A. Kewin, J.D.
Technician

11-3
new

**Tuning Fork
CERTIFICATE OF ACCURACY**

This is to certify that on 9-30-14 tuning fork Serial No. 467262
was tested and found to oscillate at 2020 cycles per second. Such
oscillation causes a doppler radar operating in the KA band to read 20 mph.
When operated over the temperature of -22°F to +140°F no correction is required.

VIPH

316 East Ninth Street / Owensboro, KY 42303

GC-026 MPD-184B Rev. 05/12

Clayton L. Latta
Technician

11-3
New

**Tuning Fork
CERTIFICATE OF ACCURACY**

This is to certify that on 9-30-14 tuning fork Serial No. 467209
was tested and found to oscillate at 5044 cycles per second. Such
oscillation causes a doppler radar operating in the KA band to read 50 mph.
When operated over the temperature of -22°F to $+140^{\circ}\text{F}$ no correction is required.

MPH

316 East Ninth Street / Owensboro, KY 42303

GC-026 MPD-1848 Rev. 05/12

Elizabeth Renee Jett
Technician

**Tuning Fork
CERTIFICATE OF ACCURACY**

S-2
New

This is to certify that on 6-18-14 tuning fork Serial No. 445595
was tested and found to oscillate at _____ cycles per second. Such
oscillation causes a doppler radar operating in the KA band to read 20 mph.
When operated over the temperature of -22°F to +140°F no correction is required.

MPH

316 East Ninth Street / Owensboro, KY 42303

GC-028 MPD-184B Rev. 05/12

Clayton H. Lence
Technician

52

**Tuning Fork
CERTIFICATE OF ACCURACY**

This is to certify that on 6-17-14 tuning fork Serial No. 445457
was tested and found to oscillate at 5040 cycles per second. Such
oscillation causes a doppler radar operating in the KA band to read 50 mph.
When operated over the temperature of -22°F to $+140^{\circ}\text{F}$ no correction is required.

MPH

316 East Ninth Street / Owensboro, KY 42303

GC-026 MPD-1048 Rev. 05/12

Clayton H. Lewis, Jr.
Technician