

STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#32


This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138091  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138091  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#32

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239444  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
**KA - Band** will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239444  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#33

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138093  
has been compared with standards of the State of New Jersey in posses-  
sion of the State Superintendent of Weights and Measures. The above  
tuning fork when used with Radar traffic units operating at 34.7 GHz  
KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138093  
has been compared with standards of the State of New Jersey in posses-  
sion of the State Superintendent of Weights and Measures. The above  
tuning fork when used with Radar traffic units operating at 34.7 GHz




STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#33

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239446  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
**KA - Band** will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.



Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239446  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#34

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138088  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
**KA - Band** will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138088  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#34

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239443  
has been compared with standards of the State of New Jersey in posses-  
sion of the State Superintendent of Weights and Measures. The above  
tuning fork when used with Radar traffic units operating at 34.7 GHz  
KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239443  
has been compared with standards of the State of New Jersey in posses-  
sion of the State Superintendent of Weights and Measures. The above  
tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

# 35

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138092  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
**KA - Band** will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138092  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#35


This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239445  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239445  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz





STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#36

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA132720  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.



Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA132720  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz




STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#36

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB233551  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.



Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB233551  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#37

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138089  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
**KA - Band** will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138089  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

#37

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239447  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
**KA - Band** will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239447  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Cycle 2  
Handheld

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA194180  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
**KA - Band** will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA194180  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Cycle 2  
Handheld

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB296783  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
**KA - Band** will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB296783  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Cycle 3

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA178901  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA178901  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Cycle 3

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB278789  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB278789  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz





STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Spere

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138090  
has been compared with standards of the State of New Jersey in posses-  
sion of the State Superintendent of Weights and Measures. The above  
tuning fork when used with Radar traffic units operating at 34.7 GHz  
KA - Band will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.3 m.p.h. Tuning Fork Serial Number FA138090  
has been compared with standards of the State of New Jersey in posses-  
sion of the State Superintendent of Weights and Measures. The above  
tuning fork when used with Radar traffic units operating at 34.7 GHz



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Spare

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239448  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz  
**KA - Band** will result in the stated m.p.h. value.

Agency certified for LONGPORT BORO POLICE DEPT.

  
Acting State Superintendent

Atlantic County

Date 3/31/2016



STATE OF NEW JERSEY  
OFFICE OF THE  
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.3 m.p.h. Tuning Fork Serial Number FB239448  
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz

