

FRANKLIN TWP RADAR UNITS

<u>Veh#</u>	<u>Readout</u>	<u>F-Antenna</u>	<u>R-Antenna</u>	<u>Tuning 25</u>	<u>Tuning 40</u>	<u>Radar</u>
1102	DF008618	KC292330	KR065717	351476	462964	stalker✓
1104	DS045102	KC080674	KC080688	214627	319356	stalker✓
1105	DS32445	KC023862	KC023868	232619	339415	stalker✓
1108	DF008620	KC290731	KR065733	351706	462965	stalker✓
1110	DS045060	KC080623	KC080613	242243	349755	stalker✓
1111	DH005348	KC92315	KC92340	351470	462938	stalker✓
1112	DS044289	KC075759	KC075750	210988	315778	stalker✓
1113	DS045103	KC080628	KC080622	210989	315779	stalker✓
1114	DS045061	KC080675	KC080615	214625	320052	stalker✓
1116	DS045069	KC080685	KC080683	214481	319354	stalker✓
1117	DS044263	KC075494	KC074836	214626	319358	stalker✓
1118	DH005332	KC291860	KC291444	351471	462936	stalker✓
1119	DS045062	KC080629	KC080630	214479	319355	stalker✓
1120	DS045112	KC080458	KC080610	210986	315776	stalker✓
1121	DS044339	KC074804	KC075940	210991	315781	stalker✓
1123	DS044342	KC075937	KC074800	214478	319357	stalker✓
1124	DS044285	KC075483	KC074834	232077	339864	stalker✓
1126	DH005063	KC92981	KC93026	351472	462937	stalker✓
1134	DE014264	KC158193	KC158167	264340	371352	stalker✓
1137	DS044396	KC075949	KC074828	210987	315777	stalker✓
1138	DS044288	KC075758	KC075757	210992	315782	stalker✓
1139	DS045104	KC080687	KC080689	220611	500536	stalker✓

Spare Unit:

<u>Readout</u>	<u>F-Antenna</u>	<u>R-Antenna</u>	<u>Radar</u>
DS32342	010945	KC013210	stalker
DE004870	KC110681	KC110865	stalker
048834	025935	025786	stalker
040272	040741	040760	stalker

Spare Tuning Forks:

<u>Tuning 25</u>	<u>Tuning 40</u>
350206	467187
215386	319401
220610	500560
210990	315780
214480	319353

Last Revised: 05/01/26

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB462964
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 4/15/2026



OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA351476
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 4/15/2026



1102

RADAR CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DF008618

Antenna #1: S.N. KC292330 Frequency 34.72 GHz Power Density 0.4 mw/cm²

Antenna #2: S.N. KR065717 Frequency 34.66 GHz Power Density 0.3 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 km/h) in stationary mode, and/or ±2 mph (±3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date: 12/17/2025

Technician (signature) 

Technician: Alec Kaplan

Technician overseen by: Wesley Laird



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214627
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stanel
Acting State Superintendent

Gloucester County

Date 4/15/2026



OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319356
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stanel
Acting State Superintendent

Gloucester County

Date 4/15/2026



Unit 1104

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045107 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080688 Frequency 34.73 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080674 Frequency 34.72 GHz Power Density 2 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) *KTA*

Technician (name) CHRISTOPHER

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA351706
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA- Band will result in the stated m.p.h. value.



Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staal
Acting State Superintendent

Gloucester County

Date 4/15/2026

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB462965
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA- Band will result in the stated m.p.h. value.



Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staal
Acting State Superintendent

Gloucester County

Date 4/15/2026

RADAR CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DF008620

Antenna #1: S.N. KC290731 Frequency 34.71 GHz Power Density 0.4 mw/cm²

Antenna #2: S.N. KR065733 Frequency 34.67 GHz Power Density 0.4 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 km/h) in stationary mode, and/or ±2 mph (±3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Technician (signature) Arnold Kaplan

Date: 12/17/2025

Technician: Alec Kaplan

Technician overseen by: Wesley Laird



Applied Concepts, Inc. | Richardson, Texas 75081

214735

Unit #1108/Stalker

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB349755
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County
Date 4/15/2026




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA242243
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County
Date 4/15/2026



Unit #1110

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045060 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080623 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080613 Frequency 34.71 GHz Power Density 1 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode,
and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the
prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI
Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) [Signature]

Technician (name) CHRIS TRUJILLO

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB462938
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County


Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA351470
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 4/15/2026



Unit #1111

RADAR CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DH005348

Antenna #1: S.N. KC292340 Frequency 34.71 GHz Power Density 0.6 mw/cm²

Antenna #2: S.N. KC292315 Frequency 34.71 GHz Power Density 0.3 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 km/h) in stationary mode, and/or ± 2 mph (± 3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date: 12/17/2025

Technician (signature) 

Technician: Alec Kaplan

Technician overseen by: Wesley Laird



006-0147-00 Rev U

Applied Concepts, Inc. | Richardson, Texas 75081

214738

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315778
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County

Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210988
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County

Date 4/15/2026



Unit #1112

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS 044289 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC075759 Frequency 34.72 GHz Power Density 0.18 mw/cm²
Antenna #2: S.N. KC075750 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN

Applied Concepts, Inc. | Plano, Texas 75074

006-0147-00 Rev M

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210989 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz will result in the stated m.p.h. value.

KA - Band

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stank
Acting State Superintendent

Gloucester County
Date

4/15/2026

LS



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

Unit Copy

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315779 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz will result in the stated m.p.h. value.

KA - Band

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stank
Acting State Superintendent

Gloucester County
Date

4/15/2026

LS



Unit #1113

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045103 Frequency ✓ GHz Power Density — mw/cm²
Antenna #1: S.N. KC080622 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080628 Frequency 34.72 GHz Power Density 1 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) [Signature]

Technician (name) CHRIS TRUJILLO

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214625
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stancal
Acting State Superintendent

Gloucester County

Date 4/15/2026



OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB320052
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stancal
Acting State Superintendent

Gloucester County

Date 4/15/2026



1114

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045061 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080625 Frequency 34.72GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080615 Frequency 34.72GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014 Technician (signature) *Chris Trujillo*

Technician (name) CHRIS TRUJILLO

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214481 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County
Date 4/15/2026




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319354 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County
Date 4/15/2026



Unit #1116

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045069 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080685 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080683 Frequency 34.73 GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014 Technician (signature) [Signature]
Technician (name) CHRIS BULLILLO

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214626
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County
Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319358
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County
Date 4/15/2026



Unit #1117

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044263 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K075494 Frequency 34.72 GHz Power Density 1.0 mw/cm²
Antenna #2: S.N. K074836 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) [Signature]

Technician (name) DONG NGUYEN

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA351471
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Standa
Acting State Superintendent

Gloucester County

Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB462936
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA- Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Standa
Acting State Superintendent

Gloucester County

Date 4/15/2026



RADAR CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DH005332

Antenna #1: S.N. KC291860

Frequency 34.72 GHz

Power Density 0.4 mw/cm²

Antenna #2: S.N. KC291444

Frequency 34.72 GHz

Power Density 0.6 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 km/h) in stationary mode, and/or ± 2 mph (± 3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Technician (signature) *Alec Kaplan*

Date: 12/17/2025

Technician: Alec Kaplan

Technician overseen by: Wesley Laird



006-0147-00 Rev U

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214479
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

David Stead
Acting State Superintendent

Gloucester County
Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319355
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

David Stead
Acting State Superintendent

Gloucester County
Date 4/15/2026



Unit 119

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045062 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080629 Frequency 34.72GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080630 Frequency 34.72GHz Power Density 2 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014

Technician (signature) [Signature]

Technician (name) CHRIS TAVILLO

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315776
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210986
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA- Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Standa
Acting State Superintendent

Gloucester County

Date 4/15/2026



Unit #1120

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045112 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080616 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. KC080458 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 8 2014

Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315781
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Staal
Acting State Superintendent

Gloucester County
Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210991
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Staal
Acting State Superintendent

Gloucester County
Date 4/15/2026



Unit Copy

LS

UNIT 1121

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044339 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC075940 Frequency 34.72 GHz Power Density 1.2 mw/cm²
Antenna #2: S.N. KC074804 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG 2 2013

Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB319357
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Staal
Acting State Superintendent

Gloucester County
Date 4/15/2026




STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA214478
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7 GHz
KA - Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Staal
Acting State Superintendent

Gloucester County
Date 4/15/2026



1123

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044342 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC075937 Frequency 34.72 GHz Power Density 0.8 mw/cm²
Antenna #2: S.N. KC074800 Frequency 34.72 GHz Power Density 0.8 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 2013

Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB339864
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Dan Staal
Acting State Superintendent

Gloucester County

Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA232077
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7 GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Dan Staal
Acting State Superintendent

Gloucester County

Date 4/15/2026



1124

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044285 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC074834 Frequency 34.72 GHz Power Density 0.7 mw/cm²
Antenna #2: S.N. KC075483 Frequency 34.73 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 kph) in stationary mode, and/or ± 2 mph (± 3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG -2 2013


Technician (signature) [Signature]

Technician (name) DONG NGUYEN


STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB462937
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA351472
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County
Date 4/15/2026



1126

RADAR CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DH005063

Antenna #1: S.N. KC293026

Frequency 34.72 GHz

Power Density 0.2 mw/cm²

Antenna #2: S.N. KC292981

Frequency 34.73 GHz

Power Density 0.4 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 km/h) in stationary mode, and/or ±2 mph (±3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date: 12/17/2025

Technician (signature) 

Technician: Alec Kaplan

Technician overseen by: Wesley Laird



006-0147-00 Rev U

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA264340
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB371352
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at 34.7GHz
KA- Band will result in the stated m.p.h. value.

Agency certified for FRANKLIN TWP. POLICE DEPT.


Acting State Superintendent

Gloucester County

Date 4/15/2026



UNIT 1134

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DE014264

Antenna #1: S.N. KC158193

Frequency 34.72 GHz

Power Density 0.4 mw/cm²

Antenna #2: S.N. KC158167

Frequency 34.72 GHz

Power Density 0.3 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.


This STALKER® Speed Measuring Device is certified accurate within ± 1 mph (± 2 km/h) in stationary mode, and/or ± 2 mph (± 3 km/h) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date: 01/03/2019

Technician (signature) 

Technician: Hani Almikhlafi

Technician overseen by: Roland Rickerd

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210987
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
KA- Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County
Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315777
has been compared with standards of the State of New Jersey in posses-
sion of the State Superintendent of Weights and Measures. The above
tuning fork when used with Radar traffic units operating at
KA- Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stead
Acting State Superintendent

Gloucester County
Date 4/15/2026



1137

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS 044396 Frequency GHz Power Density mw/cm²
Antenna #1: S.N. K074828 Frequency 34.71 GHz Power Density 1.0 mw/cm²
Antenna #2: S.N. K075949 Frequency 34.72 GHz Power Density 1.0 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode,
and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the
prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI
Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2 - 2013

Technician (signature) [Signature]

Technician (name) DONG NGUYEN

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA210992 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staal
Acting State Superintendent

Gloucester County

Date 4/15/2026



OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB315782 has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Don Staal
Acting State Superintendent

Gloucester County

Date 4/15/2026



1138

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS044288 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. K2075757 Frequency 34.72 GHz Power Density 1.5 mw/cm²
Antenna #2: S.N. K2075758 Frequency 34.72 GHz Power Density 0.9 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date AUG - 2, 2013

Technician (signature) *[Signature]*

Technician (name) DONG NGUYEN

STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 25.25 m.p.h. Tuning Fork Serial Number FA220611
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stank
Acting State Superintendent

Gloucester County
Date 4/15/2026



STATE OF NEW JERSEY
OFFICE OF THE
STATE SUPERINTENDENT OF WEIGHTS AND MEASURES

This certifies that 40.25 m.p.h. Tuning Fork Serial Number FB500536
has been compared with standards of the State of New Jersey in possession of the State Superintendent of Weights and Measures. The above tuning fork when used with Radar traffic units operating at
KA - Band will result in the stated m.p.h. value. 34.7GHz

Agency certified for FRANKLIN TWP. POLICE DEPT.

Daniel Stank
Acting State Superintendent

Gloucester County
Date 4/15/2026



1139

CERTIFICATE OF ACCURACY

I hereby certify this STALKER® Speed Measuring Device.

Computing Unit: S.N. DS045104 Frequency — GHz Power Density — mw/cm²
Antenna #1: S.N. KC080687 Frequency 34.72 GHz Power Density 2 mw/cm²
Antenna #2: S.N. KC080689 Frequency 34.73 GHz Power Density 1.5 mw/cm²

Under my supervision, this Speed Measuring Device has been checked for accuracy and correct operation.

This STALKER® Speed Measuring Device is certified accurate within ±1 mph (±2 kph) in stationary mode, and/or ±2 mph (±3 kph) in moving mode.

The transmitter frequency of this speed measuring radar device has been tested and found to be within the prescribed limits as established by the Federal Communications Commission.

The measured Power Density of this speed measuring device has been tested and found to be below the ANSI Standard of 5.0 mw/cm² for this device.

All test instruments are traceable to NIST.

Date JAN - 9 2014 Technician (signature) *Chris Trujillo*
Technician (name) CHRIS TRUJILLO